

**ALLERGY RELIEF CHILDRENS- cetirizine hcl solution**  
**CVS Pharmacy**

-----  
**CVS Pharmacy, Inc. Children's Allergy Relief Drug Facts**

**Active ingredient (in each 5 mL)**

Cetirizine HCl 5 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**

**Do not use**

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have**

liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are**

taking tranquilizers or sedatives.

**When using this product**

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding:**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- use only with enclosed dosing cup
- find right dose on chart below
- mL = milliliter

adults and children 6 years and over	5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours.
adults 65 years and over	5 mL once daily; do not take more than 5 mL in 24 hours.
children 2 to under 6 years of age	2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- store between 20° -25° C (68° -77° F)
- **do not use if carton is opened, or if printed neckband is broken or missing**
- see bottom panel for lot number and expiration date

**Inactive ingredients**

anhydrous citric acid, artificial bubble gum flavor, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose

**Questions or comments?**

**1-800-719-9260**

**Package/Label Principal Display Panel**

Compare to the active ingredient in Children's Zyrtec®

Indoor & Outdoor Allergies

Children's Allergy Relief

24 HOUR

CETIRIZINE HYDROCHORIDE ORAL SOLUTION 1 mg/mL

Antihistamine

24 hour relief of:

Sneezing; Runny nose; itchy, watery eyes; Itchy throat or nose

2 Years & Older

DYE FREE

Actual Bottle Size on Side Panel

Sugar free

Bubble Gum Flavor

Dosing cup included

4 FL OZ (120 mL)

**CVS Health.** Indoor & Outdoor Allergies

# Children's Allergy Relief

CETIRIZINE HYDROCHLORIDE ORAL SOLUTION 1 mg/mL Antihistamine

**24 HOUR**

**CVS Health.** Compare to the active ingredient in Children's Zyrtec™ Indoor & Outdoor Allergies NDC 59779-837-26

# Children's Allergy Relief

CETIRIZINE HYDROCHLORIDE ORAL SOLUTION 1 mg/mL Antihistamine

**24 HOUR**

**DYE FREE** Actual Bottle Size on Side Panel

Sugar free

Bubble Gum Flavor Dosing cup included

4 FL OZ (120 mL)

Actual Size

#901417

0 50428 25394 6

COIDE AIR/EA

18026 17 C5

**Dosing cup included**

Dosing cup should be washed and left to air dry after each use.



Active ingredient (in each 5 mL)	Purpose
Cetirizine HCl 5 mg.....	Antihistamine

**Uses**  
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
■ runny nose ■ sneezing  
■ itchy, watery eyes  
■ itching of the nose or throat

**Warnings**  
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.  
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.  
Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.  
**When using this product**  
■ drowsiness may occur  
■ avoid alcoholic drinks  
■ alcohol, sedatives, and tranquilizers may increase drowsiness  
■ be careful when driving a motor vehicle or operating machinery  
**Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.**  
**If pregnant or breast-feeding**  
■ if breast-feeding: not recommended  
■ if pregnant: ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Drug Facts (continued)**

**Directions**  
■ use only with enclosed dosing cup  
■ find right dose on chart below  
■ mL = milliliter

adults and children 6 years and over	5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours.
adults 65 years and over	5 mL once daily; do not take more than 5 mL in 24 hours.
children 2 to under 6 years of age	2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**  
■ store between 20° to 25°C (68° to 77°F)  
■ do not use if carton is opened, or if printed neckband is broken or missing  
■ see bottom panel for lot number and expiration date

**Inactive ingredients**  
anhydrous citric acid, artificial bubble gum flavor, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose

**Questions or comments?**  
1-800-719-9260

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, Division of McNeil-PPC, Inc., distributor of Children's Zyrtec®.

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2019 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS  
V-16430

**CVS Quality** Money Back Guarantee **PLEASE RECYCLE**

# ALLERGY RELIEF CHILDRENS

cetirizine hcl solution

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-837
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

## Product Characteristics

Color	YELLOW (Clear to light yellow)	Score	
Shape		Size	
Flavor	BUBBLE GUM	Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-837-26	1 in 1 CARTON	09/11/2015	
1		120 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:59779-837-34	1 in 1 CARTON	09/11/2015	
2		240 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA204226	09/11/2015	

Labeler - CVS Pharmacy (062312574)

