HEMORRHOIDAL CREAM- hemorrhoidal cream cream Walgreens

Walgreens ® Hemorrhoidal M/S Cream 0.9oz

Active Ingredients

Glycerin 14.4%

Phenylephrine HCL 0.25%

Pramoxine HCI 1%

White petrolatum 15%

Purpose

Protectant

Vasoconstrictor

Local anasthetic

Protectant

Uses

- -for temporary relief of pain, soreness, and burning.
- -helps relieve the local itching and discomfort associated with hemorrhoids.
- -temporarily shrinks hemorrhoidal tissue.
- -temporarily provides a coating for relief of anorectal discomforts.
- -temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful.

Warnings

For external use only.

Ask a doctor before use if you have

- -heart disease
- -high blood pressure
- -thyroid disease
- -diabetes
- -difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug for high blood pressure or depression.

When using this product

- -do not exceed the recommended daily dosage unless directed by a doctor
- -do not put into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- -bleeding occurs
- -condition worsens or does not improve within 7 days
- -an allergic reaction develops
- -the symptom being treated does not subside or if redness, irritation, swelling pain, or other symptoms develop or increase

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- -adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before applying cream. When first opening the tube, puncture foil seal with top end of cap. Apply externally or in the lower portion of the anal canal only. Apply to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement.
- -For application in the lower anal canal: remove cover from dispensing cap. Attach dispensing cap to tube. Lubrcate dispensing cap well, then gently insert dispensing cap partway into the anus.
- -thoroughly cleanse dispensing cap after each use and replace cover.
- -children under 12 years of age: ask a doctor.

Directions

Apply externally or in the lower portion of the anal canal only. Apply to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement.

-For application in the lower anal canal: remove cover from dispensing cap. Attach dispensing cap to tube. Lubrcate dispensing cap well, then gently insert dispensing cap partway into the anus.


Other information

store at 20-25oC (68-77oF)

Inactive ingredients

Aloe barbadensis leaf extract, butylated hydroxytoluene, cetyl esters, cetyl palmitate, glyceryl monostearate, isopropyl myristate, lanolin, methylparaben, mineral oil, polysorbate 60, propylene glycol, propylparaben, sodium citrate, stearic acid, stearyl alcohol, vitamin E, water

Carton label



Tube label

HEMORRHOIDAL

Pain Relief Cream

Walgreens

NDC 0363-0641-10

MAXIMUM STRENGTH + ALOE & VITAMIN E CREAM

- · Rapid, soothing relief from painful burning, itching & discomfort
- Shrinks swollen hemorrhoidal tissue
- Protects irritated tissue

NET WT 0.9 0Z (25.5 q)

Active ingredients Glycerin 14.4%; Phenylephrine HCl 0.25%; Pramoxine HCl 1%; White Petrolatum 15% Uses for temporary relief of pain, soreness and burning; helps relieve the local ltching and discomfort associated with hemorrhoids; temporarily shrinks hemorrhoidal tissue; temporarily provides a coating for relief of anorectal discomforts; temporarily protects the inflamed, irritated anorectal surface to help make howel movements less painful. help make bowel movements less painful

help make bowel movements less paintul Warnings
For external use only
Ask a doctor before use if you have heart disease; high blood
pressure; thyroid disease; diabetes; difficulty in urination due to
enlargement of the prostate gland.
Ask a doctor or pharmacist before use if you are presently
taking a prescription drug for high blood pressure or depression.
When using this product do not exceed the recommended daily
dosage unless directed by a doctor; do not put this product into
the rectum by using fingers or any mechanical device or
applicator.

the fecturn by using interest of any medianical devices of applicator.

Stop use and ask a doctor if bleeding occurs; condition worsens or does not improve within 7 days; an allergic reaction develops; the symptom being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.


Directions Adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before applying cream; when first opening the tube, puncture foil seal with top end of cap; apply externally or in the lower portion of the anal canal only. Apply externally to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement. For application in the lower anal canal: remove cover from dispensing cap. Attach dispensing cap to tube. Lubricate dispensing cap well, then gently insert dispensing cap partway into the anus. Thoroughly cleanse dispensing cap after each use and replace cover. Children under 12 years of age: ask a doctor. Other information: store at 15°C-30°C (59°F-89°F) Inactive ingredients aloe barbadensis leaf extract, butylated hydroxytoluene, cetostearyl alcohol, cetyl esters, cetyl palmitate,

hydroxytoluene, cetostearyl alcohol, cetyl esters, cetyl palmitate, glyceryl monostearate, isopropyl myristate, lanolin, methylparaben, mineral oil, polysorbate 60, propylene glycol, propylparaben, purified water, sodium citrate, stearic acid, tocopherol acetate

Questions or comments? 1-800-925-4733

DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED walgreens.com @2019 Walgreen Co.

ORG0120-F ITEM 599464 W10472-0220-F



HEMORRHOIDAL CREAM

hemorrhoidal cream cream

Product Information

Product Type NDC:0363-0641 HUMAN OTC DRUG Item Code (Source)

Route of Administration TOPICAL

Active Ingredient/Active Moiety

,			
Ingredient Name	Basis of Strength	Strength	
PETROLATUM (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)	PETROLATUM	150 mg in 1 g	
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	144 mg in 1 g	
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 1 g	

Inactive Ingredients		
	Ingredient Name	Strength
WATER (UNII: 0590F0KO0R)		

POLYSORBATE 60 (UNII: CAL22UVI4M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)	
MINERAL OIL (UNII: T5L8T28FGP)	
CETYL PALMITATE (UNII: 5ZA2S6B08X)	
ALOE (UNII: V5VD430YW9)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
LANOLIN (UNII: 7EV65EAW6H)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	

Product Characteristics			
Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

F	Packaging			
#	tem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0641- 09	1 in 1 PACKAGE	03/25/2018	
1	NDC:0363-0641- 10	25.5 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	•		Marketing End Date
OTC Monograph Drug	M015	03/25/2018	

Labeler - Walgreens (008965063)

Registrant - Unipack LLC (116015769)

Establishment				
Name	Address	ID/FEI	Business Operations	
Unipack LLC		009248480	manufacture(0363-0641)	

Revised: 1/2024 Walgreens