

**MENS ROGAINE MINOXIDIL - UNSCENTED FORMULA- minoxidil aerosol, foam  
Johnson & Johnson Consumer Inc.**

-----  
**MEN's Rogaine® UNSCENTED**

***Drug Facts***

**Active ingredient**

Minoxidil 5% w/w (without propellant)

**Purpose**

Hair regrowth treatment for men

**Use**

to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

**Warnings**

**For external use only. For use by men only.**

**Extremely Flammable**

Avoid fire, flame, or smoking during and immediately following application.

**Do not Use if**

- you are a woman
- your amount of hair loss is different than that shown on side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical foam is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have** heart disease

**When using this product**

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you

see results.

- the amount of hair regrowth is different for each person. This product will not work for all men.

### **Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

### **May be harmful if used when pregnant or breast-feeding.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- apply half a capful 2 times a day to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- see enclosed booklet for complete directions on how to use
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

### **Other information**

- hair growth has been shown in a clinical study of men (mostly white) aged 18-49 years who used it for 4 months
- see hair loss pictures on side of this carton
- before use, read all information on package and enclosed booklet
- keep the package. It contains important information
- store at controlled room temperature 20° to 25° C (68° to 77°F)
- contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F (49°C).

### **Inactive ingredients**

butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polysorbate 60, propane, purified water, SD alcohol40-B, stearyl alcohol

### **Questions?**

- call toll-free **800-ROGAINE** or **215-273-8755** (collect)
- visit **[www.rogaine.com](http://www.rogaine.com)**

Distributed by:

**JOHNSON & JOHNSON CONSUMER INC.**  
Skillman, NJ 08558

**PRINCIPAL DISPLAY PANEL - Three 60 g Can Package**

#1 DERMATOLOGIST RECOMMENDED BRAND

MEN'S

Rogaine®

5% MINOXIDIL TOPICAL AEROSOL

HAIR REGROWTH TREATMENT

REACTIVATES

HAIR FOLLICLES

TO STIMULATE REGROWTH

EASY-TO-USE

FOAM

CLINICALLY PROVEN TO HELP REGROW HAIR

UNSCENTED

Not For Use By Women

Three Month Supply • Three 60 g (2.11 oz) Cans

**Drug Facts**

**Active Ingredient** Minoxidil 5% w/v (highest propellant)..... **Purpose** Hair regrowth treatment for men

**Use** To regrow hair on the top of the scalp (vertex only, one picture on side of the carton)

**Warnings**  
For external use only. For use by men only.  
Irritant: Avoid contact with eyes, nose, or mouth during and immediately following application.

**Do not use if**

- you are a woman
- your amount of hair loss is different than that shown on side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical foam is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have heart disease

**When using this product**

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

**Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- swollen, unexplained weight gain occurs
- your hands or feet swell
- scaly patches or rashes occur
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used where pregnant or breast-feeding. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Other Warnings**

- apply half a capful 2 times a day to the scalp in the hair loss area
- massage into scalp with fingers. Then wash hands well
- use enclosed booklet for complete directions on how to use
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again


**Other Information**

- hair growth has been shown in a clinical study of men (mostly white) aged 19-48 years who used it for 4 months
- see hair loss pictures on side of this carton
- before use, read all information on package and enclosed booklet
- keep the package. It contains important information
- store at controlled room temperature 20° to 25° C (68° to 77° F)
- contents under pressure. Do not puncture or incinerate container.
- Do not expose to heat or store at temperatures above 120° F (49° C)

**Inactive Ingredients**  
aluminum, butylated hydroxytoluene, cetyl alcohol, cetyl wax, glycerin, isobutane, lauryl acid, polybutene-6, propene, purified water, SLS alcohol, SLS, stearic alcohol

**Other Names?**  
call toll-free 800-ROGAINE or 212-272-4786 (collect); visit www.rogaïne.com

Men's ROGAINE® Foam is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Men's ROGAINE® Foam has been shown to regrow hair in men with the following degrees of thinning hair or hair loss.



If men have more hair loss or hair loss in a place different than shown above, Men's ROGAINE® Foam may not work.

FOR BEST RESULTS USE TWICE DAILY

#1 DERMATOLOGIST RECOMMENDED BRAND

MEN'S Rogaine®

5% MINOXIDIL TOPICAL AEROSOL HAIR REGROWTH TREATMENT

REACTIVATES HAIR FOLLICLES TO STIMULATE REGROWTH

EASY-TO-USE FOAM

CLINICALLY PROVEN TO HELP REGROW HAIR

UNSCENTED Not For Use By Women

Three Month Supply • Three 60 g (2.11 oz) Cans

**THIS PACKAGE CONTAINS**

- Three 60 g (2.11 oz) cans of Men's ROGAINE® Foam (three month supply)

**DIRECTIONS FOR USE**

See information booklet with complete directions on how to use and obtain best results.

**1. PREP HANDS WITH COLD WATER**

Rinse your fingers in cold water and dry them. Make sure you will maintain contact with warm surface.

**2. OPEN CHILD RESISTANT CAP**

Be sure to align arrow on the cap with arrow on white ring. Turn cap back and pull off.

**3. DISPENSE VERTICALLY ONTO A COLD SURFACE**

Hold the can straight upside down. If you hold the can at an angle, foam may not dispense properly. Press nozzle to dispense half a capful of foam onto cold surface (e.g. dish, or cold hands).

**4. APPLY TO SCALP NOT HAIR**

Part your hair to expose hair loss area. Massage foam into scalp, not hair. Repeat until all hair loss areas have been covered.

**5. CLOSE CAP AND WASH HANDS**

Snap cap back into place. Be sure arrows do not line up, so cap remains child resistant. Wash hands and any surface thoroughly after use.



Distributed by: JOHNSON & JOHNSON CONSUMER INC. Skillman, NJ 08588 20049016  
Active Made in Italy  
© J&J 2001  
Product incorporates technology licensed from Cosmetics Corporation.  
The overall look and design of this packaging is subject to trademark protection.

# MENS ROGAINE MINOXIDIL - UNSCENTED FORMULA

minoxidil aerosol, foam

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0031
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)		MINOXIDIL	50 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>BUTANE</b> (UNII: 6LV4FOR43R)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ISOBUTANE</b> (UNII: BXR49TP611)	
<b>LACTIC ACID, UNSPECIFIED FORM</b> (UNII: 33X04XA5AT)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>PROPANE</b> (UNII: T75W9911L6)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0031-1	1 in 1 PACKAGE	10/01/2010	
1		60 g in 1 CAN; Type 0: Not a Combination Product		
2	NDC:69968-0031-3	3 in 1 PACKAGE	10/01/2010	
2		60 g in 1 CAN; Type 0: Not a Combination Product		
3	NDC:69968-0031-4	4 in 1 PACKAGE	10/01/2010	
3		60 g in 1 CAN; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021812	10/01/2010	

**Labeler** - Johnson & Johnson Consumer Inc. (118772437)

Revised: 1/2023

Johnson & Johnson Consumer Inc.