

MUCUS- guaifenesin tablet, extended release
WALMART STORES, INC.

GUAIFENESIN EXTENDED-RELEASE TABLETS, 600 mg

Drug Facts

Active ingredient (in each extended-release tablet)

Guaifenesin 600 mg

Purpose

Expectorant

Uses

helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Do not use

- for children under 12 years of age

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for the timing of meals
- adults and children 12 years of age and over: 1 or 2 tablets every 12 hours. Do not exceed 4 tablets in 24 hours.
- children under 12 years of age: do not use

Other information

- Tamper evident: Do not use if carton is open or if printed seal on blister is broken or missing.
- store between 20-25°C (68-77°F)

Inactive ingredients

carbomer homopolymer type B; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

Questions?

1-888-287-1915

You may also report side effects to this phone number.

**DISTRIBUTED BY: Wal-Mart Stores, Inc.,
Bentonville, AR 72716**

PRINCIPAL DISPLAY PANEL - 600 mg Tablet Blister Pack Carton

NDC 49035-070-21

equate[™]

Compare to

Mucinex[®]

Active

Ingredient*

Mucus ER

Guaifenesin Extended-Release

Tablets 600 mg

Expectorant

- **Relieves chest congestion**
- **Thins and loosens mucus**
- **Immediate and extended-release**

12

HOUR

600

mg

20

EXTENDED-

RELEASE

TABLETS

Actual Size

equate™ Mucus ER

Guaifenesin Extended-Release Tablets 600 mg
Expectorant

NDC 49035-070-21

equate™

Compare to
Muclnex™
Active
Ingredient*

equate™ Mucus ER
Guaifenesin Extended-Release Tablets 600 mg
Expectorant

Mucus ER

Guaifenesin Extended-Release
Tablets 600 mg
Expectorant

- Relieves chest congestion
- Thins and loosens mucus
- Immediate and extended-release



Actual Size

Lot No.

Expiration Date:

NON VARNISH



5187949

equate™
Mucus ER
Guaifenesin Extended-Release Tablets 600 mg
Expectorant

Drug Facts

Active ingredient (in each extended-release tablet)	Purpose
Guaifenesin 600 mg.....	Expectorant

Uses

helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Do not use

- for children under 12 years of age

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

Stop use and ask a doctor if

- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache.

These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

DISTRIBUTED BY: Wal-Mart Stores, Inc.,
Bentonville, AR 72716
PRODUCT OF ENGLAND

*All trademarks are property of their respective owners. MUCINEX is a registered trademark of RB HEALTH (US) LLC.

R0519

Drug Facts (continued)

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for the timing of meals
- adults and children 12 years of age and over: 1 or 2 tablets every 12 hours. Do not exceed 4 tablets in 24 hours.
- children under 12 years of age: do not use

Other information

- Tamper evident: Do not use if carton is open or if printed seal on blister is broken or missing.
- store between 20-25°C (68-77°F)

Inactive ingredients

carbomer homopolymer type B; hypromellose, USP; magnesium stearate, NF; microcrystalline cellulose, NF; sodium starch glycolate, NF

Questions? 1-888-287-1915

You may also report side effects to this phone number.



Satisfaction guaranteed - Or we'll replace it or give you your money back. For questions or comments or to report an undesired reaction or side effect, please call 1-888-287-1915.

KEEP THE CARTON. IT CONTAINS IMPORTANT INFORMATION. SEE END PANEL FOR EXPIRATION DATE.

602483



PLEASE RECYCLE



5187949

GLUE - NO COATING



MUCUS

guaifenesin tablet, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49035-070
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Guaifenesin (UNII: 495W7451VQ) (Guaifenesin - UNII:495W7451VQ)	Guaifenesin	600 mg

Inactive Ingredients

Ingredient Name	Strength
CARBOMER HOMO POLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01ZNK31)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	

Product Characteristics

Color	WHITE	Score	no score
Shape	OVAL	Size	16 mm
Flavor		Imprint Code	Mxeunic;600
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-070-21	1 in 1 CARTON	02/08/2018	
1		20 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021282	02/08/2018	

Labeler - WALMART STORES, INC. (051957769)

Establishment

Name	Address	ID/FEI	Business Operations
RECKITT BENCKISER HEALTHCARE INTERNATIONAL LTD		230780363	MANUFACTURE(49035-070)

Revised: 6/2019

WALMART STORES, INC.