# MURAD - ENVIRONMENTAL SHIELD - ESSENTIAL-C DAY MOISTURE BROAD SPECTRUM SPF 30- avobenzone, homosalate, octinoxate, octisalate, oxybenzone lotion Murad, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## MURAD - ENVIRONMENTAL SHIELD - ESSENTIAL-C DAY MOISTURE BROAD SPECTRUM SPF30

#### **ACTIVE INGREDIENTS**

Avobenzone 3.0% Homosalate 6.5% Octinoxate 7.5% Octisalate 5.0% Oxybenzone 2.0%

#### **PURPOSE**

**SUNSCREEN** 

#### **USES**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

#### WARNINGS

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

#### **DIRECTIONS**

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures.pending time in the sun increases your risk of skin cancer

and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses.
- children under 6 months of age: ask a doctor

#### **INACTIVE INGREDIENTS**

Water (Aqua), Butylene Glycol, Stearic Acid, Diisopropyl Sebacate, Cocoglycerides, Lauryl Lactate, Glyceryl Stearate, PEG-100 Stearate, Isodecyl Neopentanoate, Dimethicone, Cetyl Alcohol, Cetyl Phosphate, Urea, Yeast Amino Acids, Trehalose, Inositol, Taurine, Betaine, Phospholipids, Retinyl Palmitate, Tocopheryl Acetate, Ascorbyl Palmitate, Pelvetia Canaliculata Extract, Ectoin, Ginkgo Biloba Leaf Extract, Vitis Vinifera (Grape) Seed Extract, Passiflora Incarnata Extract, Tetrahexyldecyl Ascorbate, Sodium PCA, Panthenol, Tripleurospermum Maritimum Extract, Zinc Gluconate, Ethyl Linoleate, Magnesium Aluminum Silicate, Xanthan Gum, Aminomethyl Propanol, Disodium EDTA, Phenoxyethanol, Caprylyl Glycol, Chlorphenesin, Limonene, Linalool, Fragrance (Parfum), Yellow 6 (Cl 15985), Red 33 (Cl 17200)

#### OTHER INFORMATION

protect this product from excessive heat and direct sun

#### **QUESTIONS OR COMMENTS?**

1.800.33.MURAD or Murad.com

#### Drug Facts (continued)

higher and other sun protection measures including limiting time in the sun from 10 a.m.- 2 p.m., and wearing protective clothing children under 6 months: Ask a doctor

Inactive ingredients Water (Aqua), Butylene Glycol, Stearic Acid, Diisopropyl Sebacate, Cocoglycerides, Lauryl Lactate, Glyceryl Stearate, PEG-100 Stearate, Isodecyl Neopentanoate, Dimethicone, Cetyl Alcohol, Cetyl Phosphate, Urea, Yeast Amino Acids, Trehalose, Inositol, Taurine, Betaine, Phospholipids, Retinyl Palmitate, Tocopheryl Acetate, Ascorbyl Palmitate, Pelvetia Canaliculata Extract, Ectoin, Ginkgo Biloba Leaf Extract, Vitis Vinifera (Grape) Seed Extract, Passiflora Incamata Extract, Tetrahexyldecyl Ascorbate, Sodium PCA, Panthenol, Tripleurospermum Maritimum Extract, Zinc Gluconate, Ethyl Linoleate, Magnesium Aluminum Silicate, Xanthan Gum, Aminomethyl Propanol, Disodium EDTA, Phenoxyethanol, Caprylyl Glycol, Chlorphenesin, Limonene, Linalool, Fragrance (Parfum), Yellow 6 (Cl 15985), Red 33 (Cl 17200)

#### Other information

 protect this product from excessive heat and direct sun

Questions or comments? 1.800.33.MURAD or Murad.com Reveal radiance and protect skin from UV damage with this Vitamin C-rich SPF moisturizer. Potent antioxidant Ginkgo Biloba Leaf Extract helps shield skin from environmental aggressors such as pollution for a glowing, healthylooking complexion.

To Use: Apply liberally to face, neck and chest.

Dermatologist developed.

3 Hydrate | Protect

## Murad.

Environmental Shield\*

Essential-C\*
Day Moisture
Broad
Spectrum
SPF 30 | PA+++



€ 21 mL NET VOL 0.7 FL OZ

## Drug Facts

Active ingredients Purpose

Avobenzone 3.0%... Sunscreen Homosalate 6.5%... Sunscreen Octinoxate 7.5%.... Sunscreen Octisalate 5.0%..... Sunscreen Oxybenzone 2.0%... Sunscreen

Use • helps prevent sunburn
• if used as directed with other
sun protection measures (see
Directions) decreases the risk
of skin cancer and early skin
aging caused by the sun

Warnings For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor
if skin rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions apply
liberally 15 minutes before sun
exposure reapply at least
every 2 hours and after towel
drying, swimming, or sweating
to avoid lowering protection
Sun Protection Measures
UV exposure from the sun
increases the risk of skin
cancer, premature skin aging
and other skin damage. To
decrease this risk, regularly
use a sunscreen with a broad
spectrum SPF of 15 or



Reveal radiance and protect skin from UV damage with this Vitamin-C-rich SPF moisturizer. Potent antioxidant Ginkgo Biloba Leaf Extract helps shield skin from environmental aggressors such as pollution for a glowing, healthy-looking complexion.

To Use: Apply liberally to face, neck and chest.

Dermatologist developed.

3 Hydrate | Protect

# Murad.

At Murad, we believe there is a powerful connection between the mind, body and skin, which we call Connected Beauty. It inspires you to take care of your skin not only with our efficacious products, but also physical activity and

A connected life is a beautiful life.

Environmental Shield\*

Essential-C **Day Moisture Broad Spectrum** SPF 30 | PA+++

Brightens and helps shield skin from environmental aggressors



#### Drug Facts

Active ingredients Purpose Avobenzone 3.0%... Homosalate 6.5%... Octioovate 7.5% Oxybenzone 2.0%.... Sunscreen

Use \* helps prevent sunburn \* if used as directed with other sun protection measures (see *Directions*) decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

Do not use on damaged or broken skin When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor wif skin

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • reapply minuses before an exposure \*respony
at least every 2 hours and after towel
drying, swimming, or sweating to avoid
lowering protection \*Sun Protection
Measures UV exposure from the sun
increases the risk of skin cancer, premature skin aging and other skin damage. To decrease this risk, regularly use a sunscreen with a broad regularly use a sunscreen win a orean spectrum SPF of 15 or higher and other sun protection measures including limiting time in the sun from 10 a.m.-2 p.m., and wearing protective dothing children under 6 months: Ask a doctor

Inactive ingredients Water (Aqua), Butylene Glycol, Stearic Acid, Disopropyl Sebacate, Cocoglycendes Lauryl Lactate, Glyceryl Stearate, Lauril Lacitate, Glyceryl Stearist, PEC-1 Of Steariste, Isodocy, Neopentanoste, Dimethicone, Cetyl Alcohol, Cetyl Phosphotale, Ursa, Yasat Amino Acids, Terbalose, Inosido, Taurine, Betaine, Phosphotipids, Retinyl Palmitate, Docopheryl Acatea, Ascortyl Palmitate, Decopheryl Acatea, Ascortyl Palmitate, Pelvetia Canaliculata Extract, Ection, Girkgo Biloba Lasf Extract, Visi Sviniera (Israel) Seed Extract, Visi Sviniera (Israel) Seed Extract, Passiflora Incarnata Extract, Tetrahexvideox/ Ascorbate, Sodium Extrace, Passinora incarniara Extrace, Tatrahexyldecyl Ascorbate, Sodium PCA, Parithenol, Tripleurospermum Maritimum Extract, Zinc Gluconate, Ethyl Linoleste, Magnessium Aluminum Silicate, Xanthan Gum, Aminomethyl Propanol, Disodium EDTA, Phenoxyethanol, Caprylyl Glycol, Chlorphenesin, Limonene, Linalool, Fragrance (Partum), Yellow 6 Fragrance (Partum), Yellow 6 (Cl 15985), Red 33 (Cl 17200)

Other information \* protect this product from excessive heat and direct sun

Questions or comments? 1.800.33.MURAD or Murad.com





€ 50 mL NET VOL 1.7 FL OZ

### **MURAD - ENVIRONMENTAL SHIELD - ESSENTIAL-C DAY MOISTURE BROAD SPECTRUM SPF 30**

avobenzone, homosalate, octinoxate, octisalate, oxybenzone lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70381-103
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	HOMOSALATE	10 g in 100 mL	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7.5 g in 100 mL	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL	
OXYBENZONE (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y)	OXYBENZONE	2 g in 100 mL	

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIISOPROPYL SEBACATE (UNII: J8T3X564IH)	
COCO-GLYCERIDES (UNII: ISE9I7DNUG)	
LAURYL LACTATE (UNII: G5SU0BFK7O)	
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
ISODECYL NEOPENTANOATE (UNII: W60VYE24XC)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CETYL PHOSPHATE (UNII: VT07D6X67O)	
UREA (UNII: 8W8T17847W)	
AMINO ACIDS, SOURCE UNSPECIFIED (UNII: 0072R8RF8A)	
TREHALOSE (UNII: B8WCK70T7I)	
INOSITOL (UNII: 4L6452S749)	
TAURINE (UNII: 1EQV5MLY3D)	
BETAINE (UNII: 3SCV180C9W)	
OMEGA-3 FATTY ACIDS (UNII: 71M78END5S)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
PELVETIA CANALICULATA (UNII: 8U1M44KESN)	
ECTOINE (UNII: 7GXZ3858RY)	
GINKGO BILOBA WHOLE (UNII: 660486U6OI)	
VITIS VINIFERA SEED (UNII: C34U15ICXA)	
PASSIFLORA INCARNATA WHOLE (UNII: R48E2W2LMO)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 4690TG57A2)	
PANTHENOL (UNII: W/9CM0067Z)	
TRIPLEUROSPERMUM INODORUM WHOLE (UNII: 567N54UG4S)	
ZINC GLUCONATE (UNII: U6WSN5SQ1Z)	
ETHYL LINOLEATE (UNII: MJ2YTT4J8M)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
XANTHAN GUM (UNII: TTV12P4NEE)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: 1670DAL4SZ)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
LINALOOL, (+)- (UNII: F4VNO44C09)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70381-103- 22	1 in 1 BOX	12/27/2020	
1		21 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:70381-103- 51	1 in 1 BOX	12/27/2020	
2		50 mL in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:70381-103- 11	1 in 1 BOX	12/27/2020	
3		10 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	12/27/2020	

## **Labeler -** Murad, LLC (781254792)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Cosway Company, Inc.		052400223	MANUFACTURE(70381-103)	

Revised: 1/2021 Murad, LLC