CHUDA- avobenzone, homosalate, octinoxate, octisalate cream Premier Ocher LLC

Drug Facts

Active ingredients

Avobenzone 3% Homosalate 15% Octinoxate 7.5%

Octisalate 5%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see), decreases the risk of skin cancer and early skin aging caused by the sun **Directions**

Warnings

For external use only

Do not use

• on damaged or broken skin

When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Spending time in the sun increases your risk of skin cancer and early skin aging. To
 decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15
 or higher and other sun protection measures including: Sun Protection

Measures.

- Limit time in the sun, especially from 10 a.m. 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor


Other information

Protect the product in this container from excessive heat and direct sun

Inactive ingredients?

Water, Cyclopentasiloxane, Polymethylsilsesquioxane, Polysilicone-15, Cetyl PEG/PPG-10/1 Dimethicone, Trimethylsiloxysilicate, Tribehenin, Olive (Olea europaea) Fruit Oil, Damask Rose (Rosa damascena) Flower Oil, Calcium Carbonate, Beeswax, Pollen, Propolis, Silica, Tocopheryl Acetate, Phenoxyethanol, Dimethicone/Vinyl Dimethicone Crosspolymer, Sodium Dehydroacetate, Dimethicone, Sodium Hyaluronate, Panthenol, Dimethiconol, Tetrasodium EDTA, Aminomethyl Propanol, Allantoin, Magnesium Aluminum Silicate, Sodium Ascorbate

Package Labeling:



NECK, AND
ANYWHERE
SKIN MAY BE
EXPOSED TO
THE SUN'S
HARMFUL RAYS

SHEER HYDRATING
LOTION
SUNSCREEN BROAD SPECTRUM
SPF 30

1.7 fl oz (50 mL)

DISTRIBUTED BY:
PREMIER OCHER LLC,
400 EAST 70TH ST, #3501,
NEW YORK, NY 10022

TO REPORT A SERIOUS ADVERSE EVENT, CONTACT THE DISTRIBUTOR.

WWW.CHUDASKINCARE.COM
MADE IN USA
COOO3

בוו כטנוטווט


- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

Other information

■ Protect the product in this container from excessive heat and direct sun

Inactive ingredients?

Water, Cyclopeniasiloxane, Polymethylsilsesquioxane, Polysilicone-15, Cetyl PEG/PPG-10/1 Dimethicone, Trimethylsiloxysilicate, Tribehenin, Olive (Olea europaea) Fruit Oil, Damask Rose (Rosa damascena) Flower Oil, Calcium Carbonate, Beeswax, Pollen, Propolis, Silica, Tocopheryl Acetate, Phenoxyethanol, Dimethicone/Vinyl Dimethicone Crosspolymer, Sodium Dehydroacetate, Dimethicone, Sodium Hyaluronate, Panthenol, Dimethiconol, Tetrasodium EDTA, Aminomethyl Propanol, Allantoin, Magnesium Aluminum Silicate, Sodium Ascorbate



100.8

This Unit Not Labeled For Retail Sale

Please see outer container for complete drug facts information.

Active ingredients: Avobenzone 3% (Sunscreen). Homosalate 15% (Sunscreen), Octinoxate 7.5% (Sunscreen), Octisalate 5% (Sunscreen). Uses: Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun. Warnings: For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions: Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating. Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. – 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses. Children under 6 months of age: Ask a doctor.

Distributed by:

Premier Ocher LLC, 400 East 70th St, #3501, New York, NY 10022

To report a serious adverse event, contact the distributor. www.chudaskincare.com



SHEER HYDRATING LOTION SUNSCREEN BROAD SPECTRUM SPF 30

1.7 fl oz (50 mL)

CHUDA

avobenzone, homosalate, octinoxate, octisalate cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71784-000
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL		
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	HOMOSALATE	150 mg in 1 mL		
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 mL		
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL		

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
POLYSILICONE-15 (UNII: F8DRP5BB29)	
TRIBEHENIN (UNII: 80C9U7TQZ0)	
OLIVE OIL (UNII: 6UYK2W1W1E)	
ROSA X DAMASCENA FLOWERING TOP (UNII: 21W82Q764G)	
CALCIUM CARBONATE (UNII: H0G9379FGK)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
POLLEN (UNII: 3729L8MA2C)	
PROPOLIS WAX (UNII: 6Y8XYV2NOF)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
DIMETHICONE (UNII: 92RU3N3Y10)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
PANTHENOL (UNII: WV9CM0O67Z)	
EDETATE SODIUM (UNII: MP1J8420LU)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
ALLANTOIN (UNII: 344S277G0Z)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
SODIUM ASCORBATE (UNII: S033EH8359)	

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71784-000- 00	1 in 1 CARTON	01/01/2015	

	50 mL in 1 BOTTLE; Type 0: Not a Combination Product			
Marketing Information				
Marketing	Application Number or Monograph	Marketing Start	Marketing End	
Category	Citation	Date	Date	
Category OTC Monograph Dru		Date 01/01/2015	Date	

Labeler - Premier Ocher LLC (046604850)

Revised: 10/2023 Premier Ocher LLC