

UP AND UP POWDERLAX- polyethylene glycol 3350 powder, for solution
Target Corporation

Target Corporation Powderlax® Drug Facts

Active ingredient (in each dose)

Polyethylene Glycol 3350, 17 g (cap filled to line)

Purpose

Osmotic Laxative

Use

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use

if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are

taking a prescription drug

When using this product

you may have loose, watery, more frequent stools

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- **do not take more than directed unless advised by your doctor**
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
 - use once a day
 - fill to top of white section in cap which is marked to indicate the correct dose (17 g)
 - stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
 - do not combine with starch-based thickeners used for difficulty swallowing
 - ensure that the powder is fully dissolved before drinking
 - do not drink if there are any clumps
 - do not use more than 7 days
- children 16 years of age or under: ask a doctor

Other information

- store at 20° -25° C (68° -77° F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

Inactive ingredients

none

Questions or comments?

1-888-547-7400

Principal Display Panel

Compare to active ingredient in MiraLAX®

Powderlax®

polyethylene glycol 3350 powder for solution, osmotic laxative

relieves occasional constipation/irregularity

softens stool

unflavored powder

grit-free

up&up™

45 DOSES

NET WT 26.9 OZ (765 g) – 45 ONCE-DAILY DOSES

Compare to active ingredient in MiraLAX®* NDC 11673-306-09

powderlax®
polyethylene glycol 3350
powder for solution, osmotic laxative

relieves occasional constipation/irregularity
softens stool
unflavored powder
grit-free



45
DOSES

NET WT 26.9 OZ (765 g) – 45 ONCE-DAILY DOSES

: 30L3E UW F4

Polyethylene Glycol 3350 increases frequency of bowel movements and softens the stool. Dissolves in Any Beverage

<p>Drug Facts</p> <p>Active ingredient (in each dose) Polyethylene Glycol 3350, 17 g (cap filled to line).....Osmotic Laxative</p> <p>Purpose Osmotic Laxative</p> <p>Use relieves occasional constipation (irregularity) generally produces a bowel movement in 1 to 3 days</p> <p>Warnings Allergy alert: Do not use if you are allergic to polyethylene glycol Do not use if you have kidney disease, except under the advice and supervision of a doctor Ask a doctor before use if you have nausea, vomiting or abdominal pain a sudden change in bowel habits that lasts over 2 weeks irritable bowel syndrome Ask a doctor or pharmacist before use if you are taking a prescription drug When using this product you may have loose, watery, more frequent stools Stop use and ask a doctor if you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition. you get diarrhea you need to use a laxative for longer than 1 week Directions do not take more than directed unless advised by your doctor the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)</p>	<p>Drug Facts (continued)</p> <p>adults and children 17 years of age and older: use once a day fill to top of white section in cap which is marked to indicate the correct dose (17 g) stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink do not combine with starch-based thickeners used for difficulty swallowing ensure that the powder is fully dissolved before drinking do not drink if there are any clumps do not use more than 7 days children 16 years of age or under: ask a doctor</p> <p>Other information store at 20°-25°C (68°-77°F) tamper-evident: do not use if printed foil seal under cap is missing, open or broken</p> <p>Inactive ingredients none</p> <p>Questions or comments? 1-888-547-7400</p> <p>*Sugar Free GLUTEN FREE *This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of MiraLAX®. 245 05 0887 R03 ID295403 Distributed by Target Corporation Minneapolis, MN 55403 © 2022 Target Brands, Inc. Shop Target.com</p>
---	--

3 70030 62915 2

: 30L3E UW B4

UP AND UP POWDERLAX

polyethylene glycol 3350 powder, for solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-306
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-306-02	238 g in 1 BOTTLE; Type 0: Not a Combination Product	10/07/2009	

2	NDC:11673-306-03	510 g in 1 BOTTLE; Type 0: Not a Combination Product	10/07/2009	
3	NDC:11673-306-19	595 g in 1 BOTTLE; Type 0: Not a Combination Product	10/09/2013	02/03/2016
4	NDC:11673-306-04	850 g in 1 BOTTLE; Type 0: Not a Combination Product	03/03/2014	07/23/2019
5	NDC:11673-306-17	289 g in 1 BOTTLE; Type 0: Not a Combination Product	08/27/2014	10/28/2016
6	NDC:11673-306-09	765 g in 1 BOTTLE; Type 0: Not a Combination Product	10/21/2016	
7	NDC:11673-306-01	119 g in 1 BOTTLE; Type 0: Not a Combination Product	04/12/2019	
8	NDC:11673-306-52	10 in 1 CARTON	04/11/2019	11/01/2020
8		17 g in 1 PACKET; Type 0: Not a Combination Product		
9	NDC:11673-306-60	20 in 1 CARTON	04/11/2019	12/01/2020
9		17 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090685	10/07/2009	

Labeler - Target Corporation (006961700)

Revised: 2/2023

Target Corporation