

**CHILDRENS DYE FREE ALLERGY- diphenhydramine hydrochloride liquid  
P & L Development, LLC**

-----  
**Drug Facts**

**Active ingredient (in each 5 mL)**

Diphenhydramine HCl 12.5 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- sneezing
- runny nose
- itchy, watery eyes
- itching of the nose or throat

**Warnings**

**Do not use**

- with any other drug containing diphenhydramine, even one used on skin
- to make a child sleepy

**Ask a doctor before use if the child has**

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

**Ask a doctor or pharmacist before use if the child is**

taking sedatives or tranquilizers.

**When using this product**

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

## Directions

- do not take more than 6 doses in 24 hours
- take every 4 to 6 hours, or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- mL = milliliter
- keep dosing cup with product
- find the right dose on chart below

Age (yr)	Dose (mL)
children 6 to 11 years	5mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

## Other information

- each 5 mL contains: **sodium 8 mg**
- store between 20°-25°C (68°-77°F). Do not refrigerate.
- protect from light. Store in outer carton until contents are used

## Inactive ingredients

anhydrous citric acid, carboxymethyl cellulose sodium, flavor, glycerin, purified water, saccharin sodium, sodium benzoate, sodium citrate, sorbitol

## Questions or comments?

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

## Principal Display Panel

Compare to active ingredient in Children's Benadryl® Allergy\*

### Children's

### dye-free

### allergy

Diphenhydramine HCl 12.5 mg

Antihistamine

relieves:

- sneezing
- runny nose
- itchy, watery eyes
- itching of the nose or throat

For Ages 6 to 11

alcohol free

dye-free

bubblegum Flavor

FL OZ (mL)

Dosing Cup Included

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER THE CAP IS BROKEN OR MISSING.**

Manufactured by:

PL Developments

11865 S. Alameda St

Lynwood, CA 90262

**Package Label**

**Drug Facts (continued)**  
**Inactive ingredients** carboxymethylcellulose sodium, citric acid, flavor, glycerin, purified water, saccharin sodium, sodium benzoate, sodium citrate, sorbitol  
**Questions or comments?**  
 Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**



Dosing Cup Included

Manufactured by:  
**PL Developments**  
 11865 S. Alameda St  
 Lynwood, CA 90262

PLD-0242C F0003242



Compare to active ingredient in Children's Benadryl® Allergy\*  
 NDC 49580-0293-4

children's dye-free allergy

diphenhydramine HCl 12.5 mg antihistamine



relieves:

- sneezing
- runny nose
- itchy, watery eyes
- itching of the nose or throat

for ages 6 to 11 years alcohol free

4 FL OZ (118 mL)



dye-free bubble gum flavor



Compare to active ingredient in Children's Benadryl® Allergy\*  
 NDC 49580-0293-4

children's dye-free allergy

diphenhydramine HCl 12.5 mg antihistamine



relieves:

- sneezing
- runny nose
- itchy, watery eyes
- itching of the nose or throat

for ages 6 to 11 years alcohol free

4 FL OZ (118 mL)



dye-free bubble gum flavor

**Drug Facts**

Active ingredient (in each 5 mL)	Purpose
Diphenhydramine HCl 12.5 mg	Antihistamine

**Uses**  
 ■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies  
 ■ sneezing ■ runny nose ■ itchy, watery eyes  
 ■ itching of the nose or throat

**Warnings**  
**Do not use**  
 ■ with any other product containing diphenhydramine, even one used on the skin  
 ■ to make a child sleepy

**Ask a doctor before use if the child has**  
 ■ a breathing problem such as chronic bronchitis  
 ■ glaucoma  
 ■ a sodium-restricted diet

**Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers.**

**When using this product**  
 ■ marked drowsiness may occur  
 ■ sedatives and tranquilizers may increase drowsiness  
 ■ excitability may occur, especially in children

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**  
 ■ do not take more than 6 doses in 24 hours  
 ■ take every 4 to 6 hours, or as directed by a doctor  
 ■ measure only with dosing cup provided. Do not use any other dosing device.  
 ■ mL = milliliter ■ keep dosing cup with product  
 ■ find the right dose on the chart below

Age (yr)	Dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

**Other information**  
 ■ each 5 mL contains: sodium 8 mg  
 ■ store between 20-25°C (68-77°F). Do not refrigerate.  
 ■ protect from light. Store in outer carton until contents are used.



3 49580 29304 5

**Readyincase Children's Dye-Free Allergy**

**CHILDRENS DYE FREE ALLERGY**

diphenhydramine hydrochloride liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49580-0293
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

Inactive Ingredients	
Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	

<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BUBBLE GUM	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49580-0293-4	1 in 1 BOX	02/28/2015	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/28/2015	

**Labeler** - P & L Development, LLC (101896231)