DYNA-HEX CHG- chlorhexidine solution Dairy Dynamics L.L.C.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Dairy Dynamics DYNA-HEX CHG Sanitizing Teat Dip

DIRECTIONS FOR USE

Read Material Safety Data Sheets (MSDS) Before Using This Product!

PRE-DIPPING: Immediately prior to milking, remove any excessive soils from teat surfaces. Apply Dyna-Hex CHG with dip cup or sprayer covering entire surface of teat. Allow for minimum of 30 seconds contact time. Wipe each teat with a single service towel to remove teat dip and soil from teat surface.

POST-DIPPING: Immediately after milking use Dyna-Hex CHG at full strength. Submerge entire teat in Dyna-Hex CHG solution. Allow to air dry. Do not wipe. Always use fresh, full strength Dyna-Hex CHG. If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted Dyna-Hex CHG.

Do not reuse or return used product to the original container. If original container becomes frozen, thaw completely then mix thoroughly before use. May become more viscous at sub-zero temperatures.

PRECAUTIONARY STATEMENTS

KEEP OUT OF REACH OF CHILDREN

Can Cause Eye Damage.

Protect eyes when handling. DO NOT get in eyes or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

Eyes: in case of contact with eyes, flush immediately with plenty of water for at least 15 minutes. Call a physician.

Internal: if swallowed, promptly rinse mouth then give a large quantity of water. Avoid alcohol. Contact a physician immediately. Never give anything by mouth to an unconscious person.

For Hazardous Materials (or dangerous goods) Incidents ONLY (spill, leak, fire, exposure or accident) Call CHEMTREC At 800-424-9300

HEALTH 1

FLAMMABILITY 1

REACTIVITY 1

PERSONAL PROTECTION 1

Dairy Dynamics

INDUSTRIAL STRENGTH FORMULATIONS FOR THE COMMERCIAL DAIRY

AMERICAN OWNED AND OPERATED

Active Ingredients: Chlorhexidine .5%

TEAT DIP

TAKE TIME OBSERVE LABEL DIRECTIONS

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: U.S. GALLONS

Manufactured by: Dairy Dynamics 17820 Washington St Union, IL 60180

TDX-86E-DDC TDX86EDDC

DIRECTIONS FOR USE Read Material Safety Data Sheets (MSDS) Before Using This Product!

EDIFFING: Immediately prior to milking, remove any ceasive soils from teat surfaces. Apply Dymo-Hax CHG with or up or sproyer covering entire surface of lead. Allow for nimum of 30 seconds contact time. Wipe each teat with

surface
POST-BIPPING: Immediately after milking use Dyna-Hex CHG
at full strength. Submerge entire teat in Dyna-Hex CHG
solution. Allow to air dry. Do not wipe. Always use fresh,
full strength Dyna-Hex CHG. If product in dip cup become
visibly dirty, discord contents and repletish with undiluted
Dyna-Hex CHG.

Do not reuse ar roturn used product to the original container. If original container becomes frezen, thus completely then mix theroughly before use. May bee more viscous in sub-zero temperatures.

PRECAUTIONARY STATEMENTS

KEEP OUT OF REACH OF CHILDREN

Can Cause Eye Damage.

Protoct eyes when bundling. DO NOT get in eyes or on g. Harmful if swallowed. Avoid contamination of food.

FIRST AID

Eyes: In case of contact with year, flush immediately with plenty of water for at least 15 minutes. Call a physician. Internat: If swallowed, promptly risse mouth then give a large quantity of milk or water. Avoid alcohol. Contact a physician immediately. Never give anything by mouth to an

For Hazardoovs Materials (or dangerous goods) Incidents ONLY (spill, leak, fire, exposure or accident) Call CHEMTREC At 800-424-9300





TDX-86E-DDC

INDUSTRIAL STRENGTH FORMULATIONS FOR THE COMMERCIAL DAIRY AMERICAN OWNED AND CHERATED 3



DYNA-HEX CHG **Sanitizing Teat Dip**

Active Ingredients Chlorhexidine .5%





KEEP OUT OF REACH OF CHILDREN **NET CONTENTS: U.S. GALLONS**

nufactured by: Dairy Dynamics 17820 Washington St Union, IL 60180



01.03

DYNA-HEX CHG

chlorhexidine solution

Product Information

OTC ANIMAL DRUG NDC:67351-986 Product Type Item Code (Source)

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
	CHLORHEXIDINE GLUCONATE	2.9 g in 1 L

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
HYDROXYETHYL CELLULOSE (1500 MPA.S AT 1%) (UNII: L605B5892V)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
DIDECYLDIMO NIUM CHLO RIDE (UNII: JXN40 O 9 Y 9 B)	
C9-11 PARETH-3 (UNII: 8O4974OMUO)	
LANOLIN (UNII: 7EV65EAW6H)	
AMMO NIUM CHLO RIDE (UNII: 0 1Q9 PC255D)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67351-986-05	18.9 L in 1 PAIL		
2	NDC:67351-986-15	56.8 L in 1 DRUM		
3	NDC:67351-986-55	208.2 L in 1 DRUM		
4	NDC:67351-986-75	1041 L in 1 TANK		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved drug other		0 1/0 1/20 14			

Labeler - Dairy Dynamics L.L.C. (142010953)

Registrant - Dairy Dynamics L.L.C. (142010953)

Establishment			
Name	Address	ID/FEI	Business Operations
Dairy Dynamics L.L.C.		142010953	manufacture, analysis, api manufacture, label, pack

Revised: 1/2015 Dairy Dynamics L.L.C.