ASPIRIN LOW DOSE SAFETY COATED- as pirin tablet, coated Freds Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

Active ingredient (in each tablet)
As pirin 81 mg (NSAID)*

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever

Uses

- for the temporary relief of minor aches and pains or as recommended by your doctor. Because of
 its delayed action, this product will not provide fast relief of headaches or other symptoms
 needing immediate relief.
- ask your doctor about other uses for safety coated 81 mg aspirin

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction, which may include:

- hives
- facial swelling
- shock
- asthma (wheezing)

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

Do not use

if you are allergic to aspirin or any other pain reliever/fever reducer.

Ask a doctor before use if

stomach bleeding warning applies to you

- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis or kidney disease
- you have asthma
- you are taking a diuretic

Ask a doctor or pharmacist before use if you are

taking a prescription drug for

- gout
- diabetes
- arthritis

Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding:
 - feel faint
 - have bloody or black stools
 - o vomit blood
 - have stomach pain that does not get better
- an allergic reaction occurs. Seek medical help right away.
- new symptoms occur
- pain gets worse or lasts more than 10 days
- redness or swelling is present
- ringing in the ears or loss of hearing occurs

If pregnant or breast-feeding,

ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- drink a full glass of water with each dose
- adults and children 12 years and over: take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor
- children under 12 years: do not use

Other information

■ store at controlled room temperature 15°-30°C (59°-86°F)

Inactive ingredients

anhydrous lactose**, black iron oxide**, brown iron oxide**, croscarmellose sodium**, D&C yellow #10, FD&C yellow #6**, hypromellose**, methacrylic acid copolymer, microcrystalline cellulose, mineral oil**, polysorbate 80**, potassium hydroxide**, pregelatinized starch**, propylene glycol**, purified water**, shellac**, silicon dioxide, simethicone**, sodium bicarbonate**, sodium hydroxide**, sodium lauryl sulfate**, stearic acid**, talc, titanium dioxide, triethyl citrate, yellow iron oxide**

^{**}contains one or more of these ingredients

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

COMPARE TO THE ACTIVE INGREDIENT IN BAYER® LOW DOSE ASPIRIN†

LOW DOSE SAFETY COATED

ASPIRIN 81 mg

‡ASPIRIN REGIMEN

Pain Reliever (**NSAID**)

Easy Open Cap

ENTERIC COATED TABLETS


†This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Bayer® Low Dose Aspirin.

‡Aspirin is not appropriate for everyone, so be sure you talk to your doctor before you begin an aspirin regimen.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Product Label





Low Dose safety coated Aspirin 81 mg tablets

ASPIRIN LOW DOSE SAFETY COATED aspirin tablet, coated **Product Information** Product Type HUMAN OTC DRUG LABEL Item Code (Source) NDC:55315-227 ORAL **Route of Administration DEA Schedule** Active Ingredient/Active Moiety **Ingredient Name Basis of Strength** Strength **ASPIRIN ASPIRIN** (ASPIRIN) 81 mg

DIMETHICO NE SO DIUM HYDRO XIDE SO DIUM HYDRO XIDE SO DIUM LAURYL SULFATE TALC TRIETHYL CITRATE ANHYDRO US LACTOSE FERROSO FERRIC O XIDE BRO WN IRON O XIDE CROSCARMELLO SE SO DIUM D&C YELLOW NO. 10 FD&C YELLOW NO. 5 HYPROMELLO SES METHACRYLIC ACID - METHYL METHACRYLATE CO POLYMER (1:1) CELLULO SE, MICRO CRYSTALLINE MINERAL O IL POTASSIUM HYDRO XIDE STARCH, CO RN PRO PYLENE GLYCO L WATER SHELLAC SILICON DIO XIDE SO DIUM BICARBO NATE STEARIC ACID TITANIUM DIO XIDE	Inactive Ingredients	
DIMETHICO NE SO DIUM HYDRO XIDE SO DIUM HYDRO XIDE SO DIUM LAURYL SULFATE TALC TRIETHYL CITRATE ANHYDRO US LACTOSE FERROSO FERRIC O XIDE BRO WN IRON O XIDE CROSCARMELLO SE SO DIUM D&C YELLOW NO. 10 FD&C YELLOW NO. 6 HYPRO MELLO SES METHACRYLIC ACID - METHYL METHACRYLATE CO POLYMER (1:1) CELLULO SE, MICRO CRYSTALLINE MINERAL OIL POTASSIUM HYDRO XIDE STARCH, CO RN PRO PYLENE GLYCOL WATER SHELLAC SILICON DIO XIDE SO DIUM BICARBO NATE STEARIC ACID TITANIUM DIO XIDE	Ingredient Name	Strength
SO DIUM HYDRO XIDE SO DIUM LAURYL SULFATE TALC TRIETHYL CITRATE ANHYDRO US LACTOSE FERROSO FERRIC O XIDE BRO WN IRON O XIDE CRO SCARMELLO SE SO DIUM D&C YELLOW NO. 10 FD&C YELLOW NO. 6 HYPRO MELLO SES METHACRYLIC ACID - METHYL METHACRYLATE CO POLYMER (1:1) CELLULO SE, MICRO CRYSTALLINE MINERAL O IL PO TASSIUM HYDRO XIDE STARCH, CO RN PRO PYLENE GLYCO L WATER SHELLAC SILICON DIO XIDE SO DIUM BICARBO NATE STEARIC ACID TITANIUM DIO XIDE	POLYSORBATE 80	
SODIUM LAURYL SULFATE TALC TRIETHYL CITRATE ANHYDRO US LACTOSE FERROSO FERRIC O XIDE BRO WN IRON O XIDE CROSCARMELLOSE SODIUM D&C YELLOW NO. 10 FD&C YELLOW NO. 6 HYPROMELLOSES METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) CELLULOSE, MICRO CRYSTALLINE MINERAL O IL POTASSIUM HYDRO XIDE STARCH, CORN PROPYLENE GLYCOL WATER SHELLAC SILICON DIO XIDE SODIUM BICARBONATE STEARIC ACID TITANIUM DIO XIDE	DIMETHICONE	
TALC TRIETHYL CITRATE ANHYDRO US LACTOSE FERROSO FERRIC O XIDE BROWN IRON O XIDE CROSCARMELLOSE SODIUM D&C YELLOW NO. 10 FD&C YELLOW NO. 6 HYPROMELLOSES METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) CELLULOSE, MICRO CRYSTALLINE MINERAL O IL PO TASSIUM HYDRO XIDE STARCH, CORN PROPYLENE GLYCOL WATER SHELLAC SILICON DIO XIDE SODIUM BICARBO NATE STEARIC ACID TITANIUM DIO XIDE	SO DIUM HYDRO XIDE	
TRIETHYL CITRATE ANHYDRO US LACTOSE FERROSO FERRIC O XIDE BROWN IRON O XIDE CROSCARMELLOSE SODIUM D&C YELLOW NO. 10 FD&C YELLOW NO. 6 HYPROMELLOSES METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) CELLULOSE, MICROCRYSTALLINE MINERAL O IL POTASSIUM HYDRO XIDE STARCH, CORN PROPYLENE GLYCOL WATER SHELLAC SILICON DIO XIDE SODIUM BICARBO NATE STEARIC ACID TITANIUM DIO XIDE	SODIUM LAURYL SULFATE	
ANHYDRO US LACTOSE FERROSO FERRIC O XIDE BROWN IRON O XIDE CROSCARMELLO SE SODIUM D&C YELLOW NO. 10 FD&C YELLOW NO. 6 HYPROMELLOSES METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) CELLULO SE, MICRO CRYSTALLINE MINERAL O IL PO TASSIUM HYDRO XIDE STARCH, CORN PRO PYLENE GLYCO L WATER SHELLAC SILICON DIO XIDE STORM BICARBO NATE STEARIC ACID TITANIUM DIO XIDE	TALC	
FERROSOFERRIC O XIDE BROWN IRON O XIDE CROSCARMELLOSE SODIUM D&C YELLOW NO. 10 FD&C YELLOW NO. 6 HYPROMELLOSES METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) CELLULOSE, MICRO CRYSTALLINE MINERAL O IL POTASSIUM HYDRO XIDE STARCH, CORN PROPYLENE GLYCOL WATER SHELLAC SILICON DIO XIDE SODIUM BICARBO NATE STEARIC ACID TITANIUM DIO XIDE	TRIETHYL CITRATE	
BROWN IRON O XIDE CROSCARMELLOSE SODIUM D&C YELLOW NO. 10 FD&C YELLOW NO. 6 HYPROMELLOSES METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) CELLULOSE, MICRO CRYSTALLINE MINERAL OIL POTASSIUM HYDRO XIDE STARCH, CORN PROPYLENE GLYCOL WATER SHELLAC SHELLAC SILICON DIO XIDE SO DIUM BICARBONATE STEARIC ACID TITANIUM DIO XIDE	ANHYDROUS LACTOSE	
CRO SCARMELLO SE SODIUM D&C YELLOW NO. 10 FD&C YELLOW NO. 6 HYPRO MELLO SES METHACRYLIC ACID - METHYL METHACRYLATE CO POLYMER (1:1) CELLULO SE, MICRO CRYSTALLINE MINERAL O IL PO TASSIUM HYDRO XIDE STARCH, CORN PRO PYLENE GLYCO L WATER SHELLAC SILICON DIO XIDE SO DIUM BICARBO NATE STEARIC ACID TITANIUM DIO XIDE	FERROSOFERRIC OXIDE	
D&C YELLOW NO. 10 FD&C YELLOW NO. 6 HYPROMELLOSES METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) CELLULOSE, MICRO CRYSTALLINE MINERAL OIL PO TASSIUM HYDRO XIDE STARCH, CORN PROPYLENE GLYCOL WATER SHELLAC SILICON DIO XIDE SO DIUM BICARBONATE STEARIC ACID TITANIUM DIO XIDE	BROWN IRON OXIDE	
FD&C YELLOW NO. 6 HYPROMELLOSES METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) CELLULOSE, MICROCRYSTALLINE MINERAL OIL POTASSIUM HYDROXIDE STARCH, CORN PROPYLENE GLYCOL WATER SHELLAC SILICON DIOXIDE SODIUM BICARBONATE STEARIC ACID TITANIUM DIOXIDE	CROSCARMELLOSE SODIUM	
HYPROMELLOSES METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) CELLULOSE, MICROCRYSTALLINE MINERAL OIL POTASSIUM HYDROXIDE STARCH, CORN PROPYLENE GLYCOL WATER SHELLAC SILICON DIOXIDE SODIUM BICARBONATE STEARIC ACID TITANIUM DIOXIDE	D&C YELLOW NO. 10	
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) CELLULO SE, MICRO CRYSTALLINE MINERAL O IL PO TASSIUM HYDRO XIDE STARCH, CORN PRO PYLENE GLYCOL WATER SHELLAC SILICON DIO XIDE SO DIUM BICARBO NATE STEARIC ACID TITANIUM DIO XIDE	FD&C YELLOW NO. 6	
CELLULO SE, MICRO CRYSTALLINE MINERAL O IL PO TASSIUM HYDRO XIDE STARCH, CORN PRO PYLENE GLYCO L WATER SHELLAC SILICON DIO XIDE SO DIUM BICARBO NATE STEARIC ACID TITANIUM DIO XIDE	HYPROMELLOSES	
MINERAL O IL PO TASSIUM HYDRO XIDE STARCH, CORN PRO PYLENE GLYCOL WATER SHELLAC SILICON DIO XIDE SO DIUM BICARBO NATE STEARIC ACID TITANIUM DIO XIDE	METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1)	
PO TASSIUM HYDRO XIDE STARCH, CORN PRO PYLENE GLYCO L WATER SHELLAC SILICON DIO XIDE SO DIUM BICARBONATE STEARIC ACID TITANIUM DIO XIDE	CELLULOSE, MICRO CRYSTALLINE	
STARCH, CORN PROPYLENE GLYCOL WATER SHELLAC SILICON DIO XIDE SO DIUM BICARBONATE STEARIC ACID TITANIUM DIO XIDE	MINERAL OIL	
PRO PYLENE GLYCO L WATER SHELLAC SILICON DIO XIDE SO DIUM BICARBONATE STEARIC ACID TITANIUM DIO XIDE	PO TASSIUM HYDRO XIDE	
WATER SHELLAC SILICON DIO XIDE SO DIUM BICARBONATE STEARIC ACID TITANIUM DIO XIDE	STARCH, CORN	
SHELLAC SILICON DIO XIDE SO DIUM BICARBONATE STEARIC ACID TITANIUM DIO XIDE	PROPYLENE GLYCOL	
SILICON DIO XIDE SO DIUM BICARBONATE STEARIC ACID TITANIUM DIO XIDE	WATER	
SO DIUM BICARBONATE STEARIC ACID TITANIUM DIO XIDE	SHELLAC	
STEARIC ACID TITANIUM DIO XIDE	SILICON DIO XIDE	
TITANIUM DIO XIDE	SODIUM BICARBONATE	
	STEARIC ACID	
FERRIC O XIDE YELLOW	TITANIUM DIO XIDE	
	FERRIC OXIDE YELLOW	

Product Characteristics					
Color	YELLOW	Score	no score		
Shape	ROUND	Size	7mm		
Flavor		Imprint Code	E;T81;1		
Contains					

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55315-227-03	300 in 1 BOTTLE		

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC MONOGRAPH FINAL	part343	03/08/2013				

Labeler - Freds Inc (005866116)

Registrant - P and L Development of New York Corporation (800014821)

Revised: 4/2013 Freds Inc