CITROMA- magnesium citrate liquid Wal-Mart Stores, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Active Ingredient

Magnesium citrate 1.745g per fl oz

Purpose

Purpose

Saline laxative

use

Use for relief of occasional constipation (irregularity). Generally produces bowel movement in 1/2 to 6 hours

Warnings

Warnings

Ask A Doctor

Ask a docotr before use if you have

- kidney disease
- a magnesium or sodium restricted diet
- abdorominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits tat persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist

Ask a doctor or pharmacist before use if you are taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement afte use. These could be signs of a serious condition.

if pregnant or breast-feeding

If pregnant or breast-feeding, ask help professional before use.

Keep out of reach of children.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away

Directions

Directions

- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz in 24 hours children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours children 2 to under 6 years of age - 2 to 3 fl oz children under 2 years of age - ask a doctor discard unused product within 24 hours of opening bottle

other information

Other information

- magnesium content 290 mg per 1 fl oz (30 mL)
- sodium content 48 mg per 1 fl oz (30 mL)
- store at temperatures between 46° and 86° F (8° and 30° C)

Inactive ingredients

Inactive ingredients citric acid, flavor, sodium bicarbonate, sodium saccharin, water

Questions?

Questions? 1-888-287-1915

Adverse Reaction

Distributed by: Wal-Mart Stores Inc., Bentonville, AR 72716

Principal Display Panel

Do not use if tamper evident twist-off cap is missing, broken or separated from neckring

Equate

Sugar Free

Magnesium

Citrate

U.S.P. Oral Solution


- Relief of occasional constipation
- Bowel cleansing for surgery or exam preparation
- Pasteurized

Grape

10 FL OZ (296 mL)

Do not use if tamper evident twist-off cap in missing, broken or separated from neckring

equate®



Drug Facts Distributed by Wel-Mart Stores Inc., Berturyale, AH 72716. O Wal-Mart Stores, Ins. Assistant guaranteed - for questions minimized sites call 1-888-287-1915. Active ingredient Purpose Magnesium cilrate 1.745 g per fl oz. Saline laxative **USE** for relief of occasional constitution (megularity), Generally produces bowel movement in 1/2 to 6 hours atisfaction guaranteed Ask a doctor before use if you have 🖩 kidney disease 🗃 a magnesium or sodium-restricted diet 🗎 abdominal pain, nausea, or vomiting In noticed a sudden change in bowel habits that persists over a period of 2 weeks III already used a laxative for a period longer than 1 week Ask a doctor or pharmacist before use if you are taking any other drug. Take this product 2 or more hours before or after other drugs. Laxalives may affect how other drugs work, Step use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. L0012630SB Directions and drink a full glass (8 ounces) of liquid with each dose may be taken as a single daily dose or in divided doses adults and children 12 years of age and over | 6.5 to 10 fl oz maximum 10 fl oz in 24 hours children 6 to under 12 years of age 3 to 7 fl oz maximum 7 fl oz in 24 hours children 2 to under 6 years of age 2 to 3 fl oz maximum 3 fl oz in 24 hours children under 2 years of age ask a doctor discard unused product within 24 hours of opening bottle Other information is magnesium content 290 mg per 1 fi oz (30 mL) sodium content 48 mg per 1 fl oz (30 mL) store at temperatures between 46° and 86° F (8° and 30° C) Inactive ingredients citric acid, flavor, sodium bicarbonate, sodium 00

S

CITROMA

magesium citrate liquid

Product Information				
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:49035-525	
Route of Administration	ORAL	DEA Sche dule		

saccharin, water

Ouestions? 1-888-287-1915

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MAGNESIUM CITRATE (MAGNESIUM CATION)	MAGNESIUM CATION	1.745 g in 29.6 mL	

Inactive Ingredients	
Ingredient Name	Strength
CITRIC ACID MO NO HYDRATE	
SO DIUM BICARBONATE	
SACCHARIN SO DIUM	
WATER	

Packaging					
# Item Code	Package Description	Market	ing Start Date	Ma	arketing End Date
1 NDC:49035-525-38	296 mL in 1 BOTTLE, GLASS				
Marketing Information					
Marketing Category	Application Number or Monograph	Citation	Marketing Start D	ate	Marketing End Date
OTC monograph final	part334		08/29/1995		

Labeler - Wal-Mart Stores, Inc (051957769)

Registrant - Vi-Jon (790752542)

Establishment				
Name	Address	ID/FEI	Business Operations	
Vi-Jon		790752542	manufacture(49035-525)	

Revised: 1/2013 Wal-Mart Stores, Inc