

**MAXI-B 1000- cyanocobalamin, niacinamide, dexpanthenol, pyridoxine hydrochloride, riboflavin 5 phosphate sodium, thiamine hydrochloride injection**

**Durvet, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).*

-----

**MAXI-B 1000**

INJECTABLE STERILE SOLUTION

**FOR USE IN ANIMALS ONLY**

**KEEP OUT OF REACH OF CHILDREN**

**INDICATIONS**

For use as a supplemental source of Bcomplex vitamins in cattle, swine and sheep.

**PRECAUTIONS**

Hypersensitivity reactions to the parenteral administration of products containing thiamine have been reported. Administer with caution and keep treated animals under close observation.

**DOSAGE AND ADMINISTRATION**

Subcutaneous or Intramuscular injection is recommended. May be administered intravenously at the discretion of a veterinarian. The following are suggested dosages depending on the condition of the animal and the desired response.

**Adult Cattle**-1 to 2 mL per 500 pounds of body weight

**Calves, Swine and Sheep**-1 to 2 mL. May be repeated once or twice weekly.

**COMPOSITION**

Each mL of sterile aqueous solution contains:

- Thiamine Hydrochloride (B<sub>1</sub>) ..... 1.25 mg
- Niacinamide ..... 12.5 mg
- Pyridoxine Hydrochloride (B<sub>6</sub>) ..... 5.0 mg
- d-Panthenol ..... 5.0 mg
- Riboflavin (B<sub>2</sub>) ..... 2.0 mg  
(as Riboflavin 5' phosphate sodium)
- Cyanocobalamin (B<sub>12</sub>) ..... 1000 mcg

**INACTIVE INGREDIENTS**

Benzyl Alcohol 1.5% v/v as preservative, Ammonium Sulfate 0.1%.

**Store at controlled room temperature between 15° and 30°C (59°-86°)**

**Protect from sunlight.**

**TAKE TIME OBSERVE LABEL DIRECTIONS**

**FOR USE IN ANIMALS ONLY**

**INDICATIONS:** For use as a supplemental source of B Complex vitamins in cattle, swine and sheep.

**PRECAUTIONS:** Hypersensitivity reactions to the parenteral administration of products containing thiamine have been reported. Administer with caution and keep treated animals under close observation.

**DOSAGE AND ADMINISTRATION:** Subcutaneous or Intramuscular injection is recommended. May be administered intravenously at the discretion of a veterinarian. The following are suggested dosages, depending on the condition of the animal and the desired response.

**Adult Cattle** – 1 to 2 mL per 500 pounds of body weight.

**Calves, Swine and Sheep** – 1 to 2 mL.

May be repeated once or twice weekly.

Manufactured for:

**DURVET, INC.**

Blue Springs, Missouri 64014

www.durvet.com

V-0612-04

REV 04-16



NDC 30798-324-10

**durvet**

**MAXI-B 1000**

**INJECTABLE STERILE SOLUTION**

For use as a supplemental source of B complex vitamins in cattle, swine and sheep.



**NET CONTENTS:**  
**100 mL**  
**(3.4 FL. OZ.)**

**KEEP OUT OF REACH OF CHILDREN**

**COMPOSITION:** Each mL of sterile aqueous solution contains:

**ACTIVE INGREDIENTS:**

Thiamine Hydrochloride (B<sub>1</sub>).....1.25 mg  
Niacinamide.....12.5 mg  
Pyridoxine Hydrochloride (B<sub>6</sub>).....5.0 mg  
d-Panthenol.....5.0 mg  
Riboflavin (B<sub>2</sub>).....2.0 mg  
(as Riboflavin 5' phosphate sodium)  
Cyanocobalamin (B<sub>12</sub>).....1000 mcg

**INACTIVE INGREDIENTS:** Benzyl Alcohol 1.5% v/v as preservative, Ammonium Sulfate 0.1%.

**Store at controlled room temperature between 15° to 30°C (59°-86°F). Protect from light.**

Lot No.:

EXP. DATE:

**MAXI-B 1000**

cyanocobalamin, niacinamide, dexpanthenol, pyridoxine hydrochloride, riboflavin 5 phosphate sodium, thiamine hydrochloride injection

**Product Information**

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:30798-324
<b>Route of Administration</b>	INTRAMUSCULAR, SUBCUTANEOUS, INTRAVENOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>CYANOCOBALAMIN</b> (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204)	CYANOCOBALAMIN	1000 ug in 1 mL
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)	NIACINAMIDE	12.5 mg in 1 mL
<b>DEXPANTHENOL</b> (UNII: 1O6C93RI7Z) (DEXPANTHENOL - UNII:1O6C93RI7Z)	DEXPANTHENOL	5.0 mg in 1 mL
<b>PYRIDOXINE HYDROCHLORIDE</b> (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1B16Z)	PYRIDOXINE HYDROCHLORIDE	5.0 mg in 1 mL
<b>RIBOFLAVIN 5'-PHOSPHATE SODIUM</b> (UNII: 20RD1DZH99) (FLAVIN MONONUCLEOTIDE - UNII:7N464URE7E)	FLAVIN MONONUCLEOTIDE	2.0 mg in 1 mL
<b>THIAMINE HYDROCHLORIDE</b> (UNII: M572600E5P) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE HYDROCHLORIDE	1.25 mg in 1 mL

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30798-324-10	100 mL in 1 VIAL		
2	NDC:30798-324-13	250 mL in 1 VIAL		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/05/2012	

**Labeler** - Durvet, Inc. (056387798)

Revised: 3/2018

Durvet, Inc.