

HUMCO POVIDONE IODINE- povidone iodine 10% liquid
Humco Holding Group, Inc.

Humco Povidone Iodine

Drug Facts

Active Ingredient

Povidone-Iodine 10%

(Equivalent to 1% titrable iodine)

Purpose

Antiseptic

Use

First aid antiseptic to prevent infection in minor cuts and burns.

Warnings

For External Use Only

Ask a doctor before use if you have

- deep puncture wounds
- animal bites
- serious burns

Stop use and consult a doctor if

- the condition persists or gets worse
- irritation and redness develop and persists for more than 72 hours

When using this product do not

- use in eyes
- use on individuals who are allergic or sensitive to iodine or use for longer than 1 week unless directed by a doctor
- apply over large areas of the body

Keep out of reach of children.

In case of accidental ingestion, seek professional assistance or contact a Poison Control

Center immediately.

Directions

Clean the affected area. Apply a small amount on the area 1 to 3 times daily. May be covered with sterile bandage. If badaged, let it dry first.

Other information

store at room temperature, 20-25C (68-77F)

Inactive Ingredients

Citric Acid, Disodium Phosphate, Glycerin, nonoxynol-9. Sodium Hydroxide and Purified Water.


Principal Display Panel

Label 8 fl oz

<p>Drug Facts</p> <table border="1"><tr><td>Active ingredient</td><td>Purpose</td></tr><tr><td>Povidone-Iodine 10%.....Antiseptic (*Equivalent to 1% titratable iodine)</td><td></td></tr></table> <p>Use First aid antiseptic to prevent infection in minor cuts and burns</p> <p>Warnings For external use only. Ask a doctor before use if you have</p> <ul style="list-style-type: none">■ deep or puncture wounds■ animal bites■ serious burns <p>Stop use and consult a doctor if</p> <ul style="list-style-type: none">■ the condition persists or gets worse■ irritation and redness develop and persists for more than 72 hours <p>When using this product do not</p> <ul style="list-style-type: none">■ use in the eyes■ use on individuals who are allergic or sensitive to iodine or use for longer than 1 week unless directed by a doctor■ apply over large areas of the body <p>Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately. <i>Continued ►</i></p>	Active ingredient	Purpose	Povidone-Iodine 10%.....Antiseptic (*Equivalent to 1% titratable iodine)		<p>NDC 0395-2325-98</p> <p>POVIDONE-IODINE</p> <p>10%* TOPICAL SOLUTION USP</p> <p>The Traditional Family First Aid</p> <p>ANTISEPTIC FIRST AID</p> <p>*First aid antiseptic</p> <p>**Compare to Active Ingredient in Betadine®</p> <p>8 FL OZ (237 mL)</p> <p>HUMCO™</p>	<p>Drug Facts (continued)</p> <p>Directions</p> <ul style="list-style-type: none">■ clean the affected area■ apply a small amount on the area 1 to 3 times daily■ may be covered with sterile bandage■ if bandaged let dry first <p>Other information</p> <ul style="list-style-type: none">■ store a room temperature, 20-25° C (68-77° F) <p>Inactive ingredients Citric Acid, Disodium Phosphate, Glycerin, Nonoxynol-9, Sodium Hydroxide and Purified Water</p> <p>**This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Betadine®.</p> <p>REV.100308.RLG</p> <p>3 03952 32598 7</p> <p>HUMCO, Texarkana, TX 75501 Questions or Comments? ☎1-800-662-3435 "We Help People Feel Better"</p> <p>* Go to: www.simplehomeremedies.com to find helpful hints, and learn more about Povidone-Iodine.</p>
Active ingredient	Purpose					
Povidone-Iodine 10%.....Antiseptic (*Equivalent to 1% titratable iodine)						

Principal Display Panel

Drug Facts	
Active ingredient	Purpose
Povidone-Iodine 10%.....Antiseptic (*Equivalent to 1% titratable iodine)	
Use	
First aid antiseptic to prevent infection in minor cuts and burns	
Warnings For external use only.	
Ask a doctor before use if you have	
<ul style="list-style-type: none"> ■ deep or puncture wounds ■ animal bites ■ serious burns 	
Stop use and consult a doctor if	
<ul style="list-style-type: none"> ■ the condition persists or gets worse ■ irritation and redness develop and persists for more than 72 hours 	
When using this product do not	
<ul style="list-style-type: none"> ■ use in the eyes ■ use on individuals who are allergic or sensitive to iodine or use for longer than 1 week unless directed by a doctor ■ apply over large areas of the body 	
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
<i>Continued</i> ►	



Drug Facts (continued)	
Directions	
<ul style="list-style-type: none"> ■ clean the affected area ■ apply a small amount on the area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged let dry first 	
Other information	
<ul style="list-style-type: none"> ■ store a room temperature, 20-25° C (68-77° F) 	
Inactive ingredients	
Citric Acid, Disodium Phosphate, Glycerin, Nonoxynol-9, Sodium Hydroxide and Purified Water	
**This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Betadine®.	
REV.100308.RLG	
HUMCO, Texarkana, TX 75501 Questions or Comments? ☎1-800-662-3435 "We Help People Feel Better"	
* Go to: www.simplehomeremedies.com to find helpful hints, and learn more about Povidone-Iodine.	

Label 16 fl oz

New Label 16 oz

<table border="1"> <tr> <td colspan="2">Drug Facts</td> </tr> <tr> <td>Active ingredient</td> <td>Purpose</td> </tr> <tr> <td>Povidone-Iodine 10%.....First Aid Antiseptic (*Equivalent to 1% titratable iodine)</td> <td></td> </tr> <tr> <td colspan="2">Indications</td> </tr> <tr> <td colspan="2">First aid antiseptic to help prevent infection in minor cuts, scrapes and burns</td> </tr> <tr> <td colspan="2">Warnings For external use only.</td> </tr> <tr> <td colspan="2">Ask a doctor before use if you have</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> ■ deep or puncture wounds ■ animal bites ■ serious burns </td> </tr> <tr> <td colspan="2">Stop use and consult a doctor if</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> ■ the condition persists or gets worse ■ irritation and redness develop and persists for more than 72 hours </td> </tr> <tr> <td colspan="2">When using this product do not</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> ■ use in the eyes ■ use on individuals who are allergic or sensitive to iodine or use for longer than 1 week unless directed by a doctor ■ apply over large areas of the body </td> </tr> <tr> <td colspan="2">Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.</td> </tr> <tr> <td colspan="2" style="text-align: right;"><i>Continued</i> ►</td> </tr> </table>	Drug Facts		Active ingredient	Purpose	Povidone-Iodine 10%.....First Aid Antiseptic (*Equivalent to 1% titratable iodine)		Indications		First aid antiseptic to help prevent infection in minor cuts, scrapes and burns		Warnings For external use only.		Ask a doctor before use if you have		<ul style="list-style-type: none"> ■ deep or puncture wounds ■ animal bites ■ serious burns 		Stop use and consult a doctor if		<ul style="list-style-type: none"> ■ the condition persists or gets worse ■ irritation and redness develop and persists for more than 72 hours 		When using this product do not		<ul style="list-style-type: none"> ■ use in the eyes ■ use on individuals who are allergic or sensitive to iodine or use for longer than 1 week unless directed by a doctor ■ apply over large areas of the body 		Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.		<i>Continued</i> ►		<p style="font-size: 2em; font-weight: bold; color: red;">POVIDONE-IODINE</p> <p style="font-size: 1.2em; font-weight: bold; color: red;">10% TOPICAL SOLUTION USP</p> <div style="border: 1px solid black; border-radius: 50%; width: 60px; height: 60px; margin: 0 auto; display: flex; align-items: center; justify-content: center; font-weight: bold; font-size: 1.5em;">HUMCO</div> <p>A trusted name in home health care</p>	<p style="font-size: 1.5em; font-weight: bold;">First Aid</p> <div style="background-color: black; color: white; padding: 5px; text-align: center; margin: 10px 0;"> **Compare to Active Ingredient in Betadine® </div> <p style="font-size: 1.2em; font-weight: bold;">FIRST AID ANTISEPTIC</p> <p>Helps prevent infection in minor</p> <ul style="list-style-type: none"> • Cuts • Scrapes • Burns <p style="font-size: 1.2em; font-weight: bold;">16 FL oz (1 Pt) 473 mL</p>
Drug Facts																														
Active ingredient	Purpose																													
Povidone-Iodine 10%.....First Aid Antiseptic (*Equivalent to 1% titratable iodine)																														
Indications																														
First aid antiseptic to help prevent infection in minor cuts, scrapes and burns																														
Warnings For external use only.																														
Ask a doctor before use if you have																														
<ul style="list-style-type: none"> ■ deep or puncture wounds ■ animal bites ■ serious burns 																														
Stop use and consult a doctor if																														
<ul style="list-style-type: none"> ■ the condition persists or gets worse ■ irritation and redness develop and persists for more than 72 hours 																														
When using this product do not																														
<ul style="list-style-type: none"> ■ use in the eyes ■ use on individuals who are allergic or sensitive to iodine or use for longer than 1 week unless directed by a doctor ■ apply over large areas of the body 																														
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.																														
<i>Continued</i> ►																														
<table border="1"> <tr> <td colspan="2">Drug Facts (continued)</td> </tr> <tr> <td colspan="2">Directions</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> ■ clean the affected area ■ apply a small amount on the area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged let dry first </td> </tr> <tr> <td colspan="2">Other information</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> ■ store a room temperature, 20-25° C (68-77° F) </td> </tr> <tr> <td colspan="2">Inactive ingredients</td> </tr> <tr> <td colspan="2">Citric Acid, Disodium Phosphate, Glycerin, Nonoxynol-9, Sodium Hydroxide and Purified Water</td> </tr> <tr> <td colspan="2">**This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Betadine®.</td> </tr> <tr> <td colspan="2" style="text-align: right;">R121317</td> </tr> <tr> <td colspan="2" style="text-align: center;"> </td> </tr> <tr> <td colspan="2" style="text-align: center;"> HUMCO, Texarkana, TX 75501 Questions or Comments? ☎1-800-662-3435 "We Help People Feel Better" </td> </tr> <tr> <td colspan="2"> * Go to: www.simplehomeremedies.com to find helpful hints, and learn more about Povidone-Iodine. </td> </tr> </table>			Drug Facts (continued)		Directions		<ul style="list-style-type: none"> ■ clean the affected area ■ apply a small amount on the area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged let dry first 		Other information		<ul style="list-style-type: none"> ■ store a room temperature, 20-25° C (68-77° F) 		Inactive ingredients		Citric Acid, Disodium Phosphate, Glycerin, Nonoxynol-9, Sodium Hydroxide and Purified Water		**This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Betadine®.		R121317				HUMCO, Texarkana, TX 75501 Questions or Comments? ☎1-800-662-3435 "We Help People Feel Better"		* Go to: www.simplehomeremedies.com to find helpful hints, and learn more about Povidone-Iodine.					
Drug Facts (continued)																														
Directions																														
<ul style="list-style-type: none"> ■ clean the affected area ■ apply a small amount on the area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged let dry first 																														
Other information																														
<ul style="list-style-type: none"> ■ store a room temperature, 20-25° C (68-77° F) 																														
Inactive ingredients																														
Citric Acid, Disodium Phosphate, Glycerin, Nonoxynol-9, Sodium Hydroxide and Purified Water																														
**This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Betadine®.																														
R121317																														
HUMCO, Texarkana, TX 75501 Questions or Comments? ☎1-800-662-3435 "We Help People Feel Better"																														
* Go to: www.simplehomeremedies.com to find helpful hints, and learn more about Povidone-Iodine.																														

HUMCO POVIDONE IODINE
povidone iodine 10% liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0395-2325
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	100 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
NONOXYNOL-9 (UNII: 48Q180SH9T)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0395-2325-98	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/14/2017	
2	NDC:0395-2325-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/14/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	01/01/2008	

Labeler - Humco Holding Group, Inc. (825672884)

Registrant - Pharma Nobis, LLC (118564114)

Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(0395-2325) , analysis(0395-2325) , pack(0395-2325) , label(0395-2325)