#### ALLERGY CIRCLE K- diphenhydramine hydrochloride tablet Lil' Drug Store Products, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **Allergy**

Circle K ®

**Drug Facts** 

#### Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg

#### **Purpose**

**Antihistamine** 

#### Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold
  - runny nose
  - sneezing

#### **Warnings**

#### Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

#### Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

#### When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### **Directions**

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

adults and children 12 years and over	take 1 to 2 tablets
children 6 to under 12 years	take 1 tablet
children under 6 years	do not use

#### Other information

- each tablet contains: calcium 25 mg
- store between 20°-25°C (68°-77°F)
- protect from light and moisture

#### **Inactive ingredients**

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, titanium dioxide

#### **Questions or comments?**

Call toll-free **1-877-507-6516** (M-F 8AM-4:30PM CST)

Proudly distributed by Circle K Stores Inc.

#### PRINCIPAL DISPLAY PANEL - 25 mg Tablet Blister Pack Carton

Compare to the Active Ingredient in Benadryl® Allergy\*\*

CIRCLE K ®

#### Allergy Diphenhydramine HCl 25 mg, Antihistamine

#### Relieves

- Runny Nose SneezingItchy, Watery EyesItchy Nose or Throat

**ACTUAL SIZE** 

36 Tablets



### Allergy

Diphenhydramine HCl 25 mg, Antihistamine

Compare to the Active Ingredient in Benadryl® Allergy\*\*



## Allergy

Diphenhydramine HCl 25 mg, Antihistamine



**ACTUAL SIZE** 

#### Relieves

- Runny Nose Sneezing
- Itchy, Watery Eyes
- Itchy Nose or Throat





**36** Tablets

Product manufactured for: Lil' Drug Store Products, Inc. 9300 Earhart Lane SW Cedar Rapids, IA 52404



Proudly distributed by Circle K Stores Inc.

PLD-A587B FC006152

Lot No: Exp Date:



TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Purpose

#### Drug Facts

Active ingredient (in each tablet)

Diphenhydramine HCl 25 mg.....Antihistamine

Hees

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
- runny nose
  sneezing
  itching of the nose or throat
- temporarily relieves these symptoms due to the common cold rurny nose sneezing

#### Warnings

#### Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

#### Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma.
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

#### When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

#### Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### Directions

■ take every 4 to 6 hours, or as directed by a doctor ■ do not take more than 6 doses in 24 hours

adults and children	take 1 to 2 tablets
12 years and over	0.000
children 6 to under	take 1 tablet
12 years	
children under	do not use
6 years	0.36003009.7400

#### Other information

- each tablet contains: calcium 25 mg
- store between 20°-25°C (68°-77°F)
- protect from light and moisture

#### Inactive ingredients

carnauba wax, collo idal silicon dioxide, croscarmellose sodium, D&C red #27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose,

polyethylene glycol, polysorbate 80, titarium dioxide

#### Questions or comments?

Call toll-free 1-877-507-6516 (M-F 8AM-4:30 PM CST)

# $\mathsf{Allergy}$ Diphenhydramin e HCl 25 mg, Antihistamin e

36 Tab

#### **ALLERGY CIRCLE K**

diphenhydramine hydrochloride tablet

<b>Product Informat</b>	ion
-------------------------	-----

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-5254

**Route of Administration** ORAL

#### **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

(DIPHENHYDRAMINE - UNII:8GTS82S83M)

Inactive Ingredients			
Ingredient Name	Strength		
CARNAUBA WAX (UNII: R12CBM0EIZ)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)			
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)			
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)			
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)			
POLYSORBATE 80 (UNII: 60ZP39ZG8H)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			

<b>Product Characteristic</b>	Product Characteristics		
Color	pink	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	T;061

#### Contains

Packaging						
	# Item Code	Package Description	Marketing Start Date	Marketing End Date		
	NDC:66715- 5254-8	3 in 1 CARTON	05/29/2020	11/04/2024		
	L	12 in 1 BLISTER PACK; Type 0: Not a Combination Product				

# Marketing InformationMarketing CategoryApplication Number or Monograph CitationMarketing Start DateMarketing End DateOTC monograph finalpart34101/10/201511/04/2024

**Labeler -** Lil' Drug Store Products, Inc. (093103646)

Revised: 11/2021 Lil' Drug Store Products, Inc.