HYDROGEN PEROXIDE- hydrogen peroxide liquid Dyad Medical Sourcing, LLC

Hydrogen Peroxide

Drug Facts

Active ingredient

Hydrogen Peroxide (stabilized) 3%

Purpose

First aid antiseptic/Oral debriding agent

Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns
- aids in the removal of phlegm, mucous, or other secretions associated with occasional sore mouth

Warnings

For external use only

Do not use

- in the eyes or apply over large areas of the body
- longer than 1 week

Ask a doctor before use if you havedeep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens
- swelling, rash, or fever develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Oral debriding agent (oral rinse): adults and children 2 years of age and over:

First aid antiseptic:

· miv with an aqual amount of water

- clean the affected area
- apply a small amount of product on the area 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

- 🕶 IIIIX WILII ali equal allioulit ol water
- swish around in the mouth over the affected area for at least 1 minute and then spit out
- use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- children under 12 years of age should be supervised in the use of this product
- children under 2 years of age: consult a dentist or doctor

Other information

Keep tightly closed in a cool dark place. Do not shake bottle. Hold away from face when opening.

Inactive ingredient

purified water

PRINCIPAL DISPLAY PANEL - 473 mL Bottle Label

HCS

NDC 53175-001-16

Solution of Hydrogen Peroxide 3% USP 10 Volume

FIRST AID ANTISEPTIC ORAL DEBRIDING AGENT

For treatment of minor cuts, scrapes and burns

For use as a gargle or rinse

For external use only

SEALED FOR YOUR PROTECTION

IF SEAL IS BROKEN OR MISSING DO NOT USE

Manufactured for: Dyad Medical Sourcing, LLC

2101 Waukegan Road, Suite 208 Bannockburn, IL 60015

1-855-241-1773 • info@dyadms.com

Made in USA #902-HCS0202 Rev. 02

© 2020 Dyad Medical Sourcing, LLC www.hcsmed.com

Reorder No. HCS0202



NDC 53175-001-16

Solution of Hydrogen Peroxide 3% USP 10 Volume

FIRST AID ANTISEPTIC ORAL DEBRIDING AGENT

- For treatment of minor cuts, scrapes and burns
- For use as a gargle or rinse
- For external use only

SEALED FOR YOUR PROTECTION IF SEAL IS BROKEN OR MISSING DO NOT USE

Manufactured for: Dyad Medical Sourcing, LLC
2101 Waukegan Road, Sulte 208 • Bannockburn, IL 60015
1-855-241-1773 • Info@dyadms.com
Made In USA #902-HCS0202 Rev. 02
02020 Dyad Medical Sourcing, LLC • www.hcsmed.com

Reorder No. HCS0202





16 FL OZ (1 PT) 473 ML

Drug Facts

Active ingredientPurpose

Hydrogen Peroxide 3%First aid antiseptic/ (stabilized) Oral debriding agent

Uses ■ first aid to help prevent the risk of infection in minor cuts, scrapes and burns ■ aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings For external use only

Do not use ■ in the eyes or apply over large areas of the body ■ longer than 1 week

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if ■ the condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, or redness persists or worsens ■ swelling, rash, or fever develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

First aid antiseptic: ■ clean the affected area ■ apply a small amount of product on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first

Oral debriding agent (oral rinse): adults and children

- 2 years and over: mix with an equal amount of water swish around in the mouth over the affected area for at least 1 minute and then spit out ■ use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- children under 12 years of age should be supervised in the use of this product ■ children under 2 years of age: consult a dentist or doctor

Other information Keep tightly closed in a cool dark place. Do not shake bottle. Hold away from face when opening.

Inactive ingredient purified water

1-07-D0012D14B

HYDROGEN PEROXIDE

hydrogen peroxide liquid

Product Information

NDC:53175-001 **HUMAN OTC DRUG Product Type** Item Code (Source)

TOPICAL Route of Administration

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII: BBX060AN9V)	HYDROGEN PEROXIDE	3 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength

WATER (UNII: 059QF0KO0R)

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:53175-001- 04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/10/2012			
2	NDC:53175-001- 08	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/10/2012			
,	NDC:53175-001-	473 mL in 1 BOTTLE; Type 0: Not a Combination	00/10/2012			

3 16	Product	09/10/2012			
Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M003	09/10/2012			

Labeler - Dyad Medical Sourcing, LLC (078572603)

Revised: 11/2023 Dyad Medical Sourcing, LLC