

**SCARLET OIL- scarlet oil solution**  
**FIRST PRIORITY INCORPORATED**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Scarlet Oil**

Wound Dressing

**For Animal Use Only • Keep Out of Reach of Children**

**INDICATIONS:**

For use as a dressing for simple wounds, cuts and abrasions on horses and mules.

**DIRECTIONS FOR USE:**

Clean the affected area, clipping hair if necessary. Direct spray at the site to be treated. Hold container 4 to 6 inches from animal. Apply freely as an open wound treatment or wrap with a clean bandage. Treatment may be applied once or twice daily.

**CAUTION:**

Use only as directed. Avoid contact with eyes and mucous membranes. Do not apply to large areas of broken skin. In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian.



**ACTIVE INGREDIENT:**

0.3% (w/w) PCMX (Parachlorometaxlenol)

**INACTIVE INGREDIENTS:**

Mineral Oil, Isopropyl Alcohol, Methyl Salicylate, Benzyl Alcohol, Pine Oil, Eucalyptus Oil, and Scarlet Red.

**WARNING:**

Not for use on animals intended for food.

## STORAGE:

Store at controlled room temperature between 15°-30°C (59°-86°F). Keep container tightly closed when not in use.

**WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME.**

## Net Contents:

16 fl oz (473 mL) Reorder No. TP190PC

One Gallon (3.785 L) Reorder No. TP191PC

Priority Care is a registered trademark of First Priority, Inc.

Manufactured By: FIRST PRIORITY, INC., Elgin, IL 60123-1146

**NOT RETURNABLE IF OUTDATED**

**Net Contents: 16 fl oz (473 mL)**

**INDICATIONS:** For use as a dressing for simple wounds, cuts and abrasions on horses and mules.

**DIRECTIONS FOR USE:** Clean the affected area, clipping hair if necessary. Direct spray at the site to be treated. Hold container 4 to 6 inches from animal. Apply freely as an open wound treatment or wrap with a clean bandage. Treatment may be applied once or twice daily.

**CAUTION:** Use only as directed. Avoid contact with eyes and mucous membranes. Do not apply to large areas of broken skin. In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian.

**ACTIVE INGREDIENT:** 0.3% (w/w) PCMX (Parachlorometaxlenol)

**INACTIVE INGREDIENTS:** Mineral Oil, Isopropyl Alcohol, Methyl Salicylate, Benzyl Alcohol, Pine Oil, Eucalyptus Oil, and Scarlet Red.

**WARNING:** Not for use on animals intended for food.

**STORAGE:** Store at controlled room temperature between 15°-30°C (59°-86°F). Keep container tightly closed when not in use.

**WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME.**

Lot No.      Exp. Date

**No Varnish**

Reorder No. TP190PC

**Priority Care** 

**Scarlet Oil**

Wound Dressing

**For Animal Use Only • Keep Out of Reach of Children**  
Net Contents: 16 fl oz (473 mL)

**NOT RETURNABLE IF OUTDATED**

3 62308 25916 1

**TAKE TIME**  **DESERVE LABEL DIRECTIONS**

Priority Care is a registered trademark of First Priority, Inc.

Rev. 04-21

Made in U.S.A.

Manufactured By:  
FIRST PRIORITY, INC., Elgin, IL 60123

[www.prioritycare.com](http://www.prioritycare.com)

**Net Contents: One Gallon (3.785 L)**

NDC# 58829-259-01



**INDICATIONS:** For use as a dressing for simple wounds, cuts and abrasions on horses and mules.

**DIRECTIONS FOR USE:** Clean the affected area, clipping hair if necessary. Direct spray at the site to be treated. Hold container 4 to 6 inches from animal. Apply freely as an open wound treatment or wrap with a clean bandage. Treatment may be applied once or twice daily.

**CAUTION:** Use only as directed. Avoid contact with eyes and mucous membranes. Do not apply to large areas of broken skin. In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian.



Rev. 04-21

# Scarlet Oil

Wound Dressing

**ACTIVE INGREDIENT:** 0.3% (w/w) PCMX (Parachlorometaxyleneol)

**INACTIVE INGREDIENTS:** Mineral Oil, Isopropyl Alcohol, Methyl Salicylate, Benzyl Alcohol, Pine Oil, Eucalyptus Oil, and Scarlet Red.

**WARNING:** Not for use on animals intended for food.

**STORAGE:** Store at controlled room temperature between 15°-30°C (59°-86°F). Keep container tightly closed when not in use.

**WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME.**

Lot No. Exp. Date



**For Animal Use Only • Keep Out of Reach of Children**  
Net Contents: One Gallon (3.785 L)

No Varnish

Reorder No. TP191PC

Made in U.S.A.

Manufactured By:  
FIRST PRIORITY, INC., Elgin, IL 60123

www.prioritycare.com

## SCARLET OIL

scarlet oil solution

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:58829-259
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CHLOROXYLENOL</b> (UNII: 0F32U78V2Q) (CHLOROXYLENOL - UNII:0F32U78V2Q)	CHLOROXYLENOL	2.5 mg in 1 mL

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58829-259-16	12 in 1 CASE		
1		473 mL in 1 BOTTLE		
2	NDC:58829-259-01	4 in 1 CASE		
2		3785 mL in 1 JUG		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/14/2012	

