OMNICIDE ANTIMICROBIAL- benzalkonium chloride gel SteriWeb Medical, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

STERIWEB (as PLD) - OMNICIDE ANTIMICROBIAL (69085-466-02)

Active Ingredient

Benzalkonium Chloride 0.13% w/w

Purpose

First Aid Antiseptic

Uses

First aid to help treat, protect and prevent skin infection associated with

- minor cuts
- scrapes
- burns

Warnings

For external use only

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

When using this product

- Do not use in or near the eyes
- Do not use if you have a history of allergy to any of the ingredients

Stop and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days, or clear up and occur again within a few days.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions

- adults and children 2 years and older: clean the affected area; apply a small amount on the area 1-3 times daily; may be covered with a sterile bandage (let dry first)
- children under 2 years: ask a doctor

Other information

Avoid excessive heat.

Inactive Ingredients

USP Petrolatum, Water, Polihexanide (PHBM)

Questions?

1-360-448-7881

or www.steriwebrx.com

Omnicide™ Antimicrobial Gel

Hospital and Professional Use Only

Non Antibiotic **Net Contents: 45g**

Net Contents: 45g Omnicide™ Antimicrobial Gel

Hospital and Professional Use Only

SteriWeb Medical 6715 NE 63rd Street, Suite 417 Vancouver, Washington 98661-1980 Phone: 360-448-7881



Net Contents: 45g **Antimicrobial** Gel

Hospital and Professional Use Only SteriWeb Medical 6715 NE 63rd Street, Suite 417 Vancouver, Washington 98661-1980 Phone: 360-448-7881

DRUG FACTS Active Ingredients Purpose BenzalkoniumCl 0.13%w/w. Uses first aid to help treat, protect, and preven skin infection associated with
minor cuts scrapesburns Warnings For external use only. Ask a doctor before use if you have ● deep or puncture wounds ● animal bites ● serious burns When using this product

Do not use in or near the eyes

do not use if you have a history of allergy to any of the ingredients. Stop use and ask a doctor if o condition worsens symptoms persist for more than 7 days, or clear up and occur again within a few days. Keep out of reach of children If swallowed, get medical help or contact a Poison Control Center right away. Directions • adults and children 2 years and older: clean the affected area; apply a small amount on the area 1-3 times daily; may be covered with a sterile bandage (let dry first) . children under 2 years: ask a doctor Other Information Avoid excessive heat Inactive Ingredients
USP Petrolatum, Water,
Polihexanide (PHMB) Questions? 1-360-448-7881 or www.steriwebrx.com 69085-466-02

OMNICIDE ANTIMICROBIAL

benzalkonium chloride gel

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69085-466		
Route of Administration	TOPICAL				

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
POLIHEXANIDE (UNII: 322U039GMF)			
PETROLATUM (UNII: 4T6H12BN9U)			

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:69085-466- 02	45 g in 1 TUBE; Type 0: Not a Combination Product	07/02/2014	

Marketing Information					
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
part333A	07/02/2014				
	Application Number or Monograph Citation	Application Number or Monograph Marketing Start Citation Date			

Labeler - SteriWeb Medical, LLC (079409860)

Revised: 9/2023 SteriWeb Medical, LLC