

# **SCRUB-STAT- chlorhexidine gluconate solution**

## **Ecolab Inc.**

-----

### **Drug Facts**

#### **Active ingredient**

Chlorhexidine gluconate solution, 2%

#### **Purpose**

Surgical hand scrub

Healthcare personnel handwash

#### **Uses**

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** handwash to help reduce bacteria that potentially can cause disease

#### **Warnings**

**For external use only**

#### **Allergy alert:**

This product may cause a severe allergic reaction.

Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

if an allergic reaction occurs, stop use and seek medical help right away.

#### **Do not use**

- if you are allergic to chlorhexidine gluconate or any other ingredients in this product

#### **When using this product**

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated ear drums.
- if contact occurs, rinse with cold water right away
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

## **Stop use and ask a doctor if**

irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- use full strength
- do not dilute

## **Surgical hand scrub**

- remove jewelry
- wet hands and forearms with water and dispense 6 pumps (5 mL) of the product onto hands
- wash/scrub hands and forearms for 3 minutes paying particular attention to the nails, cuticles, and interdigital spaces
- rinse thoroughly with water
- wash for an additional 3 minutes with 6 pumps (5 mL) of the product into hands and rinse under running water
- dry thoroughly

## **Healthcare personnel handwash**

- wet hands with water
- dispense 6 pumps (5 mL) of product into hands and wash in a vigorous manner for 30 seconds
- rinse and dry thoroughly

## **Other information**

- store between 20-25°C (68-77°F)
- avoid excessive heat (above 104°F/40°C)
- for additional information, see Safety Data Sheet (SDS)
- for emergency medical information in USA and Canada, call 1.800.328.0026
- for emergency medical information worldwide, call 1.651.222.5352 (in the USA)

**Inactive ingredients** cocamide DEA, cocamine oxide, fragrance, gluconic acid\*, gluconolactone\*, hydroxyethylcellulose, isopropyl alcohol 4%, PEG-75 lanolin, PEG-150 distearate, propylene glycol, quaternium-60, water

\*contains one or more of these ingredients

**Questions?** call **1.866.781.8787**, 24 hours a day, 7 days a week.

## **Representative label and principal display panel**

**ECOLAB®**

**NDC 47596-463-41**

**SCRUB-STAT 2%**

**Chlorhexidine Gluconate 2% Solution Antiseptic**

Surgical Hand Scrub and

Healthcare Personnel Handwash

**6000068**

**Net Content:**

**25 fl oz (750 mL)**

**KEEP FROM FREEZING**

Ecolab • 1 Ecolab Place • St Paul MN 55102 USA

© 2020 Ecolab USA Inc • All rights reserved

Made in United States

www.ecolab.com • 762356/8502/1220

**Drug Facts** (continued)

- rinse thoroughly with water
- wash for an additional 3 minutes with 6 pumps (5 mL) of the product into hands and rinse under running water
- dry thoroughly

**Healthcare personnel handwash**

- wet hands with water
- dispense 6 pumps (5 mL) of product into hands and wash in a vigorous manner for 30 seconds
- rinse and dry thoroughly

**Other information**

- store between 20-25°C (68-77°F)
- avoid excessive heat (above 104°F/40°C)

**Drug Facts** (continued)

- for additional information, see Safety Data Sheet (SDS)
- for emergency medical information in USA and Canada, call 1.800.328.0026
- for emergency medical information worldwide, call 1.651.222.5352 (in the USA)

**Inactive ingredients** cocamide DEA, cocamine oxide, fragrance, gluconic acid\*, gluconolactone\*, hydroxyethylcellulose, isopropyl alcohol 4%, PEG-75 lanolin, PEG-150 distearate, propylene glycol, quaternium-60, water

\*contains one or more of these ingredients

**Questions?** call 1.866.781.8787, 24 hours a day, 7 days a week

**KEEP FROM FREEZING**

**WARNING!**

This product can expose you to chemicals including amides, coco, n,n-bis(hydroxyethyl) and 2,2'-iminodiethanol which are known to the State of California to cause cancer. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

This product may be patented: [www.ecolab.com/patents](http://www.ecolab.com/patents)

Ecolab • 1 Ecolab Place • St. Paul MN 55102 USA  
© 2020 Ecolab USA Inc • All rights reserved  
Made in United States  
[www.ecolab.com](http://www.ecolab.com) • 762356/8502/1220

NDC 47593-463-41 **ECOLAB**

**SCRUB-STAT™ 2% Chlorhexidine Gluconate 2% Solution Antiseptic**

Surgical Hand Scrub and Healthcare Personnel Handwash

Net Contents: **6000068**  
25 fl oz (750 mL)

**Drug Facts**

| Active ingredient                    | Purpose  |
|--------------------------------------|--|
| Chlorhexidine gluconate solution, 2% | Surgical hand scrub<br>Healthcare personnel handwash |

0 1125469100980 7

**Drug Facts** (continued)

**Uses**

- surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- healthcare personnel handwash:** handwash to help reduce bacteria that potentially can cause disease

**Warnings**

For external use only

**Allergy alert:**  
This product may cause a severe allergic reaction. Symptoms may include:  
wheezing/difficulty breathing

**Drug Facts** (continued)

- shock
- facial swelling
- hives
- rash

if an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**

- if you are allergic to chlorhexidine gluconate or any other ingredient in this product

**When using this product**

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in

**Drug Facts** (continued)

the eye or may cause deafness when instilled in the middle ear through perforated ear drums.

- if contact occurs, rinse with cold water right away
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

**Stop use and ask a doctor** if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Drug Facts** (continued)

**Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- use full strength
- do not dilute

**Surgical hand scrub**

- remove jewelry
- wet hands and forearms with water and dispense 6 pumps (5 mL) of the product into hands
- wash/scrub hands and forearms for 3 minutes paying particular attention to the nails, cuticles, and interdigital spaces

| <b>SCRUB-STAT</b>                      |  |                           |                 |
|--|--|---------------------------|-----------------|
| chlorhexidine gluconate solution       |  |                           |                 |
| <b>Product Information</b>             |  |                           |                 |
| <b>Product Type</b>                    | HUMAN OTC DRUG   | <b>Item Code (Source)</b> | NDC:47593-463   |
| <b>Route of Administration</b>         | TOPICAL  |                           |                 |
| <b>Active Ingredient/Active Moiety</b> |  |                           |                 |
|  | <b>Ingredient Name</b>   | <b>Basis of Strength</b>  | <b>Strength</b> |
|  | CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L) | CHLORHEXIDINE GLUCONATE   | 20 mg in 1 mL   |

## Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>COCO DIETHANOLAMIDE</b> (UNII: 92005F972D)                     |          |
| <b>COCAMINE OXIDE</b> (UNII: QWA2IZI6FI)                          |          |
| <b>GLUCONIC ACID</b> (UNII: R4R8J0Q44B)                           |          |
| <b>GLUCONOLACTONE</b> (UNII: WQ29KQ9POT)                          |          |
| <b>HYDROXYETHYL CELLULOSE (3000 CPS AT 1%)</b> (UNII: 7Q6P4JN1QT) |          |
| <b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)                       |          |
| <b>PEG-75 LANOLIN</b> (UNII: 09179OX7TB)                          |          |
| <b>PEG-150 DISTEARATE</b> (UNII: 6F36Q0I0AC)                      |          |
| <b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)                        |          |
| <b>QUATERNIUM-33</b> (UNII: XPS4174QZJ)                           |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                                   |          |

## Packaging

| #  | Item Code        | Package Description   | Marketing Start Date | Marketing End Date |
|----|------------------|---|----------------------|--------------------|
| 1  | NDC:47593-463-33 | 118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product  | 07/22/1986           |                    |
| 2  | NDC:47593-463-31 | 540 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product  | 07/22/1986           |                    |
| 3  | NDC:47593-463-32 | 1000 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 07/22/1986           |                    |
| 4  | NDC:47593-463-11 | 3780 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 07/22/1986           |                    |
| 5  | NDC:47593-463-26 | 1000 mL in 1 POUCH; Type 0: Not a Combination Product           | 07/22/1986           | 11/22/2022         |
| 6  | NDC:47593-463-56 | 1200 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 07/22/1986           |                    |
| 7  | NDC:47593-463-41 | 750 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product  | 06/03/2015           |                    |
| 8  | NDC:47593-463-59 | 1250 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 06/03/2015           |                    |
| 9  | NDC:47593-463-44 | 1134000 mL in 1 CONTAINER; Type 0: Not a Combination Product    | 12/23/2015           | 10/15/2024         |
| 10 | NDC:47593-463-21 | 208000 mL in 1 DRUM; Type 0: Not a Combination Product          | 12/23/2015           | 10/15/2024         |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| NDA                | NDA019258                                | 07/22/1986           |                    |

**Labeler** - Ecolab Inc. (006154611)