

**GOYESCAS BRONCOVAC 2 COUGH AND COLD- dextromethorphan, guaifenesin,
phenylephrine liquid
GOYESCAS OF FLA**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredient

Drug Facts

Active Ingredients : Purpose

(in each 5 ml. tsp)

Dextromethorphan HBr USP 10mg Cough Suppressant

Guaifenesin USP 100mg Expectorant

Phenylephrine HCl USP 5mg Nasal Decongestant

Dosage & Administration

Directions:

Dose as follows or as directed by a doctor. For adults and children 12 years of age and older, 1 tablespoonful every 6 hours. For children 6 to under 12 years of age, 1 teaspoonful every 6 hours. For children under 6 years of age, consult a Physician.

Warnings

Warnings:

Do not use if you are now taking certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease (MAOI) or for two (2) weeks after stopping (MAOI) drugs. Stop and ask a doctor if cough lasts more than 7 days, if cough comes back or occurs with fever, rash or headache that lasts. Ask a doctor if you are pregnant or breast-feeding. Keep out of reach of children. In case of overdose get medical help or contact a Poison Control Center Immediately.

Inactive Ingredients

Inactive ingredients:

Caramel Color, Flavor, Glycerin, Kola Extract, Methylparaben, Propylene Glycol, Propylparaben, Purified Water and sucralose.

Use

USE:

Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes. Temporarily relieves these symptoms occurring with a cold, nasal congestion, cough due to minor throat and bronchial irritation.

Purpose

Active Ingredients : Purpose**(in each 5 ml. tsp)**

Dextromethorphan HBr USP 10mg Cough Suppressant

Guaifenesin USP 100mg Expectorant

Phenylephrine HCl USP 5mg Nasal Decongestant

Warnings**Warnings:**

Do not use if you are now taking certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease (MAOI) or for two (2) weeks after stopping (MAOI) drugs. Stop and ask a doctor if cough lasts more than 7 days, if cough comes back or occurs with fever, rash or headache that lasts. Ask a doctor if you are pregnant or breast-feeding. **Keep out of reach of children.** In case of overdose get medical help or contact a Poison Control Center Immediately.

COLD AND COUGH EXPECTORANT

Drug Facts

Active Ingredients:

Purpose:

(In each 5 ml. tsp.)
 Dextromethorphan HBr USP 10 mg..... Cough Suppressant
 Guaifenesin 100 mg Expectorant
 Phenylephrine HCl USP 5 mg..... Nasal Decongestant

Uses:

- Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes.
- Temporarily relieves these symptoms occurring with a cold.
 - Nasal congestion.
 - Cough due to minor throat and bronchial irritation.

Warnings: Do not use if you are now taking certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease (MAOI), or for two (2) weeks after stopping (MAOI) drugs. Stop and ask a doctor if cough lasts more than 7 days, if cough comes back or occurs with fever, rash or headache that lasts. Ask a doctor if you are pregnant or breast-feeding. Keep out of reach of children. In case of overdose get medical help or contact a Poison Control Center immediately. Do not use if seal is broken or missing.



Directions: Dose as follows or as directed by a doctor.

For adults and children 12 years of age and over	1 Tablespoonful every 6 hours
For children 6 to Under 12 years of age	1 Teaspoonful every 6 hours
For children under 6 years of age	Consult your Physician

Inactive Ingredients: Caramel Color, Flavor, Glycerin, Kola Extract, Methylparaben, Propylene Glycol, Propylparaben, Purified Water and Sucralose.

www.goyescasusa.com



Drug Facts**Active Ingredients : Purpose****(in each 5 ml. tsp)**

Dextromethorphan HBr USP 10mg Cough Suppressant

Guaifenesin USP 100mg Expectorant

Phenylephrine HCl USP 5mg Nasal Decongestant

USE:

Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes. Temporarily relieves these symptoms occurring with a cold, nasal congestion, cough due to minor throat and bronchial irritation.

Warnings:

Do not use if you are now taking certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease (MAOI) or for two (2) weeks after stopping (MAOI) drugs. Stop and ask a doctor if cough lasts more than 7 days, if cough comes back or occurs with fever, rash or headache that lasts. Ask a doctor if you are pregnant or breast-feeding. Keep out of reach children. In case of overdose get medical help or contact a Poison Control Center Immediately.

Directions:

Dose as follows or as directed by a doctor. For adults and children 12 years of age and older, 1 tablespoonful every 6 hours. For children 6 to under 12 years of age, 1 teaspoonful every 6 hours. For children under 6 years of age, consult a Physician.

Inactive ingredients:

Caramel Color, Flavor, Glycerin, Kola Extract, Methylparaben, Propylene Glycol, Propylparaben, Purified Water and sucralose



BRONCOVAC®

Goyescas™

COUGH & COLD

COUGH SUPPRESSANT/ EXPECTORANT/
NASAL DECONGESTANT
ALCOHOL AND SUGAR FREE

Drug Facts
Active Ingredients:

Dextromethorphan HBr, USP 10mg.....	Cough Suppressant
Guafenesin 100 mg.....	Expectorant
Phenylephrine HCl, USP 5 mg.....	Nasal Decongestant

Use:
Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes. Temporarily relieves these symptoms occurring with a cold, nasal congestion, cough due to minor throat and bronchial irritation.

Warnings:
Do not use if you are now taking certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease (MAOI), or for two (2) weeks after stopping (MAOI) drugs. Stop and ask a doctor if cough lasts more than 7 days, if cough comes back or occurs with fever, rash or headache that lasts. Ask a doctor if you are pregnant or breast-feeding. Keep out of reach of children. In case of overdose get medical help or contact a Poison Control Center immediately.


Directions:
Dose as follows or as directed by a doctor. For adults and children 12 years of age and over, 1 tablespoonful every 6 hours. For children 6 to under 12 years of age, 1 teaspoonful every 6 hours. For children under 6 years of age, consult a physician.

Inactive Ingredients:
Caramel Color, Flavor, Glycerin, Kola Extract, Methylparaben, Propylene Glycol, Propylparaben, Purified Water and Sucralose.



Goyescasusa.com

6 Fl. Oz.
Distributed By:
GOYESCAS CORP.
Miami, Florida 33178



COLD AND COUGH EXPECTORANT

Drug Facts

Active Ingredients:

Purpose:

(In each 5 ml. tsp.)
 Dextromethorphan HBr USP 10 mg..... Cough Suppressant
 Guaifenesin 100 mg Expectorant
 Phenylephrine HCl USP 5 mg..... Nasal Decongestant

Uses:

- Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes.
- Temporarily relieves these symptoms occurring with a cold.
 - Nasal congestion.
 - Cough due to minor throat and bronchial irritation.

Warnings: Do not use if you are now taking certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease (MAOI), or for two (2) weeks after stopping (MAOI) drugs. Stop and ask a doctor if cough lasts more than 7 days, if cough comes back or occurs with fever, rash or headache that lasts. Ask a doctor if you are pregnant or breast-feeding. Keep out of reach of children. In case of overdose get medical help or contact a Poison Control Center immediately. Do not use if seal is broken or missing.

Directions: Dose as follows or as directed by a doctor.

For adults and children 12 years of age and over	1 Tablespoonful every 6 hours
For children 6 to Under 12 years of age	1 Teaspoonful every 6 hours
For children under 6 years of age	Consult your Physician

Inactive Ingredients: Caramel Color, Flavor, Glycerin, Kola Extract, Methylparaben, Propylene Glycol, Propylparaben, Purified Water and Sucralose.

www.goyescasusa.com



GOYESCAS BRONCOVAC 2 COUGH AND COLD

dextromethorphan, guaifenesin, phenylephrine liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11856-0017
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
CARAMEL (UNII: T9D99G2B1R)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11856-0017-1	1 in 1 BOX		
1		177 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	10/01/2006	

Labeler - GOYESCAS OF FLA (032506248)