

SOLSCENTS FLOWER BLAST BROAD SPECTRUM SPF 50- avobenzone, homosalate, octisalate, octocrylene, and oxybenzone aerosol, spray
Prime Packaging, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active ingredients

Avobenzone 3 %, Homosalate 10%, Octisalate 5 %, Octocrylene 2.75 %, and Oxybenzone 4 %

Purpose

Sunscreen

Uses

- helps prevent sunburn
- If use as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking. Avoid long term storage above 104°F (40°). Avoid Spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not store at temperatures above 120°F.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure. Ensure skin is completely covered with product
- hold container 4-6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions. Use in a well-ventilated area
- reapply:
 - After 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF 15 or higher and othe sun

protection measures including:

- limit time in the sun, especially from 10 a.m - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

Fragrance (Parfum), SD Alcohol 40-B (Alcohol Denat.), tocopheryl acetate, VA/Butyl Maleate/Isobornyl Acrylate Copolymer

Other Information

- avoid spraying on fabrics could cause discoloration
- protect this product from excessive heat and direct sun

Questions or comments?

☐SolScents, LLC.2200 N.W. 92nd Avenue. Miami, Florida 33172

PRINCIPAL DISPLAY PANEL - 177 mL Can Label



BROAD SPECTRUM SPF 50

SKIN NOURISHING ANTIOXIDANTS

FLOWER BLAST

Jasmine & Cattleya Orchids

50

CONTINUOUS SPRAY SUNSCREEN
WATER RESISTANT (80 MINUTES)

MADE IN THE USA

6 FL OZ (177 mL)

SolScents® is founded on Soul and Scents.
That's right, pun intended.
We support seven relevant causes
that affect many lives on a global scale.
It's why we give back 2.5% of our
global proceeds of this product towards
Breast Cancer Awareness.



Breast Cancer
Awareness

SolScents® protects you from UVA and UVB rays
while moisturizing your skin, without the typical scent
and the tacky feel of traditional sunscreens. A decadent,
ultra-moisturizing formula with skin nourishing antioxidants
that protects your skin and comes in a light,
fresh fragrance you're sure to love.

WHS 1835



SolScents®
SUNSCREEN

BRIGHTLY SCENTED SUN CARE®

Drug Facts

Active Ingredients

Avobenzone 3%
Homosalate 10%
Octisalate 5%
Octocrylene 2.75%
Oxybenzone 4%

}

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product

- keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable Do not use near heat, flame or while smoking. Avoid long term storage above 104°F (40°C). Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not store at temperatures above 120°F.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure. Ensure skin is completely covered with product
- hold can 4-6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face
- do not apply in windy conditions. Use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

Inactive Ingredients

fragrance, SD alcohol 40-B, tocopherol acetate, VA/butyl maleate/isobornyl acrylate copolymer,

Other information

- avoid spraying on fabrics could cause discoloration
- protect this product from excessive heat and direct sun

Questions or comments?

SolScents, LLC. 2200 N.W. 92nd Avenue, Miami, Florida 33172



Distributed by SolScents, LLC.
Miami, Florida 33172
www.solscents.com



Non-greasy, instant drying formula is ideal for all outdoor activities.

6 FL OZ (177 mL)

SOLSCENTS FLOWER BLAST BROAD SPECTRUM SPF 50

avobenzone, homosalate, octisalate, octocrylene, and oxybenzone aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13630-0076
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	25.8 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	86 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	43 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	23.65 mg in 1 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	34.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
BUTYL MALEURATE (UNII: 6FUA0H660I)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ISOBORNYL ACRYLATE (UNII: IX0PRH184P)	

Product Characteristics

Color	yellow	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13630-0076-4	177 mL in 1 CAN; Type 0: Not a Combination Product	03/01/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	03/01/2015	

Labeler - Prime Packaging, Inc. (805987059)

Registrant - Prime Packaging, Inc. (805987059)

Establishment

Name	Address	ID/FEI	Business Operations
Prime Enterprises, Inc.		10 19 46 0 28	manufacture(13630-0076) , analysis(13630-0076)

Establishment

Name	Address	ID/FEI	Business Operations
Prime Packaging, Inc.		805987059	label(13630-0076) , pack(13630-0076)

Revised: 1/2020

Prime Packaging, Inc.