DE LA CRUZ CASTOR OIL- castor oil oil DLC Laboratories, Inc.

CASTOR OIL

Drug Facts

Active ingredient

Castor oil, USP 100%

Purpose

Stimulant laxative

Uses

- for the temporary relief of occasional constipation
- bowel movement is generally produced in 6 to 12 hours

Warnings

Do not use

- laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.
- for periods longer than a week. Frequent or prolonged use may result in dependence on laxatives.

Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of two weeks.

Ask a doctor or pharmacist before use if you are taking any other drug.

Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use of a laxative. These symptoms may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions

Preferably taken on an empty stomach.

May be taken with juice to improve the taste.

Age	Dose			
Adults and children 12	1 to 4 tablespoons in a single daily			

years and over	dose or as directed by a doctor
Children 2 to under 12	1 to 3 teaspoons in a single daily dose
years	or as directed by a doctor
Children under 2 years	Consult a doctor

Other information

Storage

Keep tightly closed and away from excessive heat.

Questions

1-800-858-3889 www.dlclabs.com

Distributed by: De La Cruz Products A Division of DLC Laboratories, Inc. Paramount, CA 90723 USA

none

Inactive ingredient

none

PRINCIPAL DISPLAY PANEL - 59 mL Bottle Label

De La Cruz ®

CASTOR

OIL

USP

Stimulant Laxative

2 FL OZ (59 mL)



E De La Cruz CASSTOR OLL USP Aceite de Ricino USP Stimulant Laxative Laxante Estimulante 2 FL OZ (59 mL)	Distributed by / Distribuido por: De La Cruz Products A Division of DLC Laboratories, Inc. Paramount, CA 90723 USA Questions / Preguntas: 1-800-858-3889 www.diclabs.com © 2021 DLC Laboratories, Inc.	3 24286 15502 6	Do not use if plastic seal around cap is missing or broken. Ingredient: Castor Oil	No usar si el sello de plástico alrededor de la tapa falta o está roto. Ingrediente: Aceite de Ricino	Drug Facts Datos Medicinales Levinte
Datos Medicinales Propósito Ingrediente activo Propósito Aceite de ricino, USP 100%. Propósito Jasos = para el alivio temporal del estrefimiento coasional e produce movimiento intestinal generalmente entre 6 y 12 horas Propósito Advertencias No usar Lavante estimulante Propósito Jasos a para el alivio temporal del estrefimiento coasional e produce movimiento intestinal generalmente entre 6 y 12 horas Morectana Advertencias No usar Laso frecuente o productos mayores de una semmaa. El uso frecuente o protorgado puede causar una dependencia a los tixantes. Dorsultar a un médico antes de usar un laxante si ha notado un cambio rependron en los semanas. Derevente que persiste por más de dos semanas. Consultar a un médico o farmacéutico antes de usar si está tiomando ouro medicamento. Dereventes que	Suspender su uso y consultar a un médico si presenta sangrador rectal o no puede evacuar después de usar un laxante. Estos sintomas pueden indicar una afección grave. Si está embarazada o lactando, busque asesoramiento médico antisa de usar este producto. MNTENGASE FUERA DEL ALCANCE DE LOS NINOS. En caso de sobredosis, busque ayuda médica o póngase en contacto con un Centro de Control de Envenenamientos inmediatemente.	Instrucciones Tómese preferiblemente con el estómago vacio. Puede ser mezclado con jugo para majorar el sabor. Edad Dosis	Adultos y niños 1 a 4 cucharadas en una única mayores de 12 años por un médico	Niños de 2 hasta menores de 12 años por un médico Niños menores de 2 años	Otra información Almacenamiento: Mantengase bien cerrado y alejado de calor excesivo.
Drug Facts Purpose Active ingredient Purpose Castor ol, USP 100% Stimulant laxative Castor ol, USP 100% Stimulant laxative Uses for the temporary relief of occasional constipation ■ bowell movement is generally produced in 6 to 12 hours bowell movement is generally produced in 6 to 12 hours Marnings Do not use = laxative products when abdominal pain, nauses, or vomiting are present unless directed by a doctor. = for products when abdominal pain, nauses, or vomiting are present unless directed by a doctor. To nause a, or vomiting are present unless directed by a doctor. = for products ver a sudden change in bowel habits that persists over a period ot two weeks. Ask a doctor or before use if you are period of two weeks. Ask a doctor or pharmacist before use if you are taking any other drug.	Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use of a laxative. These symptoms may indicate a serious condition. If pregnant or breast-feeding, ask a health professional before use. KEEP OUT OF REACH OF CHILDREN. In case of overdose, get medical help or contact a Poison Control Center limitediately.	Directions Preferably taken on an empty stomach. May be taken with juice to improve the taste. Age Dose	Adults and children 1 to 4 tablespoons in a single daily 12 years and over dose or as directed by a doctor Children 2 to under 1 to 3 teaseoner in a single daily	tion	closed and away from excessive heat.

	stor oil oil						
P	roduct Info	rmation					
Product Type			HUMAN OTC DRUG	MAN OTC DRUG Item Code (Source)		NDC:24286-1526	
Route of Administration			ORAL				
Ac	tive Ingred	dient/Active	-				
			dient Name		Basis of Stre	ength	Strength
CA	STOR OIL (UNI	I: D5340Y2I9G) (CASTOR OIL - UNII:D5340Y2	219G)	CASTOR OIL		1g in 1 mL
	ackaging Item Code	Pa	ackage Description		Marketing Start	Mar	keting End
#	Item Code NDC:24286-	59 mL in 1 BOT	ackage Description TLE; Type 0: Not a Combin	nation	Marketing Start Date 07/27/2012	Mar	keting End Date
# 1 2	Item Code	59 mL in 1 BOT Product			Date	Mar	
# 1 2	Item Code NDC:24286- 1526-5 NDC:24286-	59 mL in 1 BOT Product 236 mL in 1 BO Product	TLE; Type 0: Not a Combin TTLE; Type 0: Not a Combi TTLE, GLASS; Type 0: Not	ination	Date 07/27/2012	Mar	
# 1 2 3	Item Code NDC:24286- 1526-5 NDC:24286- 1526-8 NDC:24286- 1526-9	59 mL in 1 BOT Product 236 mL in 1 BO Product 236 mL in 1 BO Combination Pr	TLE; Type 0: Not a Combin TTLE; Type 0: Not a Combin TTLE, GLASS; Type 0: Not oduct	ination	Date 07/27/2012 08/03/2022	: Mar	
# 1 2 3	Item Code NDC:24286- 1526-5 NDC:24286- 1526-8 NDC:24286- 1526-9	59 mL in 1 BOT Product 236 mL in 1 BO Product 236 mL in 1 BO	TLE; Type 0: Not a Combin TTLE; Type 0: Not a Combin TTLE, GLASS; Type 0: Not oduct	ination	Date 07/27/2012 08/03/2022	Mar	
# 1 2 3	Item Code NDC:24286- 1526-5 NDC:24286- 1526-8 NDC:24286- 1526-9	59 mL in 1 BOT Product 236 mL in 1 BO Product 236 mL in 1 BO Combination Pr	TLE; Type 0: Not a Combin TTLE; Type 0: Not a Combin TTLE, GLASS; Type 0: Not oduct	ination a	Date 07/27/2012 08/03/2022		

Labeler - DLC Laboratories, Inc. (093351930)

Establishment

Name	Address	ID/FEI	Business Operations
DLC Laboratories, Inc.		093351930	manufacture(24286-1526) , label(24286-1526)

Revised: 5/2024

DLC Laboratories, Inc.