TBX-FREE- cytis ine strip Dalian Jixin Electronic Information Co., Ltd.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Active Ingredient

Cytisine 8mg

Purpose

Treatment of chronic nicotinism

KEEP OUT OF REACH OF CHILDREN

In case of overdose, get medical help or contact a poison control center right away.

Use

Smoking cessation treatment

DIRECTIONS

Adults 18 years or over

Begin using TBX-Free on your quit day

It is important to complete treatment. If you feel you need to use TBX-Free to keep from smoking, talk to your health care provider.

Warnings

Do not use: in conjunction with another smoking cessation product; if you are taking prescription medication for depression or asthma; if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor or pharmacist before use if you have: heart disease or an irregular heartbeat; high blood pressure; stomach ulcers; diabetes; allergies to other medication

Stop use and speak to a doctor if any of the following occur: mouth, teeth, or jaw problems, irregular heartbeat or palpitations; you develop symptoms of an allergic reaction (such as difficulty breathing or a rash)

Inactive Ingredients

pullulan, natural mint extract, sugar, menthol, licorice, aspartame

OTHER SAETY INFORMATION

Protect from excessiv moisture and heat

Store between 15° and 25° C (59° to 77° F)

QUESTIONS OR COMMENTS

1-800-965-1594



Drug Facts

Active ingredient

Purpose

Cytisine 8mg Treatment of chronic nicotinism

Use Smoking cessation treatment

Warnings

- Do not use: in conjuction with another smoking cessation product; if you are taking prescription medication for depression or asthma; if you have ever had an allergic reaction to this product or any of its ingredients
- Ask a doctor or pharmacist before use if you have: heart disease or an irregular heartbeat; high blood pressure; stomach ulcers; diabetes; allergies to other medication
- Stop use and speak to a doctor if any of the following occur: mouth, teeth or jaw problems, irregular heartbeat or palpatations; you develop symptoms of an allergic reaction (such as difficulty breathing or a rash)
- Keep out of reach of children. In case of overdose, get medical help or contact a poison control center right away

Directions

- Adults 18 years or older
- Begin using TBX-Free on your quit day.
- It is important to complete treatment. If you feel you need to use TBX-Free for a longer period to keep from smoking, talk to your health care provider

Other Information

- · protect from excessive moisture and heat
- store between 15° to 25° C (59° to 77° F)

Inactive ingredients

pullulan, naural mint extract, sugar, menthol, licorice, aspartame

Questions or comments?

1-800-965-1594

TBX-FREE

cytisine strip

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69461-001

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient NameBasis of StrengthStrengthCYTISINE (UNII: 53S5U404NU) (CYTISINE - UNII:53S5U404NU)CYTISINE8 mg in 1 mg

Inactive Ingredients

Ing	redient Name	Strength	
SUCROSE (UNII: C151H8M554)			
MENTHOL (UNII: L7T10EIP3A)			
LICORICE (UNII: 61ZBX54883)			
PULLULAN (UNII: 8ZQ0AYU1TT)			
MINT (UNII: FV98Z8GITP)			
ASPARTAME (UNII: Z0H242BBR1)			

Packaging

l	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1 NI	DC:69461-001-01	110 mg in 1 BOX: Type 0: Not a Combination Product	11/20/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		11/20/2015	

$\pmb{Labeler-} \ \, \text{Dalian Jixin Electronic Information Co., Ltd.} \, (544903951)$

Establishment

Name	Address	ID/FEI	Business Operations

		-
Dalian Jixin Electronic Information Co., Ltd.	544903951	manufacture (69461-001)

Revised: 11/2015 Dalian Jixin Electronic Information Co., Ltd.