

NITROGEN - nitrogen gas
NITROGEN - nitrogen liquid
Air Liquide America L.P.

NITROGEN COMPRESSED NF SL

WARNING: DO NOT HANDLE CYLINDER OR USE CONTENTS UNTIL: 1) YOU HAVE READ AND UNDERSTAND THE MATERIAL SAFETY DATA SHEET FOR THIS PRODUCT. CALL 1-800-231-1366 FOR MORE COPIES. 2) YOU ARE TRAINED TO USE CYLINDER AND CONTENTS, INCLUDING EMERGENCY PROCEDURES.

**NITROGEN COMPRESSED NF
NON-FLAMMABLE 2**

BO5 UN 1066 Rx ONLY M41-2

CAUTION: HIGH PRESSURE GAS. CAN CAUSE RAPID SUFFOCATION AND DEATH WITHOUT WARNING.

Secure cylinder and provide adequate ventilation in storage and use. Use only with equipment rated for cylinder pressure. Cylinder temperature should not exceed 125° F (52° C). Close valve after each use and when empty.

Return with at least 25 PSIG pressure.

Use in accordance with the Material Safety Data Sheet.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.


CAUTION: Federal law prohibits dispensing without prescription.

Produced by Air Liquefaction.

CAUTION: USE NO OIL ON VALVE OR CONNECTIONS. TRANSFILLING OF THIS GAS IS PROHIBITED.

DO NOT REMOVE THIS PRODUCT LABEL

AIR LIQUIDE AMERICA L.P.
P.O.BOX 460229
Houston, TX 77056



NITROGEN COMPRESSED NF LABEL

WARNING: DO NOT HANDLE CYLINDER OR USE CONTENTS UNTIL: 1) YOU HAVE READ AND UNDERSTAND THE MATERIAL SAFETY DATA SHEET FOR THIS PRODUCT. CALL 1-800-231-1366 FOR MORE COPIES. 2) YOU ARE TRAINED TO USE CYLINDER AND CONTENTS, INCLUDING EMERGENCY PROCEDURES.

NITROGEN COMPRESSED NF NON-FLAMMABLE 2

BO5 UN 1066 Rx ONLY M41-2

CAUTION: HIGH PRESSURE GAS. CAN CAUSE RAPID SUFFOCATION AND DEATH WITHOUT WARNING.

Secure cylinder and provide adequate ventilation in storage and use. Use only with equipment rated for cylinder pressure. Cylinder temperature should not exceed 125° F (52° C). Close valve after each use and when empty. Use a back flow preventive device in the piping.

Return with at least 25 PSIG pressure.

Use in accordance with the Material Safety Data Sheet.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

CAUTION: Federal law prohibits dispensing without prescription.

Produced by Air Liquefaction.

CAUTION: USE NO OIL ON VALVE OR CONNECTIONS. TRANSFILLING OF THIS GAS IS PROHIBITED.

DO NOT REMOVE THIS PRODUCT LABEL

AIR LIQUIDE AMERICA L.P.

P.O.BOX 460229


Houston, TX 77056

M42-3 L12

WARNING: DO NOT HANDLE CYLINDER OR USE CONTENTS UNTIL: 1) YOU HAVE READ AND UNDERSTAND THE MATERIAL SAFETY DATA SHEET FOR THIS PRODUCT. CALL 1-800-231-1366 FOR MORE COPIES. 2) YOU ARE TRAINED TO USE CYLINDER AND CONTENTS, INCLUDING EMERGENCY PROCEDURES.

**NITROGEN,
COMPRESSED
NF**

UN 1066 R_x ONLY




CAUTION: HIGH PRESSURE GAS. CAN CAUSE RAPID SUFFOCATION AND DEATH WITHOUT WARNING. Secure cylinder and provide adequate ventilation in storage and use. Use only with equipment rated for cylinder pressure. Cylinder temperature should not exceed 125°F (52°C). Close valve after each use and when empty. Use a back flow preventive device in the piping. **Return with at least 25 PSIG pressure.** Use in accordance with Material Safety Data Sheet.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken. **CAUTION:** Federal law prohibits dispensing without prescription. **Produced by Air Liquefaction.**

CAUTION: USE NO OIL ON VALVE OR CONNECTIONS. TRANSFILLING OF THIS GAS IS PROHIBITED.



NITROGEN REFRIGERATED LIQUID NF Label

WARNING: DO NOT HANDLE CYLINDER OR USE CONTENTS UNTIL: 1) YOU HAVE READ AND UNDERSTAND THE MATERIAL SAFETY DATA SHEET FOR THIS PRODUCT. CALL 1-800-231-1366 FOR MORE COPIES. 2) YOU ARE TRAINED TO USE CYLINDER AND CONTENTS, INCLUDING EMERGENCY PROCEDURES.

Nitrogen, Refrigerated Liquid NF

NON-FLAMMABLE 2

UN 1977 Rx ONLY M43L-2

AIR LIQUIDE
P.O. Box 460229
Houston, Tx 77056

WARNING: ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. CAN CAUSE RAPID SUFFOCATION AND DEATH WITHOUT WARNING. CAN CAUSE SEVERE FROSTBITE.

Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop or handle container roughly. Use suitable hand truck for container movement. Container temperature should not exceed 125°F (52°C). Close valve after each use and when empty. Use in accordance with Material Safety Data Sheet.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

IN CASE OF FROSTBITE, obtain medical treatment immediately.

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

CAUTION: Federal law prohibits dispensing without prescription.

Produced by Air Liquefaction.

CAUTION: USE NO OIL ON VALVE OR CONNECTIONS. TRANSFILLING OF THIS LIQUID OR GAS IS PROHIBITED.

DO NOT REMOVE THIS PRODUCT LABEL.



NITROGEN, REFRIGERATED LIQUID, NF Label

WARNING: DO NOT HANDLE CYLINDER OR USE CONTENTS UNTIL: 1) YOU HAVE READ AND UNDERSTAND THE MATERIAL SAFETY DATA SHEET FOR THIS PRODUCT. CALL 1-800-231-1366 FOR MORE COPIES. 2) YOU ARE TRAINED TO USE CYLINDER AND CONTENTS, INCLUDING EMERGENCY PROCEDURES.

NITROGEN REFRIGERATED LIQUID, NF

UN 1977 Rx ONLY

PRODUCED BY AIR LIQUEFACTION.

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

CAUTION: Federal law prohibits dispensing without prescription.

OPEN-TOP DEWAR

AIR LIQUIDE AMERICA L.P.
P.O. BOX 460229
Houston, TX 77056

WARNING: ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. CAN CAUSE RAPID SUFFOCATION AND DEATH WITHOUT WARNING. CAN CAUSE SEVERE FROSTBITE.

Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop or handle container roughly. Replace Dewar closure device to prevent contamination of container. Use in accordance with Compressed Gas Association Pamphlets P-1, P-9, P-12, P-14 and SB-2, and with Material Safety Data Sheet.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

IN CASE OF FROSTBITE, obtain medical treatment immediately.


WARNING: It is not safe to carry liquid Nitrogen Dewars in the passenger compartment or trunk of an automobile or in vans where the cargo area and driver compartment are not separated by a sealed bulkhead. Dewars can tip while in transit and liquid Nitrogen spills can release large quantities of vapor that can obscure vision and cause rapid suffocation. Nitrogen is not life-supporting and can cause asphyxiation and death without warning by displacing oxygen needed to support life. Contact with cold Nitrogen gas or liquid can cause cryogenic burns and freeze body tissue. Liquid Nitrogen spills can cause a vehicle's metal parts, such as floors, bulkheads, supports, etc., to fail without warning because steel and other materials become brittle at liquid Nitrogen temperatures.

DO NOT REMOVE THIS PRODUCT LABEL. M44L-2 B05

<p>NITROGEN, REFRIGERATED LIQUID, NF</p> <p>UN 1977 Rx ONLY</p>	<p>WARNING: DO NOT HANDLE CYLINDER OR USE CONTENTS UNTIL: 1) YOU HAVE READ AND UNDERSTAND THE MATERIAL SAFETY DATA SHEET FOR THIS PRODUCT. CALL 1-800-251-1368 FOR MORE COPIES. 2) YOU ARE TRAINED TO USE CYLINDER AND CONTENTS, INCLUDING EMERGENCY PROCEDURES.</p>	<p>WARNING: ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. CAN CAUSE RAPID SUFFOCATION AND DEATH WITHOUT WARNING. CAN CAUSE SEVERE FROSTBITE. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop or handle container roughly. Replace Dewar closure device to prevent contamination of container. Use in accordance with Compressed Gas Association Pamphlets P-1, P-9, P-12, P-14 and SB-2, and with Material Safety Data Sheet.</p>
<p>PRODUCED BY AIR LIQUEFACTION</p>		<p>FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately.</p>
<p>WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.</p>		<p>WARNING: It is not safe to carry liquid Nitrogen Dewars in the passenger compartment or trunk of an automobile or in vans where the cargo area and driver compartment are not separated by a sealed bulkhead. Dewars can tip while in transit and liquid Nitrogen spills can release large quantities of vapor that can obscure vision and cause rapid suffocation. Nitrogen is not life-supporting and can cause asphyxiation and death without warning by displacing oxygen needed to support life. Contact with cold Nitrogen gas or liquid can cause cryogenic burns and freeze body tissue. Liquid Nitrogen spills can cause a vehicle's metal parts, such as floors, bulkheads, supports, etc., to fail without warning because steel and other materials become brittle at liquid Nitrogen temperatures.</p>
<p>CAUTION: Federal law prohibits dispensing without prescription.</p>		
<p>OPEN-TOP DEWAR</p>		
	<p>AIR LIQUIDE AMERICA L.P. P.O. BOX 480229 Houston, TX 77056</p>	<p>DO NOT REMOVE THIS PRODUCT LABEL. M44L-2 B05</p>

NITROGEN COA

NITROGEN N.F. CERTIFICATE OF ANALYSIS



NITROGEN N.F.

Form Number: 2A-ALL-QUA-0003-F
Revision: 0
Effective Date: 03/29/06
Page: 1/1

CERTIFICATE OF ANALYSIS Air Liquide America L.P. - Houston, TX 77056 PRODUCED BY AIR LIQUEFACTION

1. Location *Street Address 1* _____
Street Address 2 _____
City, State, Zip _____
2. Carrier _____
3. Lot Number _____
4. Trailer No. _____

PRE-FILL REPORT

5. Residual Assay (≤10 ppm O ₂)	6. Odor Detected
_____ ppm	Yes No
_____	_____
Initial	Initial

FILL REPORT

7. Trailer Loaded with appropriate product per appropriate loading procedure by:

Signature _____

Date _____

ANALYSIS REPORT

Test Required	Method of Analysis	Specification	Results
ASSAY AND IDENTIFICATION	8. PARAMAGNETIC <input type="checkbox"/>	99.998% N ₂ Minimum*	10. _____ %
	MICROFUEL CELL <input type="checkbox"/>	10 ppm O ₂ Maximum	11. _____ ppm
	ELECTROCHEMICAL CELL <input type="checkbox"/>		
CARBON MONOXIDE	9. Analyzer Tag Number _____	12. DETECTOR TUBE <input type="checkbox"/>	14. _____ ppm
	13. Analyzer Tag Number _____	INFRARED ANALYZER <input type="checkbox"/>	15. _____
		Expiration Date of Tube _____	16. _____
ODOR	Organoleptic (Nasal)	Lot Number of Tube _____	17. _____

N.F. applies only when used in a medical application or by medical customers properly registered with the FDA.
* Plus inert

18. Analyzed By _____ Date _____

19. Does this lot require additional testing? NO YES - attach page 2

20. SQC Review/Release _____ Date _____

MANDATORY FORM

User must assure that this revision of the form is current prior to use. Completed forms become permanent records subject to the record retention policy.

NITROGEN

nitrogen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:10671-020
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NITROGEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75)	NITROGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10671-020-03	396 L in 1 CYLINDER		
2	NDC:10671-020-04	651 L in 1 CYLINDER		
3	NDC:10671-020-11	3257 L in 1 CYLINDER		
4	NDC:10671-020-13	4390 L in 1 CYLINDER		
5	NDC:10671-020-20	6514 L in 1 CYLINDER		
6	NDC:10671-020-21	7108 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205829	01/01/1960	

NITROGEN

nitrogen liquid

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:10671-021
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NITROGEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75)	NITROGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10671-021-42	160 L in 1 CYLINDER		
2	NDC:10671-021-43	180 L in 1 CYLINDER		
3	NDC:10671-021-44	230 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205829	01/01/1960	

NITROGEN

nitrogen liquid

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:10671-022
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NITROGEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75)	NITROGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10671-022-50	5 L in 1 DEWAR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205829	01/01/1960	

NITROGEN

nitrogen liquid

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:10671-023
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NITROGEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75)	NITROGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:10671-023-60	25000 L in 1 TANK		
2	NDC:10671-023-61	50000 L in 1 TANK		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NDA	NDA205829	01/01/1960		

Labeler - Air Liquide America L.P. (003312600)

Registrant - Air Liquide America L.P. (003312600)

Establishment

Name	Address	ID/FEI	Business Operations
Air Liquide America L.P.		831996405	manufacture(10671-020)

Revised: 2/2015

Air Liquide America L.P.