

**OIL LIN SUNMILK SUNSCREEN SPF 30- sunscreen, titanium dioxide emulsion
Sunrider Manufacturing L.P.**

OIL LIN® SUNMILK SUNSCREEN SPF 30

ACTIVE INGREDIENT: TITANIUM DIOXIDE 10.08%

INACTIVE INGREDIENT:

Water (Deionized)
Isononyl Isononanoate
C12-15 Alkyl Benzoate
Aluminum Hydroxide
Sodium Myristoyl Sarcosinate
Butylene Glycol
Polyglyceryl-4 Isostearate
Cetyl PEG/PPG-10/1 Dimethicone
Hexyl Laurate
Dimethione
Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer
Squalane
Aloe Barbadensis Leaf Juice (Aloe Vera Gel)
Avena Sativa (Oat) Kernel Protein
Betaine
Sodium PCA
Sorbitol
Serine
Glycine
Glutamic Acid
Sodium Hyaluronate
Alanine
Lysine
Arginine
Threonine
Proline
Glycerin
Disodium EDTA
Polysorbate 60
Benzyl Alcohol
Caprylhydroamic Acid
Sodium Chloride

USES: HELPS PREVENT SUNBURN.

Direction

- apply liberally 15 minutes before sun exposure.

reapply:

- After 40 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

- children under 6 months: Ask a doctor.

WARNING:

Skin Cancer/Skin Aging Alert:

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, not skin cancer or early skin aging.

For External use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

KEEP OUT OF REACH OF CHILDREN.

If product is swallowed, get medical help or contact a Poison Control Center right away.

US_OL Sunmilk SPF 30 4oz FRONT_BTL LBL



SUNRIDER®

NET WT.
4 fl. oz. / 120 mL

US S878000234

Uses - helps prevent sunburn

Warnings

Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, **not** skin cancer or early skin aging.

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming

• after 10 minutes of swimming

or sweating

- Immediately after towel drying
- at least every 2 hours
- children under 6 months: Ask a doctor

Other Information

- protect this product from excessive heat and direct sun

MANUFACTURED BY
SUNRIDER MANUFACTURING, L.P.
MIDLOTHIAN, TEXAS 76065 - USA

PRODUCT INQUIRY: 1-310-781-8096

US S878000534

Sunrider #1003A
4oz bottle



NEW SPF 30 ART - MAY 2017

OI LIN SUNMILK SUNSCREEN SPF 30

sunscreen, titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62191-600
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	100.8 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
2-HYDROXYETHYL ACRYLATE (UNII: 25GT92NY0C)	
AMMONIUM ACRYLOYLDIMETHYLTaurate (UNII: KBC00G95HI)	
ALANINE (UNII: OF5P57N2ZX)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ARGININE (UNII: 94ZLA3W45F)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
BETAINE (UNII: 3SCV180C9W)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 1.5) (UNII: V2W71V8T0X)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLUTAMIC ACID (UNII: 3KX376GY7L)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCINE (UNII: TE7660XO1C)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
isononyl isononanoate (UNII: S4V5BS6GCX)	
LYSINE (UNII: K3Z4F929H6)	
OATMEAL (UNII: 8PI54V663Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
PROLINE (UNII: 9DLQ4CIU6V)	
SERINE (UNII: 452VLY9402)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM HYDROXYMETHYLGLYCINATE (UNII: DIG6BWZ9XT)	
SODIUM MYRISTOYL SARCOSINATE (UNII: J07237209D)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
SORBITOL (UNII: 506T60A25R)	
SQUALANE (UNII: GW89575KF9)	

THREONINE (UNII: 2ZD004190S)				
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62191-600-07	1 in 1 BOX	07/27/2017	
1		125 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		part352	07/27/2017	

Labeler - Sunrider Manufacturing L.P. (786951475)

Registrant - Sunrider Manufacturing L.P. (786951475)