

**LESS DROWSY FORMULA MOTION SICKNESS RELIEF- meclizine hcl tablet**  
Salado Sales, Inc.

-----  
**CVP 44-403**

***Active ingredient (in each tablet)***

Meclizine HCl 25 mg

***Purpose***

Antiemetic

***Uses***

for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

***Warnings***

**Do not use**

for children under 12 years of age unless directed by a doctor.

**Ask a doctor before use if you have**

- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- alcohol, sedatives, and tranquilizers may increase drowsiness
- drowsiness may occur
- use caution when driving a motor vehicle or operating machinery
- avoid alcoholic beverages

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### ***Directions***

- **do not take more than directed**
- take first dose  $\frac{1}{2}$ ; to 1 hour before starting activity
- adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor

### ***Other information***

- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- protect from heat and humidity
- use by expiration date on package

### ***Inactive ingredients***

colloidal silicon dioxide, D&C yellow #10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch

### ***Questions or comments?***

**1-800-426-9391**

### ***Principal Display Panel***

**CVP®  
Health**

COMPARE TO  
DRAMAMINE®  
ALL DAY LESS DROWSY  
ACTIVE INGREDIENT\*

**LESS DROWSY FORMULA  
MOTION SICKNESS  
RELIEF  
MECLIZINE HCl TABLETS 25 mg/ANTIEMETIC**

HELPS PREVENT NAUSEA &  
DIZZINESS DUE TO MOTION  
SICKNESS FOR UP TO 24 HOURS

AGES 12 YEARS AND OVER

**12 TABLETS**

ACTUAL SIZE

**TAMPER EVIDENT: Use Only if This Blister is Intact**

\*This product is not manufactured or distributed  
by Medtech Products Inc., owner of the registered  
trademark Dramamine® Less Drowsy.  
50844 REV0423A40302

Distributed by Consumer Value Products, Inc.  
P.O. Box 6115, Temple, Texas 76502  
CVPproducts.com



**LESS DROWSY FORMULA  
MOTION SICKNESS  
RELIEF**

**MECLIZINE HCl TABLETS 25 mg/ANTIEMETIC**

HELPS PREVENT NAUSEA &  
DIZZINESS DUE TO MOTION  
SICKNESS FOR UP TO 24 HOURS

AGES 12 YEARS AND OVER

COMPARE TO  
DRAMAMINE®  
LESS DROWSY  
ACTIVE INGREDIENT\*



ACTUAL SIZE

**12 TABLETS**

Copy Free Area  
Lot no. & Exp. Date

TAMPER EVIDENT: Use Only if This Blister is Intact

RETAIN VIAL CARD FOR COMPLETE PRODUCT INFORMATION

Drug Facts	Drug Facts (continued)
<p><b>Active ingredient (in each tablet)</b> Meclizine HCl 25 mg .....Antiemetic</p> <p><b>Purpose</b> Antiemetic</p> <p><b>Uses</b> for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness</p> <p><b>Warnings</b> Do not use for children under 12 years of age unless directed by a doctor.</p> <p><b>Ask a doctor before use if you have</b>  <ul style="list-style-type: none"> <li>■ difficulty in urination due to enlargement of the prostate gland</li> <li>■ glaucoma</li> <li>■ a breathing problem such as emphysema or chronic bronchitis</li> </ul> </p> <p><b>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.</b></p> <p><b>When using this product</b>  <ul style="list-style-type: none"> <li>■ alcohol, sedatives, and tranquilizers may increase drowsiness</li> <li>■ use caution when driving a motor vehicle or operating machinery</li> <li>■ avoid alcoholic beverages</li> <li>■ drowsiness may occur</li> </ul> </p> <p>If pregnant or breast-feeding, ask a health professional before use.  <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b>  <ul style="list-style-type: none"> <li>■ do not take more than directed</li> <li>■ take first dose ½ to 1 hour before starting activity</li> <li>■ adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor</li> </ul> </p>	<p><b>Other information</b>  <ul style="list-style-type: none"> <li>■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)</li> <li>■ protect from heat and humidity</li> <li>■ use by expiration date on package</li> </ul> </p> <p><b>Inactive ingredients</b> colloidal silicon dioxide, D&amp;C yellow #10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch</p> <p><b>Questions or comments?</b> 1-800-426-9391</p> <p style="font-size: x-small;">*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine® Less Drowsy. 50844 REV0423A40302</p> <p style="font-size: x-small;">Distributed by Consumer Value Products, Inc. P.O. Box 6115, Temple, Texas 76502 CVPproducts.com</p>



7 61706 16856 1

**CVP 44-403A**

## LESS DROWSY FORMULA MOTION SICKNESS RELIEF

meclizine hcl tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57243-403
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MECLIZINE HYDROCHLORIDE</b> (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>D&amp;C YELLOW NO. 10 ALUMINUM LAKE</b> (UNII: CQ3XH3DET6)	

<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	

<b>Product Characteristics</b>			
<b>Color</b>	yellow	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	44;403
<b>Contains</b>			

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57243-403-02	1 in 1 PACKAGE	06/24/2002	
1		12 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	06/24/2002	

**Labeler** - Salado Sales, Inc. (009830555)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(57243-403)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(57243-403) , pack(57243-403)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(57243-403)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(57243-403)