

**MAXIMUM STRENGTH ANTACID- aluminum hydroxide, magnesium hydroxide,
dimethicone suspension
STRATEGIC SOURCING SERVICES LLC**

health mart antacid max original

Active ingredients (in each 5 mL teaspoonful)

Aluminum hydroxide 400 mg (equivalent to dried gel, USP)

Magnesium hydroxide 400 mg

Simethicone 40mg

Purposes

Antacid

Antigas

Uses

relieves

- heartburn
- sour stomach
- acid indigestion
- symptoms referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug.

Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

- shake well before use
- adults and children 12 years of age and older: take 2 to 4 teaspoonfuls (10-20 mL) between meals, at bedtime, or as directed by a doctor

- do not exceed 12 teaspoonfuls (60 mL) in a 24 hour period or use the maximum dosage for more than 2 weeks
- children under 12 years of age: ask a doctor

Other information

- **each teaspoonful contains:** magnesium 165 mg, sodium 5 mg
- protect from freezing
- store at room temperature tightly closed

Inactive ingredients

benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor (contains alcohol), hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

Questions or comments?

1-800-540-3765

package Label

NDC 62011-0149-1



HealthMart.

Compare to Mylanta®
active ingredients

MAXIMUM STRENGTH

Antacid

Antacid/Antigas

Alumina, Magnesia, and
Simethicone Oral Suspension

Relieves heartburn, pressure
& bloating, acid indigestion,
& sour stomach

Alcohol: 0.5%

ORIGINAL FLAVOR

12 fl oz (355 mL)

272-06122-3
REV GC-1018

TAMPER-EVIDENT: DO NOT USE IF THE BREAKAWAY
BAND ON BOTTLE CAP IS BROKEN OR MISSING.

Drug Facts	Purpose
Active ingredients (in each 5 mL teaspoonful)	
Aluminum hydroxide 400 mg (equivalent to Dried Gel, USP)	Antacid
Magnesium hydroxide 400 mg	Antacid
Simethicone 40 mg	Antigas
Uses	
relieves: • heartburn • sour stomach • acid indigestion • symptoms referred to as gas	
Warnings	
Ask a doctor before use if you have • kidney disease • magnesium-restricted diet	
Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.	
Stop use and ask a doctor if symptoms last for more than 2 weeks if pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.	
Directions	
• shake well before use • adults and children 12 years of age and older: take 2 to 4 teaspoonfuls (10-20 mL) between meals, at bedtime, or as directed by a doctor • do not exceed 12 teaspoonfuls (60 mL) in a 24 hour period or use the maximum dosage for more than 2 weeks • children under 12 years of age: ask a doctor	
Other information	
• each teaspoonful contains: magnesium 165 mg, sodium 5 mg • protect from freezing • store at room temperature tightly closed	
Inactive ingredients	
benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor (contains alcohol), hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution	
Questions or comments? 1-800-540-3765	

Distributed by McKesson
One Post Street,
San Francisco, CA 94104
Money Back Guarantee
www.healthmart.com/
healthmart brand

*This product is not manufactured or distributed by
Johnson & Johnson Merck, distributor of Mylanta®
972-06122-4 REV GC-1018



MCKESSON

MAXIMUM STRENGTH ANTACID

aluminum hydroxide, magnesium hydroxide, dimethicone suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62011-0149
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	400 mg in 5 mL
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	400 mg in 5 mL
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	40 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	LEMON (lemon)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62011-0149-1	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	04/01/2012	12/01/2024

Labeler - STRATEGIC SOURCING SERVICES LLC (116956644)

Registrant - GCP Laboratories (965480861)

Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(62011-0149)

Revised: 11/2023

STRATEGIC SOURCING SERVICES LLC