

CALCIUM GLUCONATE 23% SOLUTION- calcium gluconate 23% solution injection, solution

Aspen Veterinary

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

Calcium Gluconate 23% Solution

For Animal Use Only

Keep Out of Reach of Children

NET CONTENTS: 500 mL (16.91 fl oz)

INDICATIONS:

For use in cattle as an aid in treating uncomplicated milk fever (parturient paresis).

DOSAGE AND ADMINISTRATION:

For intravenous administration only.
Cattle.....250-500 mL
Dosage may be repeated at 8 to 12 hour intervals if required.

CAUTION:

Solution should be warmed to body temperature and administered slowly. Entire contents should be used upon entering, as this product contains no preservative. Discard any unused portion. Do not use if solution is cloudy or contains precipitate.

NOTE:

Monitor animal's condition closely. Re-treatment may be necessary. If there is no noticeable improvement within 24 hours following treatment, consult your veterinarian. Aseptic precautions should be observed.

EACH 500 mL CONTAINS:

Calcium Gluconate.....23% w/v
(provides 10.71 g of Calcium* per 500 mL)
Water for Injection.....q.s.
* Present as salts or boryl esters of gluconic acid.

Store between 15 degrees C - 30 degrees C (59 degrees F - 86 degrees F).

STERILE

Distributed by:
 Aspen Veterinary Resources, ^R Ltd.
 Liberty, MO 64068 USA A140NT 01/15

Manufactured by:
 Nova-Tech, Inc.
 Grand Island, NE 68801 USA

18-802
 RMS# 92-503

Lot No. Exp. Date

TAKE TIME OBSERVE LABEL DIRECTIONS

INDICATIONS:
 For use in cattle as an aid in treating uncomplicated milk fever (parturient paresis).

DOSAGE AND ADMINISTRATION:
 For intravenous administration only.
 Cattle..... 250-500 mL
 Dosage may be repeated at 8 to 12 hour intervals if required.

CAUTION:
 Solution should be warmed to body temperature and administered slowly. Entire contents should be used upon entering, as this product contains no preservative. Discard any unused portion. Do not use if solution is cloudy or contains precipitate.

NOTE:
 Monitor animal's condition closely. Re-treatment may be necessary. If there is no noticeable improvement within 24 hours following treatment, consult your veterinarian. Aseptic precautions should be observed.

Distributed by:
 Aspen Veterinary Resources,* Ltd.
 Liberty, MO 64068 USA A140NT 01/15

Manufactured by:
 Nova-Tech, Inc.
 Grand Island, NE 68801 USA 18-802
 RMS# 92-503

NDC# 46066-802-50



**Calcium Gluconate
 23% Solution**

STERILE



For Animal Use Only
 Keep Out of Reach of Children

**NET CONTENTS:
 500 mL (16.91 fl oz)**

EACH 500 mL CONTAINS:
 Calcium Gluconate.....23% w/v
 (provides 10.71 g of Calcium* per 500 mL)
 Water for Injection.....q.s.
 * Present as salts or boryl esters of gluconic acid.

Store between 15°C-30°C (59°F-86°F).

TAKE TIME  OBSERVE LABEL DIRECTIONS



0 99355 00021 6

Lot No. Exp. Date

CALCIUM GLUCONATE 23% SOLUTION

calcium gluconate 23% solution injection, solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:46066-802
Route of Administration	INTRAVENOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Calcium Gluconate (UNII: SQE6VB453K) (Calcium Cation - UNII:2M83C4R6ZB)	Calcium Gluconate	23 g in 100 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:46066-802-50	500 mL in 1 BOTTLE, PLASTIC		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		03/25/2013		

Labeler - Aspen Veterinary (627265361)

Registrant - Aspen Veterinary (627265361)

Establishment			
Name	Address	ID/FEI	Business Operations
Nova-Tech, Inc.		196078976	manufacture

Revised: 11/2015

Aspen Veterinary