

**MUCUS D- guaifenesin 600 mg and pseudoephedrine hcl 60 mg tablet,
extended release
CVS Health Corp**

Drug Facts

Active ingredients (in each extended-release tablet)

Guaifenesin USP, 600
mg.....Expectorant
Pseudoephedrine HCl USP, 60 mg.....Nasal
Decongestant

Purpose

Expectorant and Nasal Decongestant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves nasal congestion due to:
 - common cold
 - hay fever
 - upper respiratory allergies
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

- cough accompanied by too much phlegm (mucus)

When using this product

- do not use more than directed

Stop use and ask doctor if

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 2 tablets every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

Other information

- tamper evident: do not use if carton is open or if printed seal on blister is broken or missing
- store between 20° - 25°C (68° - 77°F)

Inactive ingredients

FD & C yellow #6, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide.

Questions?

call **1-888-375-3784**

You may also report side effect to this phone number.

Principal Display Panel

1 50080230
FPO

CVS Health.
Extended-Release Tablets
Mucus D
GUAIFENESIN 600 mg & PSEUDOEPHEDRINE HCl 60 mg
EXTENDED-RELEASE TABLETS
EXPECTORANT & NASAL DECONGESTANT

CVS Health.
Compare to the active ingredients in Mucinex® D Tablets*
NDC 69842-095-36

Drug Facts

Active ingredients (in each extended-release tablet)	Purpose
Guaifenesin USP, 600 mg	Expectorant
Pseudoephedrine HCl USP, 60 mg	Nasal Decongestant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves nasal congestion due to:
 - common cold
 - hay fever
 - upper respiratory allergies
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- temporarily relieves sinus congestion and pressure

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product

- do not use more than directed

Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days, come back or occur with a fever, rash, or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years and older: 2 tablets every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

Other information

- tamper evident: do not use if carton is open or if printed seal on blister is broken or missing
- store at 20° - 25°C (68° - 77°F)

Inactive ingredients
FD & C yellow #6, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide.

Questions? call 1-888-375-3784
You may also report side effects to this phone number

DO NOT USE IF CARTON IS OPEN OR IF PRINTED SEAL ON BLISTER IS BROKEN OR MISSING

Distributed by:
CVS Pharmacy, Inc.
One CVS Drive
Woonsocket, RI 02895
© 2020 CVS/pharmacy
CVS.com®
1-800-SHOP CVS
Made in India
V-55547

CVS Quality
Money Back Guarantee

#819110
FPO 80%
UPC# 050-4283-11554
X XXXXXX XXXXXX X

REV 04/20

Extended-Release Tablets
Mucus D
GUAIFENESIN 600 mg & PSEUDOEPHEDRINE HCl 60 mg
EXTENDED-RELEASE TABLETS
EXPECTORANT & NASAL DECONGESTANT

- Clears nasal/sinus congestion
- Thins & loosens mucus

12 HOUR



Actual Size

36 EXTENDED-RELEASE TABLETS

Keep the carton. It contains important information. See end panel for expiration date.

*This product is not manufactured or distributed by Reckitt Benckiser LLC, owner of the registered trademark Mucinex®.

MUCUS D

guaifenesin 600 mg and pseudoephedrine hcl 60 mg tablet, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-095(NDC:55111-798)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Guaifenesin (UNII: 495W7451VQ) (Guaifenesin - UNII:495W7451VQ)	Guaifenesin	600 mg
Pseudoephedrine Hydrochloride (UNII: 6V9V2RYJ8N) (Pseudoephedrine - UNII:7CUC9DDI9F)	Pseudoephedrine Hydrochloride	60 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6130)	

CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POVIDONE (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics			
Color	ORANGE	Score	no score
Shape	CAPSULE	Size	17mm
Flavor		Imprint Code	RDY;798
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-095-18	1 in 1 CARTON	07/01/2020	
1		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:69842-095-36	2 in 1 CARTON	07/01/2020	
2		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA208369	07/01/2020	

Labeler - CVS Health Corp (062312574)