

POVIDONE-IODINE SWABSTICKS SINGLES- povidone-iodine swab
POVIDONE-IODINE SWABSTICKS TRIPLES- povidone-iodine swab
Medline Industries, LP

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

945/;946 Medline PVP Swabs

Active ingredient

Povidone-Iodine, 10.0% w/v

Purpose

Antiseptic

Uses

- for preparation of the skin prior to surgery
- first aid antiseptic to help prevent infection in minor cuts, scrapes and burns

Warnings

For external use only

Do not use

- in the eyes
- longer than one week unless directed by a doctor
- on individuals who are allergic or sensitive to iodine
- or apply over large areas of the body

Stop use and ask a doctor

- irritation and redness develop
- condition persists for more than 72 hours
- In case of deep or puncture wounds, animal bites or serious burns, consult a doctor.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the affected area.
- For preparation of the skin prior to surgery: apply product to the operative site prior to surgery
- For first aid antiseptic: apply a small amount of this product on the area 1 to 3 times

daily. May be covered with a sterile bandage. If bandaged, let dry first.

Other information

- protect from freezing., avoid excessive heat

Inactive ingredients

citric acid, disodium phosphate, purified water

Manufacturing Information

Manufactured for:

Medline Industries, LP

Three Lakes Drive, Northfield, IL 60093 USA

Made in China

www.medline.com

1-800-MEDLINE (633-5463)

REF: MDS093901

V1 RF22LPD

Package Label



REF MDS093901
NDC: 53329-945-09

SINGLE PACK
**POVIDONE-
IODINE**
SWABSTICK
10% POVIDONE-
IODINE

For professional
and hospital use



1 SWAB | SINGLE USE ONLY | NOT MADE WITH
NATURAL RUBBER LATEX

Drug Facts

Active ingredient Purpose
Povidone-Iodine, 10.0% w/v.... Antiseptic

Uses ■ for preparation of the skin
prior to surgery ■ first aid antiseptic
to help prevent infection in minor cuts,
scrapes and burns

Warnings

For external use only

Do not use ■ in the eyes ■ longer
than one week unless directed by a
physician ■ on individuals who are
allergic or sensitive to iodine ■ or
apply over large areas of the body

Stop use and ask a doctor if ■ irritation
and redness develop ■ condition
persists for more than 72 hours ■ in
case of deep or puncture wounds,
animal bites or serious burns

Keep out of reach of children. If
swallowed, seek medical assistance
or immediately contact a Poison
Control Center.

Directions ■ clean the affected
area ■ for preparation of the skin
prior to surgery: apply product to the
operative site prior to surgery ■ for
first aid antiseptic: apply a small amount
of this product on the area 1-3 times
daily ■ may be covered with a sterile
bandage ■ if bandaged, let dry first

Other information ■ protect
from freezing, avoid excessive heat

Inactive ingredients citric acid,
disodium phosphate, purified water

LOT

Exp:

www.medline.com

©2017 Medline Industries, LP. Manufactured
for Medline Industries, LP, Three Lakes Drive,
Northfield, IL 60093 USA. Made in China

To Order Call: 1-800-MEDLINE V1 RF22LPD



(01) 10080196166411

Tiple Swab Package Label



REF MDS093902
NDC: 53329-946-02

TRIPLE PACK
**POVIDONE-
IODINE**
SWABSTICKS
10% POVIDONE-IODINE

For professional and hospital use



3 SWABS | SINGLE
USE ONLY | NOT MADE WITH
NATURAL RUBBER LATEX

Drug Facts

| | |
|---------------------------------|----------------|
| Active ingredient | Purpose |
| Povidone-iodine, 10.0% w/v..... | Antiseptic |

Uses ■ for preparation of the skin prior to surgery
■ first aid antiseptic to help prevent infection in
minor cuts, scrapes and burns

Warnings

For external use only

Do not use ■ in the eyes ■ longer than one week
unless directed by a physician ■ on individuals who
are allergic or sensitive to iodine ■ or apply over
large areas of the body

Stop use and ask a doctor if ■ irritation and redness
develop ■ condition persists for more than 72 hours
■ In case of deep or puncture wounds, animal bites
or serious burns

Keep out of reach of children. If swallowed,
seek medical assistance or immediately contact
a Poison Control Center.

Directions ■ clean the affected area ■ for
preparation of the skin prior to surgery: apply product
to the operative site prior to surgery ■ for first aid
antiseptic: apply a small amount of this product on
the area 1-3 times daily ■ may be covered with
a sterile bandage ■ if bandaged, let dry first.

Other information ■ protect from freezing,
avoid excessive heat

Inactive ingredients citric acid, disodium
phosphate, purified water

LOT

Exp:

www.medline.com

©2017 Medline Industries, Inc. Medline is a registered
trademark of Medline Industries, Inc. Made in China for:
Medline Industries, Inc., Northfield, IL 60093 USA
1-800-MEDLINE RL17CN1



(01)20080196166449

POVIDONE-IODINE SWABSTICKS SINGLES

povidone-iodine swab

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:53329-945 |
| Route of Administration | TOPICAL | | |

| Active Ingredient/Active Moiety | | | | |
|--|--|---|----------------------|--------------------|
| Ingredient Name | | | Basis of Strength | Strength |
| POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4) | | | IODINE | 10 mg in 1 mL |
| | | | | |
| Inactive Ingredients | | | | |
| Ingredient Name | | | | Strength |
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) | | | | |
| WATER (UNII: 059QF0KO0R) | | | | |
| SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F) | | | | |
| | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:53329-945-29 | 50 in 1 BOX | 12/12/2018 | |
| 1 | | 1 mL in 1 PACKET; Type 0: Not a Combination Product | | |
| 2 | NDC:53329-945-09 | 1 mL in 1 PACKET; Type 0: Not a Combination Product | 01/01/2007 | |
| | | | | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | | Marketing Start Date | Marketing End Date |
| OTC monograph not final | part333E | | 01/01/2007 | |

| POVIDONE-IODINE SWABSTICKS TRIPLES | | | |
|---|----------------|--------------------|---------------|
| povidone-iodine swab | | | |
| | | | |
| Product Information | | | |
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:53329-946 |
| Route of Administration | TOPICAL | | |
| | | | |
| Active Ingredient/Active Moiety | | | |
| Ingredient Name | | Basis of Strength | Strength |
| POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4) | | IODINE | 10 mg in 1 mL |
| | | | |
| Inactive Ingredients | | | |
| Ingredient Name | | | Strength |
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) | | | |
| WATER (UNII: 059QF0KO0R) | | | |

SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:53329-946-75 | 25 in 1 BOX | 12/12/2018 | |
| 1 | NDC:53329-946-02 | 3 mL in 1 PACKET; Type 0: Not a Combination Product | | |
| 2 | NDC:53329-946-02 | 3 mL in 1 PACKET; Type 0: Not a Combination Product | 01/01/2007 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part333E | 01/01/2007 | |

Labeler - Medline Industries, LP (025460908)

Registrant - Medline Industries, LP (025460908)

Revised: 9/2022

Medline Industries, LP