

BLISTEX IVAREST MEDICATED POISON IVY CLEANSING FOAM- menthol soap
Blistex Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Blistex
Ivarest® Medicated Poison Ivy Cleansing Foam

Drug Facts

Active ingredient

Menthol 1.0% (w/w)

Purpose

External analgesic

Uses

- for the temporary relief of pain and itching
- soothes and cools skin

Warnings

For external use only

When using this product avoid contact with the eyes

Stop use and ask a doctor if:

- condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years of age and older: apply to affected area, gently rubbing to remove urushiol (toxic plant oil). Rinse under running water.
- apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: Ask a doctor

Inactive ingredients

acetamide MEA, cocamidopropyl betaine, disodium EDTA, DMDM hydantoin, glycerin, lactamide MEA, PEG-4, PEG-40 hydrogenated castor oil, phenoxyethanol, purified water, sodium lauroyl sarcosinate, triclosan

PRINCIPAL DISPLAY PANEL - 177 mL Bottle Label

NDC 10157-9012-2

**IVAREST®
EXTERNAL ANALGESIC**

**MEDICATED
POISON IVY
CLEANSING FOAM**

**Prevents
Outbreaks
if used shortly
after exposure**

**Soothes &
Comforts Skin
if symptoms have
already developed**

For Poison Ivy, Oak & Sumac

**Non-Abrasive
Cooling Cleanser**

6 FL OZ (177mL)

IVAREST[®]

NDC 10157-9012-2

EXTERNAL ANALGESIC

MEDICATED

POISON IVY CLEANSING FOAM



**Prevents
Outbreaks**
if used shortly
after exposure

**Soothes &
Comforts Skin**
if symptoms have
already developed

For Poison Ivy, Oak & Sumac

**Non-Abrasive
Cooling Cleanser**



6 FL OZ (177mL)

IVAREST[®] MEDICATED POISON IVY CLEANSING FOAM

Ivarest Poison Ivy Cleansing Foam minimizes the effects of poison plant exposure:

If used soon after exposure:


- Ivarest can wash away toxins before they can cause a skin rash.
- If used later it can still remove remaining toxins from the skin, minimizing any reaction and stopping the rash from spreading.

If symptoms have already developed:

- Easy to spread foam provides effective cleansing without scrubbing.
- Ivarest's cooling medicated formula soothes and comforts skin as it cleans.

©2012 Blistex Inc., P.O. Box 5392, Oak Brook, IL 60522-5392

SATISFACTION
GUARANTEED
Blistex
#37168



PEEL HERE

Drug Facts

Active ingredient	Purpose
Menthol 1.0% (w/w)	External analgesic

Uses

- for the temporary relief of pain and itching
- soothes and cools skin

Warnings

For external use only

When using this product avoid contact with the eyes

Stop use and ask a doctor if:

- condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years of age and older: apply to affected area, gently rubbing to remove urushiol (toxic plant oil). Rinse under running water.
- apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: Ask a doctor

Hinge

Drug Facts (continued)

Inactive ingredients

acetamide MEA, cocamidopropyl betaine, disodium EDTA, DMDM hydantoin, glycerin, lactamide MEA, PEG-4, PEG-40 hydrogenated castor oil, phenoxyethanol, purified water, sodium lauroyl sarcosinate, triclosan

Other information

To prevent recontamination or cross-contamination, clean any tools or other equipment which may have come in contact with urushiol. Wash all clothing, bedding, etc. that may have come into contact with urushiol. Also, pets which may have come in contact with toxic plants should be bathed to prevent cross-contamination.

For up to 8 hour relief from itching associated with poison plant rash, try Ivarest Maximum Strength Cream with 2 proven itch fighting ingredients. For more information on Ivarest products visit www.ivarest.com.

Hinge

menthol soap

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10157-9012
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Menthol (UNII: L7T10EIP3A) (Menthol - UNII:L7T10EIP3A)	Menthol	1 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SODIUM LAUROYL SARCOSINATE (UNII: 632GS99618)	
COCAMIDOPROPYL BETAINE (UNII: 5OCF3011KX)	
ACETIC MONOETHANOLAMIDE (UNII: A9O0818TWD)	
N-LACTOYL ETHANOLAMINE (UNII: 900T44YNC7)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
glycerin (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL 200 (UNII: R95B8J264J)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DMDM HYDANTOIN (UNII: BYR0546TOW)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TRICLOSAN (UNII: 4NM5039Y5X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10157-9012-2	177 mL in 1 BOTTLE, PUMP		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part348	10/01/2008	

Labeler - Blistex Inc (005126354)

Establishment

Name	Address	ID/FEI	Business Operations
Blistex Inc		005126354	MANUFACTURE(10157-9012)