

**OLAY TOTAL EFFECTS CC TONE CORRECTING BROAD SPECTRUM SPF 15 LIGHT TO MEDIUM- avobenzone, octisalate, and octocrylene cream**

**The Procter & Gamble Manufacturing Company**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Olay Total Effects CC Tone Correcting**

**Broad Spectrum SPF 15 Light to Medium**

***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
Avobenzone 2%	Sunscreen
Octisalate 3%	Sunscreen
Octocrylene 3%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use**

- on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

- rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months: ask a doctor

**Other information**

- protect this product from excessive heat and direct sun

**Inactive ingredients**

Water, glycerin, niacinamide\*, titanium dioxide, isopropyl lauroyl sarcosinate, acetyl glucosamine, panthenol\*\*, tocopheryl acetate\*\*\*, dimethicone, caprylyl glycol, dimethiconol, C13-14 isoparaffin, cetearyl glucoside, cetearyl alcohol, laureth-7, stearyl alcohol, behenyl alcohol, cetyl alcohol, carbomer, polyacrylamide, aminomethyl propanol, citric acid, PEG-100 stearate, 1,2-hexanediol, phenoxyethanol, sodium benzoate, iron oxides.

\*Vitamin B3, \*\*Vitamin B5, \*\*\*Vitamin E

**Questions or comments?**

**Call 1-800-285-5170**

Distr. by  
PROCTER & GAMBLE,  
CINCINNATI, OH 45202

**PRINCIPAL DISPLAY PANEL - 50 mL Bottle Carton**

**COLOR +  
CORRECTION**

CC CREAM

**OLAY®**

**Total Effects®**

7  
IN  
ONE  
CC

TONE CORRECTING

15  
MOISTURIZER with sunscreen  
**BROAD SPECTRUM SPF 15**

light to medium  
50 mL (1.7 FL OZ)

**ACTUAL SIZE**



**WHAT IT DOES:**  
This CC Cream provides instant coverage plus correction to fight 7 signs of aging, including uneven tone, age spots, and dull skin.

This all-in-one triple stream formula combines a daily anti-aging moisturizer and sheer  tint for younger-looking skin.

Discover a regimen perfectly personalized for your skin with Olay Skin Advisor.  
Get started at [skinadvisor.olay.com](http://skinadvisor.olay.com).

For more information, visit [www.olay.com](http://www.olay.com)

# OLAY

**COLOR + CORRECTION CC CREAM**



**MOISTURIZER WITH SUNSCREEN**  
**BROAD SPECTRUM SPF 15**  
**LIGHT TO MEDIUM**

50 mL (1.7 FL OZ)

*7 skin benefits in one*

1. Replenishes moisture
2. Evens skin tone appearance
3. Enhances brightness
4. Visibly smoothes fine lines and wrinkles
5. Minimizes the look of pores
6. Restores firmness
7. Visibly reduces dark spots

• Oil-Free: Will not clog pores

**Drug Facts**

Active ingredients	Purpose
AVOBENZONE 2.0%	Sunscreen
OCTISALATE 3.0%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen

**Uses**

- helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only

**Do not use**

- on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

- rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months: ask a doctor

**Other information**

- protect this product from excessive heat and direct sun

**Inactive ingredients**  
Water, glycerin, niacinamide\*, titanium dioxide, isopropyl lauroyl sarcosinate, acetyl glucosamine, panthenol\*\*, tocopheryl acetate\*\*\*, dimethicone, caprylyl glycol, dimethylconol, C13-14 Isoparaffin, cetearyl glucoside, cetearyl alcohol, laureth-7, stearyl alcohol, behenyl alcohol, cetyl alcohol, carbomer, polyacrylamide, aminomethyl propanol, citric acid, PEG-100 stearate, 1,2-hexanediol, phenoxyethanol, sodium benzoate, iron oxides.

**Questions or comments?** 1-800-285-5170

\*Vitamin B3, \*\*Vitamin B5, \*\*\*Vitamin E

**Barcode:** 0 75609 19034 6

Distr. by  
**PROCTER & GAMBLE**  
CINCINNATI, OH 45202

  
[www.pg.com](http://www.pg.com)  
[olay.com](http://olay.com)

## OLAY TOTAL EFFECTS CC TONE CORRECTING BROAD SPECTRUM SPF 15 LIGHT TO MEDIUM

avobenzone, octisalate, and octocrylene cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37000-355
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)			AVOBENZONE	2 g in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)			OCTISALATE	3 g in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)			OCTOCRYLENE	3 g in 1 mL
Inactive Ingredients				
Ingredient Name				Strength
WATER (UNII: 059QF0KO0R)				
GLYCERIN (UNII: PDC6A3C0OX)				
NIACINAMIDE (UNII: 25X51I8RD4)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
N-ACETYLGLUCOSAMINE (UNII: V956696549)				
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)				
PANTHENOL (UNII: WV9CM0O67Z)				
DIMETHICONE (UNII: 92RU3N3Y1O)				
CAPRYLYL GLYCOL (UNII: 00YIU5438U)				
DOCOSANOL (UNII: 9G1OE216XY)				
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)				
CETYL ALCOHOL (UNII: 936JST6JCN)				
LAURETH-7 (UNII: Z95S6G8201)				
AMINOMETHYL PROPANEDIOL (UNII: CZ7BU4QZJZ)				
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)				
PEG-100 STEARATE (UNII: YD01N1999R)				
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)				
CETOSTEARYL ALCOHOL (UNII: 2DMT128MIS)				
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)				
1,2-HEXANEDIOL (UNII: TR046Y3K1G)				
PHENOXYETHANOL (UNII: HIE492ZZ3T)				
FERRIC OXIDE RED (UNII: 1K09F3G675)				
ISOPROPYL LAUROYL SARCOSINATE (UNII: LYR06W430J)				
POLYACRYLAMIDE (1300000 MW) (UNII: SC5Y4X78TG)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)				
DIMETHICONOL (100000 CST) (UNII: OSA9UP217S)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37000-355-50	1 in 1 CARTON	11/07/2013	
1		50 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

**Labeler** - The Procter & Gamble Manufacturing Company (004238200)

Revised: 7/2018

The Procter &amp; Gamble Manufacturing Company