MEDIX NASAL DECONGESTANT OXYMETAZOLINE HYDROCHLORIDEoxymetazoline hydrochloride liquid Medic -33, Inc.

Medix Nasal Decongestant Oxymetazoline Hydrochloride

Drug Facts

Active ingredient

Oxymetazoline hydrochloride 0.05%

Purpose

nasal decongestant

Uses

- for the temporary relief of nasal congestion
- temporarily restores freer breathing through the nose

Warnings

Do not use

 this product for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen. If symptoms persist, consult a doctor.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland

When using this product

- do not exceed recommended dosage.
- this product may cause temporary discomfort such as burning, stinging, sneezing, or an increase in nasal discharge.
- the use of this container by more than one person may spread infection.

If pregnant or breastfeeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact Poison Control Center right away.

Directions

- Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- Children under 6 years of age: consult a doctor

Other information

Do not use if the tamper-proof seal is damaged or broken.

Inactive ingredients

Glutathione, menthol oil, pyrroloquinoline quinine, sodium nitrate, wintergreen oil, water.

Questions or Comments?

305-861-1457

Package Labeling:





difficulty in urination due to enlargement of the prostate gland

When using this product

- do not exceed recommended dosage.
- this product may cause temporary discomfort such as burning, stinging, sneezing, or an increase in nasal discharge.
- the use of this container by more than one person may spread infection.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.

Directions

- Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- Children under 6 years of age: consult a doctor

Other information

Do not use if the tamper-proof seal is damaged or broken.

Inactive ingredients

Glutathione, menthol oil, pyrroloquinoline quinine, sodium nitrate, wintergreen oil, water.

Questions or Comments?

305-861-1457

DISTRIBUTED BY:

MEDIC -33, INC. 10185 COLLINS AVE. BAL HARBOUR, FL 33154

4 fl oz (120 mL)

MEDIX NASAL DECONGESTANT OXYMETAZOLINE HYDROCHLORIDE

oxymetazoline hydrochloride liquid

Product Information	duct Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83522-001	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZ OLINE HYDROCHLORIDE	0.5 mg in 1 mL	

Inactive Ingredients		
Ingredient Name	Strength	
GLUTATHIONE (UNII: GAN16C9B8O)		
PYRROLOQUINOLINEDIONE TRICARBOXYLIC ACID (UNII: 47819QGH5L)		
SODIUM NITRATE (UNII: 8M4L3H2ZVZ)		
METHYL SALICYLATE (UNII: LAV5U5022Y)		
WATER (UNII: 059QF0KO0R)		

ı	Packaging					
	# Item Code	Package Description	Marketing Start Date	Marketing End Date		
	NDC:83522-001-	1 in 1 CARTON	09/10/2023			
	L	120 mL in 1 BOTTLE; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	09/10/2023		

Labeler - Medic -33, Inc. (116663992)

Revised: 1/2024 Medic -33, Inc.