

ACT KIDS ANTICAVITY FLUORIDE PINEAPPLE PUNCH- sodium fluoride mouthwash
Chattem, Inc.

ACT Kids Anticavity Fluoride Rinse Pineapple Punch

ACT® Kids Anticavity
Fluoride Rinse Pineapple Punch

Drug Facts

Active ingredient

Sodium fluoride 0.05% (0.02% w/v fluoride ion)

Purpose

Anticavity

Use

- aids in the prevention of dental cavities

Warnings

Keep out of reach of children.

If more than used for rinsing is accidentally swallowed, get medical help or contact a right away.

Directions

adults and children 6 years of age and older:

- use once a day after brushing your teeth with a toothpaste
- remove cap
- hold bottle upright and squeeze. Fill to FILL LINE
- pour out. Only the correct 10 milliliters dose will pour out.
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

children under 6 years of age: consult a dentist or doctor

Other information

- do not use if safety seal is broken or missing

Inactive ingredients

benzyl alcohol, blue 1, calcium disodium EDTA, cetylpyridinium chloride, disodium phosphate, flavor, poloxamer 407, polysorbate 20, potassium sorbate, propylene glycol, sodium benzoate, sodium phosphate, sorbitol, sucralose, water

PRINCIPAL DISPLAY PANEL

ACT

KIDS

ANTICAVITY

FLUORIDE RINSE

PINEAPPLE

PUNCH

16.9 fl oz (500 mL)

#1 DENTIST RECOMMENDED
KID'S RINSE BRAND

ACT

Kids

ANTICAVITY
FLUORIDE RINSE



PINEAPPLE PUNCH

helps Prevent Cavities
.....
Swish Away Particles
brushing may miss

alcohol free

Sodium Fluoride 0.05%
IMPORTANT: Read
directions for proper use.



16.9 fl oz (500 mL)

0100411-01

ACT[®] Kids ANTICAVITY FLUORIDE RINSE

alcohol free

Drug Facts

Active ingredient

Sodium fluoride 0.05% (0.02% w/v fluoride ion).....

Purpose

Anticavity

Use ■ aids in the prevention of dental cavities

Warnings

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years of age and older:

- use once a day after brushing your teeth with a toothpaste
- remove cap
- hold bottle upright and squeeze. Fill to FILL LINE
- pour out. Only the correct 10 milliliters dose will pour out.
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

children under 6 years of age: consult a dentist or doctor

Other information

- do not use if safety seal is broken or missing

Inactive ingredients benzyl alcohol, blue 1, calcium disodium EDTA, cetylpyridinium chloride, disodium phosphate, flavor, poloxamer 407, polysorbate 20, potassium sorbate, propylene glycol, sodium benzoate, sodium phosphate, sorbitol, sucralose, water

Bottle configuration is a trademark of Chattem, Inc. 333-120

SANOFI 

Dist. by Chattem, Inc., a Sanofi Company
P.O. Box 2219, Chattanooga, TN 37409 USA
†among mouth rinses ©2018 Chattem, Inc.



Learn more at www.ACTFLUORIDE.com



0100412-01



ACT KIDS ANTICAVITY FLUORIDE PINEAPPLE PUNCH

sodium fluoride mouthwash

Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source)	NDC:41167-0953
Route of Administration		TOPICAL		
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)			FLUORIDE ION	0.2 mg in 1 mL
Inactive Ingredients				
Ingredient Name				Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
EDETATE CALCIUM DISODIUM ANHYDROUS (UNII: 8U5D034955)				
CETYLPIRIDINIUM CHLORIDE (UNII: D9OM4SK49P)				
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)				
POLOXAMER 407 (UNII: TUF2IVW3M2)				
POLYSORBATE 20 (UNII: 7T1F30V5YH)				
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SODIUM PHOSPHATE (UNII: SE337SVY37)				
SORBITOL (UNII: 506T60A25R)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
WATER (UNII: 059QF0KO0R)				
Product Characteristics				
Color	blue		Score	
Shape			Size	
Flavor	PINEAPPLE		Imprint Code	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0953-5	500 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/02/2019	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M021	01/02/2019	

