

**SCOT-TUSSIN EXPECTORANT SF COUGH- guaifenesin liquid**  
**SCOT-TUSSIN Pharmacal Co., Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Scot-Tussin Expectorant SF Cough**

**Active Ingredient:**

*(in each 5 mL. tsp. teaspoon)*

Guaifenesin 100mg

**Purpose**

Expectorant

**Uses**

- Helps loosen phlegm (mucus) to make coughs more productive thereby relieving chest congestion.

**Warnings**

- Do not exceed recommended dosage.
- \*Phenylketonurics: Contains Phenylalanine.

**When using this product**

- Don't take more than the recommended dosage.

**Ask a doctor before use if you have**

- a Cough that occurs with too much phlegm (mucus).
- a Chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema.

**Stop use and ask a doctor if**

- Cough lasts more than seven days, returns or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

Do Not Use.

**Keep out of reach of children.**

In case of overdose get medical help or contact a Poison Control Center right away.

**Directions:**

- Follow Dosage Chart.
- Do not take more than the six doses in any 24 hour period.
- This product is not intended for use in children under 12 years of age.

age	dose
Adults and children over 12 years old	2 teaspoons (2 tsp. 10 ml)

over 12 years old	every 4 hours
Children Under 12 years old	DO NOT USE

### Other Information

- each teaspoon contains Phenylalanine 2.5 mg
- store at 20° – 25° C (68° – 77° F).
- do not refrigerate.
- dosage cup provided.

### Inactive Ingredients

Aspartame\* (see warning) Benzoic Acid, Citric Acid, Clear Grape Flavor, Glycerin, Hydroxypropylmethylcellulose, Menthol, Methyl Paraben, Propyl Paraben, Propylene Glycol, Purified Water.

### PRINCIPAL DISPLAY PANEL

NDC 0372-0006-04

SCOT-TUSSIN

EXPECTORANT

COUGH

4 FL OZ (118 ml)

**SUGAR-FREE**

**SCOT-TUSSIN®**

**ADULT** NDC 0372-0006-04  
**For Diabetics since 1956**

**SCOT-TUSSIN®**

**EXPECTORANT**

**COUGH**

**GUAIFENESIN (Expectorant)**

**FAST RELIEF OF: CHEST CONGESTION**

- FIRST SUGAR & ALCOHOL-FREE
- HIGH BLOOD PRESSURE SAFE
- LACTOSE & GLUTEN-FREE
- SODIUM-FREE
- DYE-FREE

**LIVID**  
4 FL OZ (118 ml)

**SCOT-TUSSIN QUALITY ASSURANCE**  
Decades of experience since 1956 in providing you with quality medicines goes into every product. Scot-Tussin has been an innovator in the formulation of sugar-free and alcohol-free medicines for the diabetic consumer and has been fortunate to have received recommendations from generations of doctors. Scot-Tussin has been and still is committed to the often over-looked special needs patient. Our medicines are safe for the typical consumer as well as those with diabetes, celiac sprue, high blood pressure, and heart disease.

**All Scot-Tussin Brand Medicines are Satisfaction Guaranteed or Your Money Back**

Distributed by:  
Scot-Tussin Pharmacal Co., Inc.  
Cranston, RI 02920 U.S.A.  
Toll Free # 1-800-638-7268 (Scot)  
1-401-942-8555  
© Copyright 1983  
® TM Reg. US Patent Office #657-674

**Drug Facts (Continued)**

**If pregnant or breast-feeding, Do Not Use. Keep out of reach of children. In case of overdose get medical help or contact a Poison Control Center right away.**

**Directions**

- Follow Dosage Chart.
- do not take more than 6 doses in any 24-hour period.
- this product is not intended for use in children under 12 years of age.

age	dose
Adults and children over 12 years old	2 teaspoons (2 tsp, 10 mL) every 4 hours
Children under 12 years old	DO NOT USE

**Other information**

- each teaspoon contains Phenylalanine 2.5mg.
- store at 20°-25° C (68°-77° F).
- do not refrigerate.
- dosage cup provided.

**Inactive ingredients**  
aspartame\* (see warning), benzoic acid, citric acid, clear grape flavor, glycerin, hydroxypropylmethylcellulose, menthol, methyl-paraben, propyl-paraben, propylene glycol, purified water.

**IF TAMPER-EVIDENT SEAL AROUND CAP IS BROKEN OR MISSING, DO NOT USE.**

**Drug Facts**

Active ingredients	Purpose
Guaifenesin USP 100 mg	Expectorant

**Uses**

- helps loosen phlegm (mucus) to make coughs more productive thereby relieving chest congestion.

**Warnings**

- do not take more than recommended dosage.
- \*Phenylketonurics: Contains Phenylalanine.

**Ask a doctor before use if you have**

- a Cough that occurs with too much phlegm (mucus).
- a Chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema.

**Stop use and ask a doctor if**

- cough lasts more than seven days, returns or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

# SCOT-TUSSIN EXPECTORANT SF COUGH

guaifenesin liquid

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0372-0006
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MENTHOL (UNII: L7T10EIP3A)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	

## Product Characteristics

Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0372-0006-04	118 mL in 1 BOTTLE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	07/01/1974	

**Labeler** - SCOT-TUSSIN Pharmcal Co., Inc. (001203918)

