

**GOOD SENSE ALLERGY RELIEF- diphenhydramine hydrochloride tablet**  
**L. Perrigo Company**

-----  
**Perrigo Allergy Relief Drug Facts**

**Active ingredient (in each tablet)**

Diphenhydramine HCl 25 mg

**Purpose**

Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
  - runny nose
  - sneezing

**Warnings**

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers

**When using this product**

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness

- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

|                                       |                |
|---------------------------------------|----------------|
| adults and children 12 years and over | 1 to 2 tablets |
| children 6 to under 12 years          | 1 tablet       |
| children under 6 years                | do not use     |

**Other information**

- **each tablet contains:** calcium 20 mg
- store at 20-25°C (68-77°F). Avoid high humidity. Protect from light.
- **do not use if blister unit is broken or torn**

**Inactive ingredients**

carnauba wax, crospovidone, D&C red no. 27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, pregelatinized starch, stearic acid, titanium dioxide

**Questions or comments?**

**1-800-719-9260**

**Principal Display Panel**

GOODSENSE®

Easy to Swallow

Allergy Relief Tablets

Diphenhydramine HCl 25 mg – Antihistamine

Actual Size

Small Tablet Size

- Sneezing
- Itchy, Watery Eyes
- Runny Nose
- Itchy Throat

Compare to active ingredient of Benadryl® Allergy Ultratab®

24 Tablets

47962 C2 C6

OPEN OTHER END

**Drug Facts (continued)**

**Inactive ingredients:** carnuba wax, croscollone, D&C red no. 27 aluminum lake, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyborate 80, pregelatinized starch, stearyl acid, titanium dioxide

**Questions or comments?** 1-800-719-9260



Gluten Free

**Drug Facts**

**Active ingredient (in each tablet)** Diphenhydramine HCl 25 mg.....Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
  - runny nose
  - sneezing

**Warnings**

- Do not use
  - to make a child sleepy
  - with any other product containing diphenhydramine, even one used on skin
- Ask a doctor before use if you have
  - a breathing problem such as asthma or chronic bronchitis
  - glaucoma
  - trouble urinating due to an enlarged prostate gland
- Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers
- When using this product
  - marked drowsiness may occur
  - avoid alcoholic drinks
  - alcohol, sedatives, and tranquilizers may increase drowsiness
  - be careful when driving a motor vehicle or operating machinery
  - excitability may occur, especially in children
- If pregnant or breastfeeding, ask a health professional before use.
- Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222).

**Directions**

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours


|                                       |                |
|---------------------------------------|----------------|
| adults and children 12 years and over | 1 to 2 tablets |
| children 6 to under 12 years          | 1 tablet       |
| children under 6 years                | do not use     |

**Other information**

- each tablet contains: calcium 20 mg
- store at 20-25°C (68-77°F). Avoid high humidity. Protect from light.
- do not use if the blister unit is broken or torn

Distributed by **Perrigo**®  
Allergan, MI 49010

**CONVENIENT RECLOSING TAB**



GOODSENSE®

**Allergy Relief**  
Tablets

GOODSENSE®

**Easy to Swallow**

**Allergy Relief**  
Tablets

Diphenhydramine HCl 25 mg - Antihistamine

- Sneezing
- Itchy, Watery Eyes
- Runny Nose
- Itchy Throat



Actual Size  
Small  
Tablet Size

Compare to active ingredient of **Benadryl® Allergy UltraTab®**

47962C2C6

24 Tablets

Secondary Allergy Relief

**GOOD SENSE ALLERGY RELIEF**

diphenhydramine hydrochloride tablet

**Product Information**

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:0113-0479 |
| <b>Route of Administration</b> | ORAL           |                           |               |

**Active Ingredient/Active Moiety**

| Ingredient Name  | Basis of Strength                | Strength |
|--|----------------------------------|----------|
| <b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40)<br>(DIPHENHYDRAMINE - UNII:8GTS82S83M) | DIPHENHYDRAMINE<br>HYDROCHLORIDE | 25 mg    |

**Inactive Ingredients**

| Ingredient Name   | Strength |
|---|----------|
| <b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)                        |          |
| <b>CROSPVIDONE (15 MPA.S AT 5%)</b> (UNII: 68401960MK)        |          |
| <b>D&amp;C RED NO. 27 ALUMINUM LAKE</b> (UNII: ZK64F7XSTX)    |          |
| <b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP) |          |
| <b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)           |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)                  |          |
| <b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)          |          |
| <b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)    |          |
| <b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)                      |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)                        |          |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)                    |          |

**Product Characteristics**

|                 |             |                     |          |
|-----------------|-------------|---------------------|----------|
| <b>Color</b>    | PINK (dark) | <b>Score</b>        | no score |
| <b>Shape</b>    | OVAL        | <b>Size</b>         | 10mm     |
| <b>Flavor</b>   |             | <b>Imprint Code</b> | L479;25  |
| <b>Contains</b> |             |                     |          |

**Packaging**

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:0113-0479-78 | 1 in 1 CARTON       | 10/06/1993           |                    |

|   |                  |  |            |            |
|---|------------------|--|------------|------------|
| 1 |                  | 100 in 1 BOTTLE; Type 0: Not a Combination Product     |            |            |
| 2 | NDC:0113-0479-62 | 24 in 1 CARTON   | 08/20/1991 |            |
| 2 |                  | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product |            |            |
| 3 | NDC:0113-0479-79 | 400 in 1 BOTTLE; Type 0: Not a Combination Product     | 02/26/2001 |            |
| 4 | NDC:0113-0479-53 | 12 in 1 CARTON   | 08/10/2016 | 03/31/2021 |
| 4 |                  | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product |            |            |
| 5 | NDC:0113-0479-67 | 48 in 1 CARTON   | 06/04/2021 | 06/04/2021 |
| 5 |                  | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product |            |            |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012                                     | 08/20/1991           |                    |

**Labeler** - L. Perrigo Company (006013346)

Revised: 2/2024

L. Perrigo Company