ALLERGY- diphenhydramine hcl solution H E B

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

HEB Allergy Drug Facts

Active ingredient (in each 5 mL)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- sneezing
- itching of the nose or throat
- runny nose
- itchy, watery eyes

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if the child has

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is

taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- excitability may occur, especially in children
- sedatives and tranquilizers may increase drowsiness

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- find right dose on chart below
- mL = milliliter
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

Age (yr)	Dose (mL)
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	5 mL to 10 mL

Attention: use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

Other information

- each 5 mL contains: sodium 15 mg
- store at 20-25°C (68-77°F). Protect from light. Store in outer carton until contents used.
- do not use if printed neckband is broken or missing

Inactive ingredients

anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, high fructose corn syrup, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sorbitol solution

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to Children's Benadryl® Allergy active ingredient

Children's Allergy

Diphenhydramine HCl 12.5 mg/5 mL Oral Solution

Antihistamine

For Ages 6+

Relief of:

Runny Nose

Sneezing

Itchy, Watery Eyes

Itchy Throat or Nose

Alcohol Free

Cherry Flavor

4 FL OZ (118 mL)



Benadryl® Allergy active ingredient



Allergy

Diphenhydramine HCI 12.5 mg/5 mL Oral Solution Clorhidrato de difenhidramina 12.5 mg/5 mL, solución oral

Antihistamine Antihistaminico

For Ages 6+ Para edades de 6+

Relief of: Allylo de:

- · Runny Nose · Goteo nasal
- Sneezing Estornudos
 Itchy, Watery Eyes
- Ojos llorosos y picazón en los ojos • Itchy Throat or Nose • Picazón en la garganta o la nariz

Alcohol Free Sin Alcohol

Cherry Flavor

4 FL OZ (118 mL)



Drug Facts

Active ingredient (in each 5 mL) Purpose
Diphenhydramine HCl 12.5 mg......Antihistamine

- temporarily relieves these symptoms due to hav fever or other upper respiratory allergies:
 sneezing itching of the nose or throat runny nose itchy, watery eyes

■ with any other product containing diphenhydramine, even one used on skin

- Ask a doctor before use if the child has
 a breathing problem such as chronic bronchits
 glaucoma a sodium-restricted diet
- Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers en using this product
- marked drowsiness may occur

■ marked drowsiness may occur ■ excitability may occur, especially in children ■ sedatives and tranquilizers may increase drowsiness Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-600-222-1222).

- Directions
 find right dose on chart below mL = milliliter
 take every 4 to 6 hours, or as directed by a doctor
 do not take more than 6 doses in 24 hours

Age (yr)	Dose (mL)
children under 2 years	do not use
children 2 to 5 years	do not use unless directed

children 6 to 11 years 5 mL to 10 mL

sttention: use only enclosed dosing cup specifically
lesigned for use with this product. Do not use any other

Other information

- each 5 In. Contains: sodium 15 mg
 each 5 In. Contains: sodium 15 mg
 store at 20-25°C (68-77°F). Protect from light. Store in outer carton until contents used.
 do not use if printed neckband is broken or missing

Inactive ingredients anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, high fructose com syrup, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sorbitol solution

Questions or comments? 1-800-719-9260

Información sobre el fármaco

Principio activo Indicaciones

Alergia **Vergy**

- alivia temporalmente los siguientes síntomas ocasionados por la fiebre del heno u otras alergias del tracto respiratorio
- estornudos picazón en la nariz o la garganta goteo nasal ojos llorosos y picazón en los ojos

Advertencias

No usar pra inducir el sueño de un niño

con cualquier otro producto que contenga difenhidramina,
incluso uno que se use sobre la piel

Consultar con un médico antes de tomarlo si el niño tiene ■ un problema respiratorio como bronquitis crónica ■ glaucoma ■ una dieta con restricción de sodio

Consultar con un médico o farmacéutico antes de tomarlo si el niño está tomando sedantes o tranquilizantes

- puede ocurrir excitabilidad, particularmente en niños ■ los sedantes y tranquilizantes pueden aumentar

Mantener fuera del alcance de los niños. En caso de sobredicis busque asistencia médica o contáctese inmediatamente con el Centro de Control Toxicológico (1-800-222-1222).

- Instrucciones busque la dosis adecuada en la tabla a continuación
- tomar cada 4 a 6 horas, o según las indicaciones del médico

no torrai mas de o dosis en 24 noras		
Edad (años)	Dosis (mL)	
niños menores de 2 años	no tomar	
niños de 2 a 5 años	no tomar a menos que lo indique un médico	
niños de 6 a 11 años	5 ml a 10 ml	

tención: usar solamente el vaso dosificador adjunto específicamente diseñado para ser usado con este producto. No usar ningún otro dispositivo de administración de dosis.

Otra información

- Otra Información

 ada 5 mL contiene: sodio 15 mg

 almacenar entre 20 y 25 °C (66 y 77 °F). Proteger de la luz.

 Almacenar en la caja externa hasta que se use el contenido.

 no utilizar si falta la banda impresa superior o si

Información sobre el fármaco (continuación)

Excipientes ácido cítrico anhidro, D&C rojo #33, FD&C iroja #40, sabor, glicerina, jarabe de maíz de alta fructosa, poloxámero 407, agua purificada, benzoato de sodio, eloruro de sodio, citrato de sodio, solución de sorbitol

¿Preguntas o comentarios? 1-800-719-9260

*This product is not manufactured or distributed by McNe Consumer Healthcare, distributor of Children's Reported®

*Este producto no es fabricado ni distribuido por McNeil Consumer Healthcare, el distribuidor de Children's Benadryl® Allergy.

GLUTEN FREE Sin Gluten

MADE WITH PRIDE & CARE FOR H-E-B® SAN ANTONIO, TX 78204

IMPORTADO Y DISTRIBUIDO POR: SUPERMERCADOS INTERNACIONALES H-E-B*, S.A. DE C.V. HILDAGO PTE 2405 COL. OBISPADO, C.P. 64060 MONTERREY, N.L. MEXICO





LOT NO.

ALLERGY

diphenhydramine hcl solution

Product Information

Route of Administration

HUMAN OTC DRUG NDC:37808-379 Product Type Item Code (Source) ORAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDRO CHLO RIDE (UNII: TC2D6 JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)		
D&C RED NO. 33 (UNII: 9DBA0SBB0L)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
HIGH FRUCTO SE CORN SYRUP (UNII: XY6 UN3QB6S)		
POLOXAMER 407 (UNII: TUF2IVW3M2)		
WATER (UNII: 059QF0KO0R)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
SODIUM CITRATE (UNII: 1Q73Q2JULR)		
SORBITOL (UNII: 506T60A25R)		
GLYCERIN (UNII: PDC6A3C0OX)		

Product Characteristics			
Color	RED (Bluish-Red)	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:37808-379-26	1 in 1 CARTON	07/15/1987	
1	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	07/15/1987	

Labeler - HEB (007924756)

Revised: 6/2018 HE B