

ANECREAM- lidocaine 4% cream
Focus Health Group

Anecream 4%

Active Ingredient:

Lidocaine 4% w/w

Purpose

Topical anesthetic

Uses

temporarily relieves pain and itching due to:

- minor cuts
- minor scrapes
- sunburn
- minor skin irritations
- minor burns
- insect bites

WARNINGS

For external use only.

When using this product

- do not use in or near the eyes
- do not use in large quantities, particularly over raw surfaces or blistered areas

Stop use and ask doctor if

- Allergic reaction occurs
- condition worsens or does not improve within 7 days
- symptoms clear up and return within a few days
- redness, irritation, swelling, pain or other symptoms begin or increase

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Adults and children 2 years and older: Apply externally to the affected area up to 3-4 times daily.
- Children under 2 years of age: Consult a doctor.

Other Information

Store at USP controlled room temperature 20-25 degC (68-77 deg.F).

Inactive ingredients

benzyl alcohol, carbomer 940, cholesterol, hydrogenated lecithin, polysorbate 80, propylene glycol, tocopherol acetate, trolamine, water

Anecream 30g Tube

The product package shown represents a sample of that currently in use. Additional packaging may also be available.

Anecream Topical Anesthetic Cream

Net. Wt. 30g

Distributed by: Focus Health Group

Knoxville, TN 37919

ANECREAM™
Lidocaine 4% Cream
Topical
Anesthetic Cream

Drug Facts

Active Ingredient **Purpose**
Lidocaine 4% w/w..... Topical anesthetic

Uses temporarily relieves pain and itching due to:

- minor cuts • minor scrapes
- sunburn • minor skin irritations
- minor burns • insect bites

Warnings
For external use only.

When using this product

- do not use in or near the eyes
- do not use in large quantities, particularly over raw surfaces or blistered areas

Stop use and ask a doctor if

- allergic reaction occurs
- condition worsens or does not improve within 7 days
- symptoms clear up and return within a few days
- redness, irritation, swelling, pain or other symptoms begin or increase

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Adults and children 2 years and older: Apply externally to the affected area up to 3-4 times daily.
- Children under 2 years of age: Consult a doctor

Other Information

- Store at USP controlled room temperature 20° - 25°C (68° - 77°F)


Inactive ingredients
benzyl alcohol, carbomer 940, cholesterol, hydrogenated lecithin, polysorbate 80, propylene glycol, tocopheryl acetate, triethylamine, water,

ANECREAM™
Lidocaine 4% Cream
Topical
Anesthetic Cream



NDC 24357-701-30
ANECREAM™
Lidocaine 4% Cream
Net Wt. 30 gm

ANECREAM™
Lidocaine 4% Cream
Topical
Anesthetic Cream



DIST. BY: Iss. 01/17
Focus health group
5802 Kingston Pike, Knoxville, TN 37919
www.focushealthgroup.com

ANECREAM™
Lidocaine 4% Cream
Topical
Anesthetic Cream

ANECREAM

lidocaine 4% cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:24357-701
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CARBOMER HOMOPOLYMER TYPE C (UNII: 4Q93RCW27E)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	


Product Characteristics

Color		Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24357-701-30	1 in 1 CARTON	06/01/2007	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:24357-701-15	1 in 1 CARTON	06/01/2007	
2		15 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:24357-701-07	5 in 1 CARTON	06/01/2007	
3	NDC:24357-701-05	5 g in 1 TUBE; Type 0: Not a Combination Product		
4	NDC:24357-701-06	5 in 1 CARTON	03/11/2011	

4	NDC:24357-701-05	5 g in 1 TUBE; Type 0: Not a Combination Product		
5	NDC:24357-701-50	50 in 1 CARTON	08/01/2020	
5	NDC:24357-701-01	2.5 g in 1 PACKET; Type 0: Not a Combination Product		



Drug Facts

Active Ingredient	Purpose
Lidocaine 4% w/w	Topical anesthetic

Uses temporarily relieves pain and itching due to:

- minor cuts
- minor scrapes
- sunburn
- minor skin irritations
- minor burns
- insect bites

Warnings
For external use only.

When using this product

- do not use in or near the eyes
- do not use in large quantities, particularly over raw surfaces or blistered areas

Stop use and ask a doctor if

- allergic reaction occurs
- condition worsens or does not improve within 7 days
- symptoms clear up and return within a few days
- redness, irritation, swelling, pain or other symptoms begin or increase

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Adults and children 2 years and older: Apply externally to the affected area up to 3-4 times daily.
- Children under 2 years of age: Consult a doctor.

Other Information
Store at USP controlled room temperature 20° - 25°C (68° - 77°F).

Inactive ingredients
benzyl alcohol, carbomer 940, cholesterol, hydrogenated lecithin, polysorbate 80, propylene glycol, tocopheryl acetate, trolamine, water.



DIST. BY:
Focus health group
 Knoxville, TN 37919
 Iss. 4/08

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC Monograph Drug	M017	06/01/2007	
--------------------	------	------------	--

Labeler - Focus Health Group (826939949)

Registrant - DSC Laboratories Inc. (097807374)

Establishment

Name	Address	ID/FEI	Business Operations
DSC Laboratories Inc.		097807374	manufacture(24357-701)

Revised: 12/2023

Focus Health Group