#### NEOMULTIVITE- neomultivite tablet NEOMED PHARMACEUTICAL

-----

### NEOMULTIVITE TABLETS Advanced High Potency Vitamin Supplement Multivitamin and Mineral Supplement

#### **SUPPLEMENT FACTS:**

Serving Size: One Tablet

Each Tablet contains:	
Vitamin A (as acetate)	1500 mcg
Vitamin D3 (as cholecalciferol)	10 mcg
Vitamin C (Ascorbic acid )	60 mcg
Vitamin B1 (as thiamine HCl)	1.5 mg
Vitamin B2 (as riboflavin)	1.7 mg
Niacin (Vitamin B3)	20 mg
Vitamin B6 (as pyridoxine HCl)	2 mg
Folic acid	400 mcg
Vitamin B12 (as cyanocobalamin)	6 mcg
Citrus bioflavonoids complex 50% bio flavonoids	2 mg
Inositol	5 mg

• **Other Ingredients:** Di calcium phosphate, microcrystalline croscarmellose sodium, stearic acid, silicon dioxide, titanium dioxide (as color), polyethylene glycol, magnesium stearate, talc,triacetin, HPMC E15,HPMC E5/E6,FD&C RED #40 (LAKES),FD&C YELLOW # 6 (LAKE )

# CONTRAINDICATIONS

NEOMULTIVITE TABLETS contraindicated in patients with hypersensitivity to any of its components. Folic Acid is contraindicated in patients with untreated and uncomplicated pernicious anemia, and in those with anaphylactic sensitivity to folic acid.

Cyanocobalamin is contraindicated in patients with sensitivity to cobalt or to cyanocobalamin (Vitamin B12)

# WARNING/PRECAUTIONS

Vitamin D supplementation should be used with caution in those with hypercalcemia or conditions that may lead to hypercalcemia such as hyperparathyroidism and those who form calcium-containing kidney stones. High doses of vitamin D can lead to elevated levels of calcium that reside in the blood and soft tissues. Bone pain, high blood pressure, formation of kidney stones, renal failure, and increased risk of heart disease can occur.

Avoid Over dosage. Keep out of the reach of children.

### **Information for Patients**

Patients should be counseled to disclose all medical conditions, including use of all medications, vitamins and supplements, pregnancy, and breastfeeding.

### **Pediatric Use**

Not recommended for pediatric use.

# DOSAGE AND ADMINISTRATION

Adults - Take one tablet daily with water, as a dietary supplement or as directed by a doctor.

# HOW SUPPLIED

NEOMULTIVITE ; available in bottles of 1000 Tablets. 70898-125-10

Store at room temperature 15°-30°C (59°-86°F). Avoid excessive heat and moisture.


### Distributed by:

#### Neomed Pharmaceutical 80 Cain Dr, Brentwood, NY 11717 Phone :631-524-5758

Email: info@neomedpharmaceutical.com

DISCLAIMER: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

#### undefined



# NEOMULTIVITE

neomultivite tablet

<b>Product Information</b>			
Product Type	DIETARY SUPPLEMENT	Item Code (Source)	NHRIC:70898-125
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
VITAMIN A (UNII: 81G40H8B0T) (VITAMIN A - UNII:81G40H8B0T)	VITAMIN A	1500 ug		
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	60 ug		
CHOLECALCIFEROL (UNII: 1C6V77QF41) (CHOLECALCIFEROL - UNII:1C6V77QF41)	CHOLECALCIFEROL	10 ug		
THIAMINE (UNII: X66NSO3N35) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE	1.5 mg		
RIBOFLAVIN (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	1.7 mg		
NIACINAMIDE (UNII: 25X5118 RD4) (NIACINAMIDE - UNII:25X5118 RD4)	NIACINAMIDE	20 mg		
<b>PYRIDO XINE HYDRO CHLO RIDE</b> (UNII: 68 Y4CF58 BV) (PYRIDO XINE - UNII:KV2JZ1BI6Z)	PYRIDO XINE	2 mg		

FOLIC ACID (UNII: 935E	IC ACID (UNII: 935E97BOY8) (FOLIC ACID - UNII:935E97BOY8)			FOLIC ACID	
CYANO COBALAMIN (UNII: P6 YC3EG204) (CYANOCOBALAMIN - UNII:P6 YC3EG204)			CYANOCOBALAMIN		6 ug
CITRUS BIOFLAVONOIDS (UNII: BD70459150) (HESPERIDIN - UNII:E750006Y6O)			CITRUS BIOFLAVONOIDS		2 mg
INOSITOL (UNII: 4L645)	2S749) (INOSITOL - UNII:4L6452S749	)	INOSITOI	_	5 mg
Inactive Ingredient	ts				
	Ingredient Na	me		St	rength
CROSCARMELLOSE SO	DDIUM (UNII: M28OL1HH48)				
MICROCRYSTALLINE	CELLULOSE (UNII: OP1R32D61U)				
CALCIUM PHO SPHATE	, DIBASIC, ANHYDROUS (UNII: L11K	75P92J)			
STEARIC ACID (UNII: 4E	LV7Z65AP)				
SILICON DIOXIDE (UNI	I: ETJ7Z6XBU4)				
TITANIUM DIO XIDE (UI	NII: 15FIX9V2JP)				
MAGNESIUM STEARAT	E (UNII: 70097M6I30)				
TALC (UNII: 7SEV7J4R1U	J)				
POLYETHYLENE GLYC	COLS (UNII: 3WJQ0SDW1A)				
HYPROMELLOSES (UN	II: 3NXW29V3WO)				
TRIACETIN (UNII: XHX3	C3X673)				
FD&C RED NO.40 (UNI	: WZB9127XOA)				
FD&C YELLOW NO.6 (	UNII: H77VEI93A8)				
Packaging					
# Item Code	Package Description	Marketing Star	't Date	Marketing En	d Date
1 NHRIC:70898-125-10	1 in 1 PACKAGE				
1	1000 in 1 BOTTLE				
Marketing Info	rmation				
Marketing Info	r <b>mation</b> Application Number or Monog	ranh Citation Mark	eting Start Da	ate Marketing	Fnd Da

Supplement Facts				
Serving Size :		Serving per Container :		
	Amount Per Serving	% Daily Value		
color				
scoring	1			
shape				
size (solid drugs)	7 mm			

Labeler - NEOMED PHARMACEUTICAL (048388130)