

NITROUS OXIDE - nitrous oxide gas
ABCO Welding and Industrial Supply Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

nitrous oxide

NITROUS OXIDE USP UN1070
NON-FLAMMABLE GAS 2 OXIDIZER 5.1

Contents: Lot No:

Rx only

WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken. **WARNING:** HIGH PRESSURE OXIDIZING LIQUID AND GAS. VIGOROUSLY ACCELERATES COMBUSTION. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE ANESTHETIC EFFECTS. MAY CAUSE FROSTBITE. Avoid breathing gas. Store and use with adequate ventilation. Keep oil and grease away. Use equipment cleaned for oxygen and rated for cylinder pressure. Do not get liquid in eyes, on skin, or clothing. Cylinder temperature should not exceed 52C (125F). Open valve slowly. Close valve after each use and when empty. Use in accordance with the Material Safety Data Sheet (MSDS). **NOTE:** Suck-back into cylinder may cause rupture. Always use a back-flow preventive device in the piping.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. **IN CASE OF FROSTBITE,** obtain medical treatment immediately. CAS: 10024-97-2

DO NOT REMOVE THIS PRODUCT LABEL

Distributed By ABCO WELDING SUPPLY WATERFORD, CT 860-442-0363 MILFORD, CT 203-874-9393 SOUTH WINSOR, CT 860- 528-5040
47936D

NITROUS OXIDE
USP

UN1070



Contents: _____ Lot No: _____

Rx only

WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and

under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects, and precautions to be taken

WARNING: HIGH PRESSURE OXIDIZING LIQUID AND GAS.
VIGOROUSLY ACCELERATES COMBUSTION.
CAN CAUSE RAPID SUFFOCATION.
CAN CAUSE ANESTHETIC EFFECTS.
MAY CAUSE FROSTBITE.

Avoid breathing gas.
Store and use with adequate ventilation.
Keep oil and grease away.
Use only with equipment cleaned for oxygen and rated for cylinder pressure.
Do not get liquid in eyes, on skin or clothing.
Cylinder temperature should not exceed 52°C (125°F).
Open valve slowly.
Close valve after each use and when empty.
Use in accordance with the **Material Safety Data Sheet (MSDS)**.

NOTE: Suck-back into cylinder may cause rupture.
Always use a back-flow preventive device in the piping.

FIRST AID: **IF INHALED**, remove to fresh air. If not breathing, give artificial respiration.
If breathing is difficult, give oxygen. Call a physician.

IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 10024-97-2

DO NOT REMOVE THIS PRODUCT LABEL.

Distributed By

ABCO WELDING SUPPLY

WATERFORD, CT
860-442-0363

MILFORD, CT
203-874-9393

SOUTH WINSOR, CT
860-528-5040

47936D

NITROUS OXIDE

nitrous oxide gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:54949-003
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Nitrous Oxide (UNII: K50 XQU1029) (Nitrous Oxide - UNII:K50 XQU1029)	Nitrous Oxide	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:54949-003-06	1601 L in 1 CYLINDER		
2	NDC:54949-003-07	4928 L in 1 CYLINDER		
3	NDC:54949-003-08	8624 L in 1 CYLINDER		
4	NDC:54949-003-09	14784 L in 1 CYLINDER		
5	NDC:54949-003-05	200 L in 1 TANK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		05/01/2010	

Labeler - ABCO Welding and Industrial Supply Inc. (001448703)

Establishment

Name	Address	ID/FEI	Business Operations
ABCO Welding and Industrial Supply Inc.		001448703	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
ABCO Welding and Industrial Supply Inc.		611203688	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
ABCO Welding and Industrial Supply Inc.		884776014	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
ABCO Welding and Industrial Supply Inc.		789717758	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
ABCO Welding and Industrial Supply Inc.		028068710	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
ABCO Welding and Industrial Supply Inc.		196694629	manufacture

Revised: 6/2010

ABCO Welding and Industrial Supply Inc.