

HUMCO HYDROGEN PEROXIDE- hydrogen peroxide 3% liquid
Humco Holding Group, Inc.

Humco Hydrogen Peroxide

Drug Facts

Active Ingredient

Hydrogen Peroxide 3%

Purpose

Antiseptic

Uses

As an antiseptic to help prevent infection in minor cuts, scrapes, burns.

As an oral rinse for temporary use in cleaning of minor wounds or irritation/inflammation to the mouth and gums resulting from minor dental procedures, orthodontic appliances or accidental injury.

Warnings

For external use except when used as an oral rinse.

Do not use in the eyes.

Do not apply over large areas of the body.

Do not use longer than 1 week unless directed by a dentist or doctor.

Ask a doctor before use if you have:

deep or puncture wounds, animal bites, serious burns.

Stop use consult a dentist or doctor if:

condition persists or gets worse, sore mouth symptoms do not improve in 7 days, irritation, pain, redness or fever develop.

Keep out of reach of children.

In case of accidental ingestion, seek professional assistance or contact a Poison Control

Center immediately.

Directions

For antiseptic use: Clean the affected area, apply a small amount on the area 1 to 3 times daily.

For oral rinse use: Adults and children 2 years and older mix with an equal amount of water and swish around and over the affected area then spit out. Use up to 4 times daily or as directed by a dentist or a doctor.

Children under 2 years of age: consult a doctor.

Other information

Keep tightly closed and at controlled room temperature 15-30C (59-86F).

Do not shake.

Inactive ingredient

Purified water

Principal package display

Label 16 oz

| | | | |
|---|---------------------------------|--|--|
| Drug Facts | NDC 0395-1113-16 *Safety Sealed | USP HYDROGEN PEROXIDE | *Warning: Do not use if tamper evident seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed For Your Protection" or a breakaway cap ring. |
| Active ingredient Hydrogen Peroxide 3%.....Antiseptic | Purpose Antiseptic | | |
| Uses As an antiseptic to help prevent infection in ■ minor cuts ■ scrapes ■ burns | | | |
| As an oral rinse ■ for temporary use in cleaning minor wounds or irritation/inflammation to the mouth and gums resulting from minor dental procedures, orthodontic appliances or accidental injury | | | |
| Warnings For external use except when used as an oral rinse ■ do not use in the eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week unless directed by a dentist or doctor | | | |
| Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns | | | |
| Stop use consult a dentist or doctor if ■ condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, redness or fever develop | | | |
| Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately. | | | |
| Continued ▶ | | | |

HUMCO, Texarkana, TX 75501
Questions or Comments? ☎ 1-800-662-3435
* Go to: www.simplehomemedies.com to find helpful hints, and learn more about Hydrogen Peroxide.

The Traditional Family First Aid

First Aid Antiseptic
Oral Debriding Agent
Oral Wound Cleanser

16 FL OZ (1 PT) 473 mL

HUMCO™

REV100311.RLG

3 03951 111316 5

| |
|---|
| (Drug Facts continued) |
| Directions For antiseptic use ■ clean the affected area. apply a small amount on the area 1 to 3 times daily |
| For oral rinse use ■ adults and children 2 years and older mix with an equal amount of water and swish around and over the affected area then spit out. Use up to 4 times daily or as directed by a dentist or doctor |
| Children under 2 years of age ■ consult a doctor |
| Other information ■ Keep tightly closed and at controlled room temperature 15° - 30° C (59° - 86° F) ■ do not shake |
| Inactive ingredient ■ purified water |

New Label

Drug Facts

Active ingredient Hydrogen Peroxide 3%.....**Purpose** First aid antiseptic or oral debriding agent/oral wound cleanser

Indications

As an antiseptic First aid to help prevent infection in ■ minor cuts ■ scrapes ■ burns
As an oral rinse ■ for temporary use in cleaning minor wounds or irritation/inflammation to the mouth and gums resulting from minor dental procedures, orthodontic appliances or accidental injury

Warnings

For external use except when used as an oral rinse
 ■ do not use in the eyes ■ do not apply over large areas of the body ■ do not use longer than 1 week unless directed by a dentist or doctor

Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns

Stop use consult a dentist or doctor if ■ condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, redness or fever develop

Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Continued ▶

HUMCO, Texarkana, TX 75501
 Questions or Comments? ☎1-800-662-3435
 *Go to: www.adapttohomecare.com to find helpful hints, and learn more about Hydrogen Peroxide.

HYDROGEN PEROXIDE
 3% TOPICAL SOLUTION



A trusted name in home health care

*** Safety Sealed****First Aid****USP**

- FIRST AID ANTISEPTIC
- ORAL DEBRIDING AGENT
- ORAL WOUND CLEANSER

16 FL oz
 (1 pt) 473 mL

***Warning:** Do not use if tamper evident seal is broken or missing. This product is sealed with a breakaway cap ring.

(Drug Facts continued)**Directions**

For antiseptic use ■ clean the affected area. Apply a small amount on the area 1 to 3 times daily. May be covered with sterile bandage. If bandaged, let dry first.
For oral rinse use ■ adults and children 2 years and older mix with an equal amount of water and swish around and over the affected area for at least 1 minute and spit out. Use up to 4 times daily after meals and at bedtime, or as directed by a dentist or doctor. Children under 12 years of age should be supervised in the use of the product

Children under 2 years of age ■ consult a dentist or doctor

Other information

■ Keep tightly closed and at controlled room temperature 15° - 30° C (59° - 86° F) ■ do not shake

Inactive ingredient ■ purified water

**HUMCO HYDROGEN PEROXIDE**

hydrogen peroxide 3% liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0395-1113 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V) | HYDROGEN PEROXIDE | 30 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---------------------------------|----------|
| WATER (UNII: 059QF0KO0R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0395-1113-16 | 473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 10/30/2017 | |

| | | | | |
|---|------------------|---|------------|--|
| 2 | NDC:0395-1113-28 | 3800 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 10/30/2017 | |
| 3 | NDC:0395-1113-94 | 113 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 10/30/2017 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M003 | 03/25/1998 | |

Labeler - Humco Holding Group, Inc. (825672884)

Registrant - Pharma Nobis, LLC (118564114)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------|---------|-----------|---|
| Pharma Nobis, LLC | | 118564114 | label(0395-1113) , manufacture(0395-1113) , pack(0395-1113) , analysis(0395-1113) |

Revised: 12/2023

Humco Holding Group, Inc.