

**SMOOTH LAX- polyethylene glycol 3350 powder, for solution**  
**Walgreen Company**

-----  
**Walgreen Co. Smooth Lax® Drug Facts**

**Active ingredient (in each dose)**

Polyethylene Glycol 3350, 17 g (cap filled to line)

**Purpose**

Osmotic Laxative

**Use**

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

**Warnings**

Allergy alert: Do not use if you are allergic to polyethylene glycol

**Do not use**

if you have kidney disease, except under the advice and supervision of a doctor

**Ask a doctor before use if you have**

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug

**When using this product**

you may have loose, watery, more frequent stools

**Stop use and ask a doctor if**

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
  - fill to top of white section in cap which is marked to indicate the correct dose (17 g)
  - stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
  - use once a day
  - use no more than 7 days
- children 16 years of age or under: ask a doctor

**Other information**

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

**Inactive ingredients**

none

**Questions or comments?**

1-800-719-9260

**Principal Display Panel**

Smooth LAX®

Polyethylene Glycol 3350

Powder for Solution, Osmotic Laxative

Relieves occasional constipation / irregularity

Softens stool

Unflavored powder

Grit free

14 ONCE-DAILY DOSES

NET WT 8.3 OZ (238 g)

Compare to MiraLAX® active ingredient

Well at  
*Walgreens*

WALGREENS PHARMACIST RECOMMENDED\*

NDC 0363-0306-02

# Smooth LAX<sup>®</sup>

Polyethylene Glycol 3350  
Powder for Solution,  
Osmotic Laxative

- Relieves occasional constipation/irregularity
- Softens stool
- Unflavored powder
- Grit free

14

ONCE-DAILY DOSES

NET WT

8.3 OZ (238 g)

Compare to MiraLAX<sup>®</sup> active ingredient<sup>††</sup>

: 306E1 94 F6

Peel Here

Dissolves in any beverage  
Walgreens Smooth LAX® increases  
frequency of bowel movements and softens the stool.

**Drug Facts**

**Active ingredient (in each dose) Purpose**  
Polyethylene Glycol 3350,  
17 g (cap filled to line).....Osmotic Laxative

**Use**

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

**Warnings**

**Allergy alert:** Do not use if you are allergic to polyethylene glycol

**Do not use** if you have kidney disease, except under the advice and supervision of a doctor

**Ask a doctor before use if you have**

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

**Ask a doctor or pharmacist before use if you are taking a prescription drug**

**When using this product** you may have loose, watery, more frequent stools

**Stop use and ask a doctor if**

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

ITEM 485031



: 306E1 94 85

**Drug Facts (continued)**

**If pregnant or breast-feeding,** ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
  - fill to top of white section in cap which is marked to indicate the correct dose (17 g)
  - stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
  - use once a day
  - use no more than 7 days
- children 16 years of age or under: ask a doctor

**Other information**

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

**Inactive ingredients** none

**Questions or comments?** 1-800-719-9260

Gluten Free • Sugar Free REV0314-RF  
 ‡ Walgreen's Pharmacist Survey Study, November 2012.  
 †† This product is not manufactured or distributed by MSD Consumer Care, Inc., distributor of MiraLAX®.  
 DISTRIBUTED BY: WALGREEN CO. 100% SATISFACTION GUARANTEED  
 200 WILMOT RD., DEERFIELD, IL 60015 walgreens.com ©2014 Walgreen Co.

**SMOOTH LAX**

polyethylene glycol 3350 powder, for solution

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG LABEL	<b>Item Code (Source)</b>	NDC:0363-0306
<b>Route of Administration</b>	ORAL	<b>DEA Schedule</b>	

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
POLYETHYLENE GLYCOL 3350 (POLYETHYLENE GLYCOL 3350)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

**Product Characteristics**

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0306-02	238 g in 1 BOTTLE		
2	NDC:0363-0306-03	510 g in 1 BOTTLE		

3	NDC:0363-0306-04	850 g in 1 BOTTLE		
4	NDC:0363-0306-09	765 g in 1 BOTTLE		
5	NDC:0363-0306-01	119 g in 1 BOTTLE		
6	NDC:0363-0306-10	612 g in 1 BOTTLE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090685	10/09/2009	

**Labeler** - Walgreen Company (008965063)

Revised: 1/2015

Walgreen Company