

DISCOUNT DRUGMART CHEST CONGESTION RELIEF DM- dextromethorphan hydrobromide / guaifenesin tablet

Discount Drug Mart, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

Active ingredient - (per tablet)

Dextromethorphan Hydrobromide 20mg

Guaifenesin 400mg

Purpose

Cough Suppressant

Expectorant

Uses

- Temporarily relieves cough due to minor throat and bronchial irritation as may occur with a common cold
- Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus
- Helps make coughs more productive.

Warnings

Do not use ■ if you are now taking a prescription monoamine oxidase (inhiMor~MAIO) (Certain drugs for depression, psychiatric or emotional conditioners or Parkinson's disease) or for 2 weeks after stopping MAIO drug, If you do not know if your prescription drug contains an MAIO, ask your doctor or pharmacist before using this product.

Ask doctor before use if you have

- persistent or chronic cough, such as occurs with smoking, asthma, bronchitis or emphysema
- cough is accompanied by excessive phlegm (mucus)

Stop use and ask doctor if

- symptoms are accompanied by fever, rash or persistent headache
- cough persists for more than 1 week or tends to recur.

A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a

Poison Center immediately.

Directions

■ **Adults and children 12 years of age and over:** take 1 tablet every 4 hours as needed.

■ **Children 6 to 10 under 12 years of age:** take 1/2 tablet every 4 hours as needed.

■ **Children under 6 years of age:** consult a doctor.

Do not exceed 6 doses in a 24 hour period or as directed by a doctor

Other Information

Store at 15°-30°C (59°-86°F)

Inactive Ingredients magnesium stearate, microcrystalline cellulose. May also contain (colloidal) silicon dioxide, (co) povidone, dicalcium phosphate, maltodextrin, sodium starch glycolate, stearic acid.



chest congestion relief DM

guaifenesin 400 mg / dextromethorphan HBr 20 mg

expectorant / cough suppressant



chest congestion relief DM

guaifenesin 400 mg / dextromethorphan HBr 20 mg

expectorant / cough suppressant

- loosens & relieves chest congestion
- controls cough
- dye-free

50 tablets

immediate release tablets



chest congestion relief DM

guaifenesin 400 mg / dextromethorphan HBr 20 mg

expectorant / cough suppressant

- loosens & relieves chest congestion
- controls cough
- dye-free

50 tablets

immediate release tablets



Drug Facts (continued)

Other information

store at 15°-30°C (59°-86°F)

Inactive ingredients magnesium stearate, meltdextrin, microcrystalline cellulose, povidone K30, povidone 90F, silicon dioxide, stearic acid.

Distributed By: Drug Mart Food Market
211 Commerce Dr., Medina, Ohio 44256
Questions?: 800-321-7178

SATISFACTION GUARANTEED

IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44256

REV. 3/22 GFDMDDM

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts

Active ingredients (in each tablet)	Purpose
Dextromethorphan HBr 20 mg	Cough suppressant
Guaifenesin 400 mg	Expectorant

Uses ■ temporarily relieves cough due to minor throat and bronchial irritation as may occur with a common cold
■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus
■ helps make coughs more productive

Warnings

Do not use ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before using this product.

Ask a doctor before use if you have ■ persistent or chronic cough, such as occurs with smoking, asthma, chronic bronchitis or emphysema ■ cough is accompanied by excessive phlegm (mucus)

Stop use and ask a doctor if

■ cough persists for more than 1 week or tends to recur
A persistent cough may be a sign of a serious condition
■ symptoms are accompanied by fever, rash or persistent headache

If pregnant or breastfeeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately (800) 222-1222.

Directions

For adults and children 12 years and older	take 1 tablet every 4 hours as needed. Do not exceed 6 tablets in 24 hours
For children 6 to under 12 years	take 1/2 tablet every 4 hours as needed. Do not exceed 3 tablets in 24 hours
For children under 6 years	consult a doctor

No Varnish in this area
DO NOT PRINT BOX



0 93351 12008 4

No intervening materials between ingredient statement and name and place of business (AKA distributed by statement).



chest congestion relief DM

guaifenesin 400 mg / dextromethorphan HBr 20 mg

expectorant / cough suppressant

50 tablets

immediate release tablets

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts

Active ingredients (in each tablet) Purpose
Dextromethorphan HBr 20 mg Cough suppressant
Guaifenesin 400 mg Expectorant

Uses ■ temporarily relieves cough due to minor throat and bronchial irritation as may occur with a common cold
■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus
■ helps make coughs more productive

Warnings

Do not use ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before using this product.

Ask a doctor before use if you have ■ persistent or chronic cough, such as occurs with smoking, asthma, chronic bronchitis or emphysema ■ cough is accompanied by excessive phlegm (mucus)

Stop use and ask a doctor if ■ cough persists for more than 1 week or tends to recur. ■ **A persistent cough may be a sign of a serious condition** ■ symptoms are accompanied by fever, rash or persistent headache

If pregnant or breastfeeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately (800) 222-1222.

Directions

For adults and children 12 years and older	take 1 tablet every 4 hours as needed. Do not exceed 6 tablets in 24 hours
For children 6 to under 12 years	take 1/2 tablet every 4 hours as needed. Do not exceed 3 tablets in 24 hours
For children under 6 years	consult a doctor

Other information

store at 15°-30°C (59°-86°F)
Inactive ingredients magnesium stearate, meltdextrin, microcrystalline cellulose, povidone K30, povidone 90F, silicon dioxide, stearic acid.

Distributed By: Drug Mart Food Market
211 Commerce Drive, Medina, Ohio 44256
Questions? 800-321-7178

REV. 3/22 GFDMDDM

DISCOUNT DRUGMART CHEST CONGESTION RELIEF DM

dextromethorphan hydrobromide / guaifenesin tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53943-843
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg
Guaifenesin (UNII: 495W7451VQ) (Guaifenesin - UNII:495W7451VQ)	Guaifenesin	400 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	2 pieces
Shape	OVAL	Size	17mm
Flavor		Imprint Code	PH073
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53943-843-50	1 in 1 CARTON	05/04/2022	
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	05/04/2022	

Labeler - Discount Drug Mart, Inc (047741335)

Registrant - Reese Pharmaceutical Co (004172052)

Establishment

Name	Address	ID/FEI	Business Operations
Pharbest		557054835	manufacture(53943-843)

Revised: 12/2022

Discount Drug Mart, Inc