TINTED ACNE TREATMENT- resorcinol 2.00% sulfur 8.00% cream Walgreens

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Well at Walgreens

Drug Facts

Active ingredient	Purpose
Resorcinol - 2.00%	Acne Treatment
Sulfur - 8.00%	Acne Treatment

Use for the treatment of acne

Warnings

For external use only

Do not use • if you have very sensitive skin or are sensitive to benzoyl peroxide **When using this product •** skin irritation and dryness are more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • rinse right away with water if it gets in eyes • avoid unnecessary sun exposure and use a sunscreen • avoid contact with the eyes, lips, and mouth • skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor if skin irritation becomes severe

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • cleanse the skin thoroughly before applying medication • cover the entire affected area with a thin layer one to three times a day • because excessive drying of the skin may occur, start with one

application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If

bothersome dryness or peeling occurs, reduce application to once a day or every other day. • if going outside, use a sunscreen. Allow product to dry, then follow direction in the sunscreen labeling. If sensitivity develops, discontinue use of both products and consult a doctor.

Inactive ingredients

Alcohol Denat.
Bentonite
Fragrance
Glyceryl Stearate SE
Iron Oxides
Isopropyl Myristate
Methylparaben
Propylene Glycol



Drug Facts

Active ingredients

Purpose

Resorcinol 2%.......Acne Treatment Sulfur 8%......Acne Treatment

Uses • for the treatment of acne

Warnings

For external use only

Do not use . broken skin . large areas of the skin

When using this product • apply only to areas with acne • rinse eyes right away with water if it gets in eyes . skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical medication at a time.

Stop use and ask a doctor if skin irritation becomes severe

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • cleanse the skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times a day . because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Other information • keep tightly closed • keep away from heat

Inactive ingredients Alcohol Denat., Bentonite, Fragrance, Glyceryl Stearate SE, Iron Oxides, Isopropyl Myristate, Methylparaben, Propylene Glycol, Propylparaben, Simethicone, Titanium Dioxide, Water,

Actual Size

TINTED ACNE TREATMENT

resorcinol 2.00% sulfur 8.00% cream

Product Information

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Resorcinol (UNII: YUL4L094HK) (RESORCINOL - UNII:YUL4L094HK)	Resorcinol	2 g in 100 g
Sulfur (UNII: 70 FD1KFU70) (SULFUR - UNII:70 FD1KFU70)	Sulfur	8 g in 100 g

1	nactive	Ingredients

mactive ingredients		
Ingredient Name	Strength	
Water (UNII: 059QF0KO0R)		
ALCOHOL (UNII: 3K9958V90M)		

Bentonite (UNII: A3N5ZCN45C)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
Propylene Glycol (UNII: 6DC9Q167V3)	
Isopropyl Myristate (UNII: 0 RE8 K4LNJS)	
Methylparaben (UNII: A2I8C7HI9T)	
Propylparaben (UNII: Z8IX2SC1OH)	
Titanium Dioxide (UNII: 15FIX9V2JP)	
FERROUS OXIDE (UNII: G7036X8B5H)	

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-7783-01	1 in 1 CARTON	09/13/2017	
1		18 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	09/13/2017	

Labeler - Walgreens (008965063)

Registrant - Product Quest Mfg. (927768135)

Establishment			
Name	Address	ID/FEI	Business Operations
Product Quest Mfg.		927768135	manufacture(0363-7783), label(0363-7783)

Revised: 5/2018 Walgreens