

**FERROUS SULFATE - iron supplement tablet**  
**State of Florida DOH Central Pharmacy**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**FERROUS SULFATE TABLETS 325 mg (5 gr)**

**Supplement Facts[S]**

<b>Serving Size: 1 Tablet</b>	<b>% Daily Value</b>
<b>Amount per Tablet</b>	
Iron (as ferrous sulfate) 65 mg	360 %

**SUGGESTED USE**

**Adults:** One (1) tablet daily, preferably after meals or as directed by the doctor. **Children:** As directed by the doctor.

**Active Ingredient**

**EACH TABLET CONTAINS:**                      % U.S. RDA\*

Elemental Iron 65 mg    360

(Equivalent to 325 mg of Ferrous Sulfate)

\* U.S. Recommended Daily Allowance

**Inactive Ingredients**

Croscarmellose sodium, dicalcium phosphate, FD&C RED#40 (Al-lake), FD&C yellow #6 (Al-lake), hypromellose, magnesium stearate, microcrystalline cellulose, PEG 400, titanium dioxide

**Purpose**

Iron Supplement

**WARNING:**

Accidental overdose of iron containing products is a leading cause of fatal poisoning in children under 6. **Keep this product out of reach of children.** In case of accidental overdose, call a doctor or Poison Control Center immediately.

**WARNINGS: Do not exceed recommended dosage.** The treatment of any anemic condition should be under the advice and supervision of doctor. Occasional gastrointestinal discomfort (such as nausea) may be minimized by taking with meals. Iron-containing medication may occasionally cause constipation or diarrhea.

As with any drug, if you are pregnant or nursing baby, seek the advice of a health professional before using this product.

**DRUG INTERACTION PRECAUTION**

Since oral iron products interfere with absorption of oral tetracycline antibiotics , these products should not be taken within two hours of each other.

## DOSAGE AND ADMINISTRATION

**Each tablet contains:** Calcium 20 mg (2% daily value) Store in a dry place at controlled room temperature at 15-30 °C (59°-86° F). Do not expose to excessive heat or moisture.

## Questions or Comments

**DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP OR BAND AROUND ANY CAPSULE IS MISSING OR DAMAGED**

**TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS BROKEN OR DAMAGED**

**Distributed by: Qualitest Pharmaceuticals, Inc.**

This Product was Repackaged By:

**State of Florida DOH Central Pharmacy**

104-2 Hamilton Park Drive


Tallahassee, FL 32304

USA

## PACKAGE LABEL

Label Image for **53808-0918**

**325mg**



## FERROUS SULFATE

iron supplement tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53808-0918(NDC:0603-0179)
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FERROUS SULFATE (UNII: 39R4TAN1VT) (FERROUS CATION - UNII:GW895810WR)	FERROUS CATION	325 mg

## Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

## Product Characteristics

Color	RED	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53808-0918-1	30 in 1 BLISTER PACK		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		01/01/2014	

**Labeler** - State of Florida DOH Central Pharmacy (829348114)

## Establishment

Name	Address	ID/FEI	Business Operations
State of Florida DOH Central Pharmacy		829348114	repack(53808-0918)

Revised: 3/2014

State of Florida DOH Central Pharmacy