CHLORPHENIRAMINE MALEATE 4 MG- chlorpheniramine maleate tablet Reliable 1 Laboratories LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Chlorpheniramine Maleate 4 mg

Drug Facts

Active ingredient (in each tablet)

Chlorpheniramine maleate 4 mg

Purpose

Antihistamine

Warnings

Ask a doctor before use if you have

- glaucoma
- trouble urinating due to enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- you may get drowsy
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Drug Facts continued on back of label

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 years and over	take 1 tablet every 4 to 6 hours, not more than 6 tablets in 24 hours
children 6 years to under 12 years	take 1/2 tablet every 4 to 6 hours, not more than 3 tablets in 24 hours

Other information

- each tablet contains: calsium 40 mg
- store at 15°-30°C (59°-86°F)

Inactive ingredients

croscarmellose sodium, D&C yellow# 10 (Al-lake), dicalcium phosphate, magnesium stearate, microcrystalline cellulose, pregelatinized starch, silicon dioxide

Questions or comments?

call **516-341-0666**, 8:30 am - 4:30 pm ET, Monday - Friday

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

* Reliable 1 Laboratories LLC is not affiliated with the owner of the trademark Chlor-Trimeton®

Distributed by: Reliable 1 Laboratories LLC, Valley Stream, NY 11580

www.reliable1labs.com

Uses

temporarily relieves these symptoms of hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy nose or throat
- itchy, watery eyes

NDC 69618-022-01

Chlorpheniramine Maleate 4mg

ANTIHISTAMINE

100 Tablets

*Compare to Active Ingredients in Chlor-Trimeton®



Chlorpheniramine Maleate 4 mg **ANTIHISTĂMINE**

100 TABLETS

*Compare to Active Ingredient in Chlor-Trimeto

Active ingredient

Drug Facts

in each tablet)

cellulose, pregelatinized starch, silicon

call 516-341-0666,

8:30 am - 4:30 pm ET

Questions or comments?

Antihistamine hlorpheniramine maleate 4 mg

Uses temporarily relieves these symptoms of hay fever or other upper

espiratory allergies

sneezingitchy, watery eyes

■ itchy nose or throat Narnings runny nose

 trouble urinating due to enlarged prostate gland
 a breathing problem such as emphysema Ask a doctor before use if you have

or chronic bronchitis

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

alcohol, sedatives and tranquilizers may When using this product

■ you may get drowsy

■ avoid alcoholic drinks increase drowsiness Drug Facts continued on back of labe TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAI Under cap is broken or missing

*Reliable 1 Laboratories LLC is not affiliated with the owner of the trademark Chlor-Trimeton®. Reliable 1 Laboratories LLC Valley Stream, NY 11580 www.reliable1labs.com Distributed by:

Rev. 0715

Exp. Date: Lot No .:

PEEL HERE FOR MORE DRUG FACTS

Other information ■ each tablet contains: calcium 40 r ■ store at 15°-30°C (59°-86°F) Inactive ingredients croscarmellose sodium, D&C yellow# (Al-lake), dicalcium phosphate, magnesium stearate, microcrystalline	children 6 years to under 12 years children under 6 years	Directions adults and children12 years and over	If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case coverdose, get medical help or contact a Poison Control Center right away.	Drug Facts (continued) ■ be careful when driving a motor vehicle or operating machinery excitability may occur, especiall children
Other information each tablet contains: calcium 40 mg store at 15°-30°C (59°-86°F) Inactive ingredients croscarmellose sodium, D&C yellow# 10 (Al-lake), dicalcium phosphate, magnesium stearate, microcrystalline	take 1/2 tablet every 4 to 6 hours, not more than 3 tablets in 24 hours do not use	take 1 tablet every 4 to 6 hours, not more than 6 tablets in 24 hours	If pregnant or breast-feeding, ask a health professional before use. health professional before use. In case of Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	rug Facts (continued) be careful when driving a motor vehicle or operating machinery excitability may occur, especially in children

CHLORPHENIRAMINE MALEATE 4 MG

chlorpheniramine maleate tablet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69618-022

Route of Administration ORAL

Active Ingredient/Active Moiety

Basis of Strength Ingredient Name Strength

CHLORPHENIRAMINE MALEATE (UNII: V1Q0090J9Z) (CHLORPHENIRAMINE -UNII:3U6IO1965U)

CHLORPHENIRAMINE MALEATE

4 mg

Inactive Ingredients

Ingredient Name

Strength

D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)	
SILICON DIOXIDE (UNII: ETJ7Z 6XBU4)	

Product Characteristics			
Color	yellow	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	AP;016
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69618- 022-01	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/01/2015	
2	NDC:69618- 022-10	1000 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/01/2015	



CHLORPHENIRAMINE MALEATE 4mg Tablet

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part341	11/01/2015		

Labeler - Reliable 1 Laboratories LLC (079718111)

Registrant - Reliable 1 Laboratories LLC (079718111)

Revised: 3/2023 Reliable 1 Laboratories LLC