

**TOPRICIN- aesculus hippocastanum, arnica montana, belladonna, calendula officinalis, crotalus horridus, echinacea, graphites, heloderma horridum, lachesis mutus, naja tripudians, phosphorus, rhus toxicodendron, ruta graveolens, sulfur cream  
Topical BioMedics, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Topricin Foot Therapy Cream [2g, 0.75oz, 2oz, 4oz, 8oz, 16 oz]**

### **Active Ingredients**

Aesculus hippocastanum 6X

Arnica montana 6X

Belladonna 6X

Calendula officinalis 4X

Crotalus horridus 8X

Echinacea 4X

Graphites 6X

Heloderma horridum 8X

Lachesis mutus 8X

Naja tripudians 8X

Phosphorus 9X

Rhus toxicodendron 8X

Ruta graveolens 6X

Sulfur 8X

### **Uses**

Rapid, moisturizing healing pain relief from trauma injuries of the foot, ankle and lower extremity.

Reduces swelling, numbness and burning pain associated with:

Joint pain in the toes, feet and ankles

Heel pain/soreness (heel spurs)

Bunions pain/soreness (big toe)

Nerve pain (burning pain in feet)

Gout (pain in big toe)

Relieves arch pain, soft tissue pain, and ball of the foot

Relieves nerve pain between toes

Sports injuries, shin splints, ankle sprain, Achilles tendonitis, Plantar Fasciitis

Tired aching feet, Tarsal Tunnel Syndrome

## **Purpose**

Relieves pain of the Achilles tendon, swelling of the feet after walking

Aids in treating injuries & bruising to muscles and joints

Aids in treating night leg cramps, restless leg and muscle spasms

Aids in rapid healing & treating dry skin on feet

Relief of impact injuries & sudden pain in feet & ankles

Relieves skin conditions

Relief of swelling & burning pain on the feet & toes

Relieves sudden sharp pain in the feet & ankle

Relieves nerve injury pain

Relief of coldness and cramping of the feet

Relief of pain for sprains and joint pain of the feet, heel and post-surgical pain

Relief of pain, soreness and bruising of the feet, ankle and shin

Relieves itching, cracking of the skin and joint pain in toes and feet

## **Warnings**

**For external use only. Do not apply in eyes. Ask doctor or pharmacist before using if** you are taking prescription medication. Ask a doctor before using if you are pregnant or nursing. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. Use only as directed. **See doctor if** pain persists for more than 3 days or worsens, new symptoms occur, redness or swelling are present because these could be signs of a more serious condition. Before considering any self help regimen always consult your doctor, especially if you are taking a prescription medication.

## **Directions**

Generously apply 3-4 times daily or more often if needed, 3 inches on and around affected area. Massage in until absorbed, re-apply before bedtime and in the morning.

Use before and after sports work outs and competitions.

Apply immediately for acute trauma injuries (sprain, strain, bruise, and impact injuries).

## **Inactive Ingredients**

Captex 300 (from coconut fatty acids), Carbopol® Ultrez 10 (from sucrose), Cetyl Alcohol (from coconut oil), Glycerine (vegetable-based), Hydrokote (palm kernel oil with lecithin), Isopropyl Myristate emollient (from palm seeds), Lipomulse (from coconut fatty acids), Purified Water, Sodium hydroxide, Spectrastat G 2 (derived from coconut), Steareth-21 (from stearic acid cocoa butter)

## **Other Information**

Safe for children (2-years and above), adults and the elderly. Tamper Evident. Do not use if seal is broken or bottle is opened. Store at room temperature, and tightly secure cap after use. No odor or fragrance, no petroleum, no mineral oil, no lanolin, no capsaicin, no menthol, non-greasy, non-staining. **If not completely satisfied within 30 days, return to the point of purchase with receipt for a full refund.** For severe injury, always seek medical attention.

## **Principal Display Panel**

US Patents # 5,795,573 and #7,871,647

NDC# 61500-5547

Topricin®

Foot Pain Relief Cream

Moisturizing Relief for Foot, Arch, Heel, Ankle and Nerve Pain

Ideal for Diabetics

Homeopathic

Net wt. 8.0 oz.

Paraben Free

**TOPRICIN® Drug Facts**

**Active Ingredients Purpose**

- Aesculus hippocastanum 6X.....Relieves pain of the Achilles tendon, swelling of the feet after walking
- Arnica montana 6X.....Aids in treating injuries & bruising to muscles and joints
- Belladonna 6X.....Aids in treating night leg cramps, restless leg and muscle spasms
- Calendula officinalis 4X.....Aids in rapid healing & treating dry skin on feet
- Crotalus horridus 8X.....Relief of impact injuries and deep tissue bruising
- Echinacea 4X.....Relieves swelling & sudden pain in feet & ankles
- Graphites 6X.....Relieves skin conditions
- Heloderma horridum 8X.....Relief of swelling & burning pain of the feet & toes
- Lachesis mutus 8X.....Relieves sudden sharp pain in the feet & ankle
- Naja tripudians 8X.....Relieves nerve injury pain
- Phosphorus 9X.....Relief of coldness and cramping of the feet
- Rhus toxicodendron 8X.....Relief of pain for sprains and joint pain of the feet, heel and post-surgical pain
- Ruta graveolens 6X.....Relief of pain, soreness and bruising of the feet, ankle and shin
- Sulfur 8X.....Relieves itching, cracking of the skin and joint pain in toes and feet

**Uses** Rapid, moisturizing healing pain relief from trauma injuries of the foot, ankle and lower extremity. Reduces swelling, numbness and burning pain associated with: • Joint pain in the toes, feet and ankles • Heel pain/soreness (heel spurs) • Bunions pain/ soreness (big toe) • Nerve pain (burning pain in feet) • Gout (pain in big toe) • Relieves arch pain, soft tissue pain, and ball of the foot • Relieves nerve pain between toes • Sports injuries, shin splints, ankle sprain, achilles tendonitis, Plantar Fasciitis • Tired aching feet, Tarsal Tunnel Syndrome

**Warnings** • For external use only. • Do not apply in eyes. • Ask doctor or pharmacist before using if you are taking prescription medication. • Ask a doctor before using if you are pregnant or nursing. • Keep out of reach of children. • If swallowed, get medical help or contact a Poison Control Center right away. • Use only as directed. • See doctor if • pain persists for more than 3 days or

US Patents #5,795,573 and #7,871,647B1

NDC# 61500-5547-9

# Topricin® Foot Pain Relief Cream

Moisturizing Relief for Foot, Arch, Heel, Ankle and Nerve Pain



Homeopathic

Net wt. 8.0 oz.

Paraben Free

032016



**Drug Facts (continued)**

worsens • new symptoms occur • redness or swelling are present because these could be signs of a more serious condition. • Before considering any self help regimen always consult your doctor, especially if you are taking a prescription medication.

**Directions** • Generously apply 3-4 times daily or more often if needed, 3 inches on and around affected area. Massage in until absorbed, re-apply before bedtime and in the morning. • Use before and after sports work outs and competitions. • Apply immediately for acute trauma injuries (sprain, strain, bruise, and impact injuries).

**Inactive Ingredients** Captex 300 (from coconut fatty acids), Carbopol® Ultrez 10 (from sucrose), Cetyl Alcohol (from coconut oil), Glycerine (vegetable-based), Hydrokote (palm kernel oil with lecithin), Isopropyl Myristate emollient (from palm seeds), Lipomulse (from coconut fatty acids), Purified Water, Sodium hydroxide, Spectrastat G 2 (derived from coconut), Steareth-21 (from stearic acid cocoa butter)

**Other Information** • Safe for children (2-years and above), adults and the elderly. • Tamper Evident. Do not use if seal is broken or bottle is opened. • Store at room temperature, and tightly secure cap after use. • If not completely satisfied within 30 days, return to the point of purchase with receipt for a full refund.

\*The FDA has not reviewed these statements.  
1-845-871-4900 • info@topricin.com • www.topricinstores.com  
Topricin® is a registered trademark of:  
Topical BioMedics, Inc. Rhinebeck, NY 12572

## TOPRICIN

aesculus hippocastanum, arnica montana, belladonna, calendula officinalis, crotalus horridus, echinacea, graphites, heloderma horridum, lachesis mutus, naja tripudians, phosphorus, rhus toxicodendron, ruta graveolens, sulfur cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:61500-5547
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>PHOSPHORUS</b> (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	9 [hp_X] in 227 g
<b>ARNICA MONTANA</b> (UNII: O80TY208Z W) (ARNICA MONTANA - UNII:O80TY208Z W)	ARNICA MONTANA	6 [hp_X] in 227 g
<b>CROTALUS HORRIDUS HORRIDUS VENOM</b> (UNII: YHA2XLJ956) (CROTALUS HORRIDUS HORRIDUS VENOM - UNII:YHA2XLJ956)	CROTALUS HORRIDUS HORRIDUS VENOM	8 [hp_X] in 227 g
<b>ECHINACEA ANGUSTIFOLIA</b> (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA	4 [hp_X] in 227 g
<b>GRAPHITE</b> (UNII: 4QQN74LH4O) (GRAPHITE - UNII:4QQN74LH4O)	GRAPHITE	6 [hp_X] in 227 g
<b>HELODERMA HORRIDUM VENOM</b> (UNII: O9M1UQ4YIO) (HELODERMA HORRIDUM VENOM - UNII:O9M1UQ4YIO)	HELODERMA HORRIDUM VENOM	8 [hp_X] in 227 g
<b>LACHESIS MUTA VENOM</b> (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)	LACHESIS MUTA VENOM	8 [hp_X] in 227 g
<b>NAJA NAJA VENOM</b> (UNII: ZZ4AG7L7VM) (NAJA NAJA VENOM - UNII:ZZ4AG7L7VM)	NAJA NAJA VENOM	8 [hp_X] in 227 g
<b>RUTA GRAVEOLENS FLOWERING TOP</b> (UNII: N94C2U587S) (RUTA GRAVEOLENS FLOWERING TOP - UNII:N94C2U587S)	RUTA GRAVEOLENS FLOWERING TOP	6 [hp_X] in 227 g
<b>AESCULUS HIPPOCASTANUM FLOWER</b> (UNII: KK0Z92I18M) (AESCULUS HIPPOCASTANUM FLOWER - UNII:KK0Z92I18M)	AESCULUS HIPPOCASTANUM FLOWER	6 [hp_X] in 227 g

HIPPOCASTANUM FLOWER - UNII:KK0Z92II8M)	HIPPOCASTANUM FLOWER	in 227 g
<b>ATROPA BELLADONNA</b> (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)	ATROPA BELLADONNA	6 [hp_X] in 227 g
<b>TOXICODENDRON PUBESCENS LEAF</b> (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	8 [hp_X] in 227 g
<b>CALENDULA OFFICINALIS FLOWERING TOP</b> (UNII: 18E7415PXQ) (CALENDULA OFFICINALIS FLOWERING TOP - UNII:18E7415PXQ)	CALENDULA OFFICINALIS FLOWERING TOP	4 [hp_X] in 227 g
<b>SULFUR</b> (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	8 [hp_X] in 227 g

## Inactive Ingredients

Ingredient Name	Strength
<b>CAPRYLHYDROXAMIC ACID</b> (UNII: UPY805K99W)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>STEARETH-21</b> (UNII: 53J3F32P58)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>HYDROGENATED PALM KERNEL OIL</b> (UNII: FM8D1RE2VP)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>GLYCERYL CAPRYLATE</b> (UNII: TM2TZD4G4A)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61500-5547-1	21 g in 1 TUBE; Type 0: Not a Combination Product	05/18/2016	04/01/2026
2	NDC:61500-5547-4	113 g in 1 JAR; Type 0: Not a Combination Product	05/18/2016	04/01/2026
3	NDC:61500-5547-2	57 g in 1 TUBE; Type 0: Not a Combination Product	05/18/2016	04/01/2026
4	NDC:61500-5547-9	227 g in 1 BOTTLE; Type 0: Not a Combination Product	05/18/2016	04/01/2026
5	NDC:61500-5547-8	454 g in 1 BOTTLE; Type 0: Not a Combination Product	05/18/2016	04/01/2026
6	NDC:61500-5547-0	2 g in 1 PACKET; Type 0: Not a Combination Product	06/01/2016	04/01/2026

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/18/2016	04/01/2026

**Labeler** - Topical BioMedics, Inc. (125911037)

**Establishment**

Name	Address	ID/FEI	Business Operations
Ultra Seal Corporation		085752004	pack(61500-5547)

Revised: 1/2023

Topical BioMedics, Inc.