TBX-FREE- laburnum anagyroides strip Advanced Men's Institute LLC

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

TBX-Free

PURPOSE

Homeopathic treatment of chronic nicotinism

KEEP OUT OF REACH OF CHILDREN

Incase of overdose, get medical help or contact your poison control center right away

Use

Smoking cessation treatment

DIRECTIONS

- •Adults 18 years or older
- •Begin using TBX-Free on your quit day
- •It is important to complete treatment. If you feel you need to use TBX-Free for a longer period to keep from smoking, talk to your health care provider.
- Reduce nicotine cravings associated with smoking cessation
- If you smoke over 20 cigarettes a day, take 4 strips a day as needed
- If you smoke under 20 cigarettes a day, use TBX-FREE as recommended below:

0

Day 1-2	Day 3-5	Day 6- 12	Day 13- 19	Day 20-	Day 31 +
Take 8 strips per day	strips	strips	strips	stips pe	Take 1-4 rstrips per day as needed
It is important to complete treatment: most will see best result after using TBX-FREE for 60-90 days	I.	_	_		

WARNING

- Do not use: in conjunction with another smoking cessation product; if you are taking prescription medication for depression or asthma; if you have ever had an allergic reaction to this product or any of its ingredients.
- Ask a doctor or pharmacist before use if you have: heart disease or an irregular heartbeat; high blood pressure; stomach ulcers; diabetes; allergies to other medication
- Stop use and speak to a doctor if any of the following occur: mouth, teeth, or jaw problems, irregular heartbeat or palpitations; you develop symptoms of an allergic reaction (such as difficulty breathing or a rash)
- If pregnant or breast feeing, ask a health professional before use
- Keep out of reach of children. In case of overdose, get medical help or contact a poison control center right away.

INACTIVE INGREDIENTS

Pullulan, Natural mint extract, Sugar, Menthol, Licorice, Sucralose

OTHER INFORMATION

- protect from excessive moisture and heat
- •store between 15° to 25° C (59° to 77° F)
- Do not use if tamper-evident seal is broken
- Phenylketonurics: Contains Phenylalanine .22 mg Per Strip

QUESTIONS OR COMMENTS?

1-800-404-4686

ACTIVE INGREDIENT

Laburnum anagyroides 1X



laburnum anagyroides strip

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69305-002	
Route of Administration	ORAL			

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
LABURNUM ANAGYRO IDES FLO WERING TOP (UNII: A3V9296222) (LABURNUM ANAGYRO IDES FLO WERING TOP - UNII: A3V9296222)	LABURNUM ANAGYROIDES FLOWERING TOP	1 [hp_X] in 10 [hp_X]			

Inactive Ingredients					
Ingredient Name	Strength				
MINTLACTO NE (UNII: X2T3I06CWR)					
SUCROSE (UNII: C151H8M554)					
LICORICE (UNII: 61ZBX54883)					
PULLULAN (UNII: 8ZQ0AYU1TT)					
MENTHOL, UNSPECIFIED FORM (UNII: L7T10 EIP3A)					
SUCRALOSE (UNII: 96K6UQ3ZD4)					

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
l	1	NDC:69305-002-01	120 [hp_X] in 1 BOX; Type 0: Not a Combination Product	04/19/2016	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		04/19/2016		

Labeler - Advanced Men's Institute LLC (079526408)

Establishment				
Name	Address	ID/FEI	Business Operations	
Dalian Jixin		079526408	manufacture(69305-002)	

Revised: 1/2018 Advanced Men's Institute LLC