SOLMARA- menthol, unspecified form and lidocaine patch Spring Hill Therapeutics LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Solmara

Drug Facts

Active Ingredients		Purpose
Menthol	5.00%	Topical Analgesic
Lidocaine	4.00%	Topical Anesthetic

Uses

For the temporary relief of minor aches and muscle pains associated with arthritis, simple backache, strains, muscle soreness and stiffness.

Warnings

Only for external use. Use only as directed or by a health professional.

Do not use: on open wounds, cuts, damaged or infected skin as well as in the eyes, mouth, genitals, or any other mucous membranes.

Do not cover with bandage.

Keep out of the reach of children. Consult physician for children under 12.

Consult your physician: if pregnant or pain persists or worsens.

Directions

Adults and children 12 years and over. Apply patch to affected area 1 to 2 times daily or as directed.

Instruction for Use

Clean and dry the affected area

Open pouch and remove one patch

Remove any protective film and apply directly to affected area of pain

Wash hands with soap and water after applying patch

Reseal pouch containing unused patches after each use

Other Ingredients

Methacrylic acid, ethylhexylacrylate, bentonite, sodium stearate.


FOR QUESTIONS CALL 813-388-8735

PRINCIPAL DISPLAY PANEL - 15 Patch Carton

NDC 69833-011-15

Solmara Lidocaine 4%,Menthol 5%

15 Patches



Drug Facts

Uses

For the temporary relief of minor aches and muscle pains associated with arthritis, simple backache, strains, muscle soreness and stiffness.

Warnings

Only for external use. Use only as directed or by a health professional. Do not use: on open wounds, cuts, damaged or infected skin as well as in the eyes, mouth, genitals, or any other mucous membranes.

Do not cover with bandage.

Keep out of the reach of children. Consult physician for children under 12. Consult your physician: if pregnant or pain persists or worsens.

Directions

Adults and children 12 years and over. Apply patch to affected area 1 to 2 times daily or as directed.

Instruction for Use:



Clean and dry the affected area
Open pouch and remove one patch
Remove any protective film and apply directly to affected area of pain
Wash hands with soap and water after applying patch
Reseal pouch containing unused patches after each use

Other Ingredients:

Methacrylic acid, ethylhexylacrylate, bentonite, sodium stearate.



8270 Woodland Center Blvd. Tampa, FL 33614 FOR QUESTIONS CALL 813-388-8735



SOLMARA

menthol, unspecified form and lidocaine patch

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69833-011	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
Menthol, Unspecified Form (UNII: L7T10EIP3A) (Menthol, Unspecified Form - UNII:L7T10EIP3A)	Menthol, Unspecified Form	5 g		
Lidocaine (UNII: 98PI200987) (Lidocaine - UNII:98PI200987)	Lidocaine	4 g		

Inactive Ingredients			
Ingredient Name	Strength		
2-Ethylhexyl Acrylate (UNII: HR49R9S6XG)			
Methacrylic Acid (UNII: 1CS02G8656)			
Bentonite (UNII: A3N5ZCN45C)			
Sodium Stearate (UNII: QU7E2XA9TG)			

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:69833-011-15	5 in 1 CARTON			
1	3 in 1 POUCH; Type 0: Not a Combination Product			

	0 0	* *	· .		9
C	TC MONOGRAPH NOT FINAL	part348		07/20/2015	

Labeler - Spring Hill Therapeutics LLC (079813250)

Revised: 7/2015 Spring Hill Therapeutics LLC