TUSSIN DM- dextromethorphan hbr, guaifenes in solution H E B

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

HEB Tussin DM Drug Facts

Active ingredients (in each 10 mL)

Dextromethorphan HBr, USP 20 mg Guaifenesin, USP 200 mg

Purposes

Cough suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose	
adults and children	10 mL	
12 years and over	every 4 hours	
children under 12 years	do not use	

Other information

- Phenylketonurics: Contains Phenylalanine 30 mg per 10 mL
- store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

aspartame, benzoic acid, flavor, glycerin, hydroxyethyl cellulose, menthol, polyethylene glycol, purified water

Questions or comments?

1-800-719-9260

Principal Display Panel

 $Compare \ to \ Robitus sin^{\text{\circledR}} \ Sugar-Free \ Cough + Chest \ Congestion \ DM \ active \ ingredients$

Sugar Free

TUSSIN

Dextromethorphan HBr/Cough Suppressant

Guaifenesin/Expectorant

Cough & Chest Congestion DM

Non-Drowsy

Specially Formulated For Diabetics

Adults/For Ages 12 & Over

Relief of:

Cough - Mucus

Chest Congestion

DYE FREE

4 FL OZ (118 mL)



Dextromethorphan HBr/

Cough & Chest Congestion DM

Adults/For Ages 12 & Over

Cough Suppressant Guaifenesin/Expectorant

Specially Formulated

for Diabetics

· Cough · Mucus

Chest Congestion

Compare to Robitussin^e Sugar-Free Cough + Chest Congestion DM active ingredients*

NDC 37808-578-26



Sugar Free

Dextromethorphan HBr/ Cough Suppressant Guaifenesin/Expectorant

Cough & Chest Congestion DM

Specially Formulated for Diabetics Adults/For Ages 12 & Over

- · Cough · Mucus
- Chest Congestion



Drug Facts

Active ingredients (in each 10 mL) Dextromethorphan HBr,

USP 20 mg...... Guaifenesin, USP 200 mg...

8-3-H

Purposes

Cough & Chest Congestion DM Guaifenesin/Expectorant Condy Suppressant Dextromethorphan HBr/ uissnl

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tube

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, (MAOI) (certain orugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. this product.

- Ask a doctor before use if you have cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of

overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
 mL = milliliter
 this adult product is not intended for use in children under 12 years of age

Drug Facts (continued)

age	dose	
adults and children 12 years and over	10 mL every 4 hours	
children under 12 years	do not use	

Other information

- Phenylketonurics: Contains Phenylalanine 30 mg per 10 mL store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients aspartame, benzoic acid, flavor, glycerin, hydroxyethyl cellulose, menthol, polyethylene glycol,

Questions or comments?

*This product is not manufactured or distributed by Pfizer, distributor of Robitussin® Sugar-Free Cough + Chest Congestion DM. **GLUTEN FREE**


DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING

MADE WITH PRIDE & CARE FOR H-E-B® SAN ANTONIO, TX 78204





www.StopMedicineAbuse.org



4 FL OZ (118 mL)



LOT NO.

: 57826 1J C10

TUSSIN DM

dextromethorphan hbr, guaifenesin solution

Product Information

HUMAN OTC DRUG NDC:37808-578 Product Type Item Code (Source)

Route of Administration ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9 D2RTI9 KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL	

Inactive Ingredients		
Ingredient Name	Strength	
ASPARTAME (UNII: Z0H242BBR1)		
BENZOIC ACID (UNII: 8 SKN0 B0 MIM)		
GLYCERIN (UNII: PDC6A3C0OX)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
WATER (UNII: 059QF0KO0R)		
MENTHOL, UNSPECIFIED FORM (UNII: L7T10 EIP3A)		

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:37808-578-26	1 in 1 CARTON	05/30/2006	
1	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	05/30/2006	

Labeler - HEB (007924756)

Revised: 12/2019 HE B