SLEEP AID- doxylamine succinate tablet Rite Aid Corporation

Rite Aid 44-386 Delisted

Active ingredient (in each tablet)

Doxylamine succinate 25 mg

Purpose

Nighttime sleep-aid

Use

helps to reduce difficulty in falling asleep

Warnings

Do not use

in children under 12 years of age

Ask a doctor before use if you have

- a breathing problem such as asthma, emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

taking any other drugs.

When using this product

- avoid alcoholic beverages
- take only at bedtime

Stop use and ask a doctor if

sleeplessness persists continuously for more than two weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over: take one tablet 30 minutes before going to bed; take once daily or as directed by a doctor
- children under 12 years: do not use

Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at controlled room temperature 20°-25°C (68°-77°F)
- see end flap for expiration date and lot number

Inactive ingredients

dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, magnesium stearate, microcrystalline cellulose, sodium starch glycolate

Questions or comments?

Call 1-800-426-9391 8:30 AM-4:00 PM ET, Monday-Friday

Principal display panel

NDC 11822-9386-6

Compare to the active ingredient in **Unisom® SleepTabs®***

SLEEP-AID
DOXYLAMINE SUCCINATE 25 mg
nighttime sleep-aid
helps to reduce difficulty falling asleep

ACTUAL SIZE

48

TABLETS

ONE TABLET PER DOSE

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

*This product is not manufactured or distributed by Chattem, Inc., owner of the registered trademark Unisom® SleepTabs®.

50844 REV1120C38622

DISTRIBUTED BY: RITE AID 30 HUNTER LANE, CAMP HILL, PA 17011 www.riteaid.com

CSLEEP-AID

DOXYLAMINE SUCCINATE 25 mg

NDC 11822-9386-2

Compare to the active ingredient in Unisom® SleepTabs®*

CSLEEP-AI

DOXYLAMINE SUCCINATE 25 mg

nighttime sleep-aid helps to reduce difficulty falling asleep

ACTUAL SIZE

TABLETS ONE TABLET PER DOSE

B-1702-386-22-R2 REV1120C38622

CSLEEP-AID

DOXYLAMINE SUCCINATE 25 mg

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING



SO HUNTER LANE, RITE AID DISTRIBUTED BY:

"This product is not manufactured or distributed by Chattem, Inc., owner of the registered trademark Unisom® SleepTabs®.

AM-4:00 PM ET, Monday-Friday Questions or comments? Call 1-800-426-9391 8:30

microcrystalline cellulose, sodium starch glycolate dihydrate, FD&C blue #1 aluminum lake, magnesium stearate, Inactive ingredients dibasic calcium phosphate

- see end flap for expiration date and lot number ■ store at controlled room temperature 20°-25°C (68°-77°F)
- OPENED OR BLISTER IS TORN OR BROKEN
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS Other information

■ children under 12 years: do not use

minutes before going to bed; take once daily or as directed by ■ adults and children 12 years and over: take one tablet 30 medical help or contact a Poison Control Center right away. Keep out of reach of children. In case of overdose, get

If pregnant or breast-feeding, ask a health professional

symptom of a serious underlying medical illness. continuously for more than two weeks. Insomnia may be a Stop use and ask a doctor if sleeplessness persists

- take only at bedtime
- avoid alcoholic beverages
- When using this product

Ask a doctor or pharmacist before use it you are taking any

dignd a glaucoma

- difficulty in unination due to enlargement of the prostate chronic bronchitis
 - a breathing problem such as asthma, emphysema or Ask a doctor before use if you have

Do not use in children under 12 years of age Warnings

N26 pelps to reduce difficulty in falling asleep

bis-qeels emittingil/i.

Doxylamine succinate 25 mg

(in each tablet)

Rite Aid 44-386

SLEEP AID

doxylamine succinate tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-9386
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL) DOXYLAMINE SUCCINATE 25 mg

Inactive Ingredients	
Ingredient Name	Strength
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	

Product Characteristics				
Color	blue	Score	no score	
Shape	OVAL	Size	10mm	
Flavor		Imprint Code	44;386	
Contains				

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:11822- 9386-2	3 in 1 CARTON	07/30/2019	09/21/2024	
1		16 in 1 BLISTER PACK; Type 0: Not a Combination Product			
2	NDC:11822- 9386-6	1 in 1 CARTON	07/30/2019	09/21/2024	
2		96 in 1 BOTTLE; Type 0: Not a Combination Product			
		Froduct			

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
ANDA	ANDA040564	07/30/2019	09/21/2024	

Labeler - Rite Aid Corporation (014578892)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(11822-9386)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(11822-9386) , pack(11822-9386)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(11822-9386)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(11822-9386)

Revised: 7/2023 Rite Aid Corporation